Author Index to Volume 74

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor.

Adams, G. D. Absorption of high energy quanta: I.—1707
—— **and A. T. Nordsieck.** Absorption of 10–20 mev quanta —1255(T)
Ahrens, L. H. Molecular spectroscopic evidence of the existence of strontium isotopes Sr^{88}, Sr^{87}, and Sr^{86}—74
—— **and Robley D. Evans.** Radioactive decay constants of K^{40} as determined from the accumulation of Ca^{40} in ancient minerals—279
Aiken, Howard. Computing machines—1204(T)
Albert, R. D. and C. S. Wu. Beta-spectrum of S^{35}—847(L)
Alburger, David E. Spectrometer measurement of cyclotron-induced gamma-radiation—1240(A)
—— (see Pollard, Ernest)—926
Aldrich, L. T. (see Fairbank, Henry A.)—345(L)
—— (see McInteer, B. B.)—946
—— **and Alfred O. Nier.** Argon 40 in potassium minerals —876
—— **and Alfred O. Nier.** Occurrence of He^3 in natural sources of helium—1590
—— **and Alfred O. Nier.** Variation of He^3/He^4 abundance ratio in natural sources of helium—1225(A)
Allen, James S. (see Morrish, A. H.)—1260(A)
——, **H. R. Paneth, and A. H. Morrish.** Preliminary results of a He^6 neutrino experiment—1224(A)
Aller, L. H., C. W. Ufford, and J. H. Van Vleck. Forbidden lines in O II—1208(A)
Allison, Samuel K. and Harold V. Argo. Design and performance of a 15-cm electrostatic analyzer—1561(A)
——, **H. V. Argo, W. R. Arnold, L. del Rosario, H. A. Wilcox, and C. N. Yang.** Measurement of short range nuclear recoils from disintegrations of the light elements—1233(A)
Alpher, Ralph A. Neutron-capture theory of the formation and relative abundance of the elements—1577
—— **and Robert Herman.** On the relative abundance of the elements—1737
——, **R. Herman, and G. A. Gamow.** Thermonuclear reactions in the expanding universe—1198(L)
Althaus, E. J. (see Sard, R. D.)—1364
Alvarez, Luis W. Properties of the 4-second neutron emitter of low Z—1217(A)
Anderson, H. L. Nuclear magnetic moments of hydrogen 3 and helium 3—1203(T)
Andrew, Alan and W. W. Carter. Isotopic shift in the helium line spectrum—838(L)
—— **and W. R. Smythe.** Concentration of helium 3—496(L)
Andrews, C. L. Diffraction pattern of electromagnetic waves in the planes of apertures—1231(A)
Andrews, Donald H. Superconducting noise and rectification—1234(A)
Antonoff, George. Effect of length of capillary on capillary rise of polar liquids—1227(A)
—— Structure of liquids from other than X-ray evidence—1254(T)
Apker, L., E. Taft, and J. Dickey. Photoelectric emission and contact potentials of semiconductors—1462
Apte, A. S. (see Majumdar, R. C.)—538
Araki, Gentaro. Divergence difficulty and mixed meson theory—985(L)
—— On the magnetic moment of nucleons according to the pseudovector meson theory—986(L)
—— Theory of elliptically polarized photons—472
Argo, Harold V. Direct determination of the energy of the He^3 nucleus from the D−D reaction—1293
—— (see Allison, Samuel K.)—1233(A), 1561(A)
Arner, W. J. and D. E. Sharp. Discoloration of glass by radium radiations—116(A)
Arnold, W. R. (see Allison, S. K.)—1233(A)
Arroe, O. H. Hyperfine structure of 30 Zn^{67}—1263(A)
Ashkin, J. (see Szilard, L.)—1216(A)
Austern, N. (see Mack, J. E.)—1262(A)
Auld, Mary Jane. Present problems in the use of the electrostatic analyzer—129(A)
—— **and F. T. Rogers, Jr.** "Band width" for energy in the electrostatic analyzer—128(A)
Avery, R. and R. G. Sachs. Further remarks on the magnetic moments of H^3 and He^3—1320
Axel, P. (see Sala, O.)—1249(A)

Babcock, Horace W. Magnetic variable stars as sources of cosmic rays—489(L)
—— Stellar magnetic fields—1555(T)
Baker, Saul (see Wayland, Harold)—1563(A)
Baker, W. O. (see Mason, W. P.)—1873(L)
Balakrishnan, C. (see Knowles, A. J.)—627(L)
——, **J. D. Craggs, and A. A. Jaffe.** Discharge spread in Geiger counters with methane and methane/argon fillings—410
Ballario, C., M. Benini, and G. Calamai. On the positive excess of the meson component at sea level under different zenithal angles—1729(L)
Band, William (see Meyer, Lothar)—394, 1235(A)
—— **and Lothar Meyer.** Effect of relaxation on the theory of second sound in helium II—1235(A)
—— **and Lothar Meyer.** Influence of relaxation on the two velocity field model of helium II—386
Bandel, H. W. and W. N. English. Point-to-plane corona characteristics—1557(A)
Banks, Floyd R., Jr. Effects of chlorine and sulphur on photo-conductivity in silver chloride—1207(A)
Barber, W. C. East-west asymmetry of cosmic rays at 33,000 feet—1556(A)
Barbour, Ian G. On the use of nuclear plates in a magnetic field—507(L)
Bardeen, J. (see Brattain, W. H.)—231(L)
—— **and W. H. Brattain.** Transistor, a semi-conductor triode—230(L)
Barkas, Walter H., Eugene Gardner, and C. M. G. Lattes. Meson mass estimation by grain counting in photographic emulsions—1558(A)

Author Index to Volume 74

References with (A) are to abstracts of papers presented at meetings of the American Physical Society, and those with (T) designate title only. References with (L) are to Letters to the Editor.

Adams, G. D. Absorption of high energy quanta: I.—1707
—— **and A. T. Nordsieck.** Absorption of 10–20 mev quanta —1255(T)
Ahrens, L. H. Molecular spectroscopic evidence of the existence of strontium isotopes Sr^{88}, Sr^{87}, and Sr^{86}—74
—— **and Robley D. Evans.** Radioactive decay constants of K^{40} as determined from the accumulation of Ca^{40} in ancient minerals—279
Aiken, Howard. Computing machines—1204(T)
Albert, R. D. and C. S. Wu. Beta-spectrum of S^{35}—847(L)
Alburger, David E. Spectrometer measurement of cyclotron-induced gamma-radiation—1240(A)
—— (see Pollard, Ernest)—926
Aldrich, L. T. (see Fairbank, Henry A.)—345(L)
—— (see McInteer, B. B.)—946
—— **and Alfred O. Nier.** Argon 40 in potassium minerals —876
—— **and Alfred O. Nier.** Occurrence of He^3 in natural sources of helium—1590
—— **and Alfred O. Nier.** Variation of He^3/He^4 abundance ratio in natural sources of helium—1225(A)
Allen, James S. (see Morrish, A. H.)—1260(A)
——, **H. R. Paneth, and A. H. Morrish.** Preliminary results of a He^6 neutrino experiment—1224(A)
Aller, L. H., C. W. Ufford, and J. H. Van Vleck. Forbidden lines in O II—1208(A)
Allison, Samuel K. and Harold V. Argo. Design and performance of a 15-cm electrostatic analyzer—1561(A)
——, **H. V. Argo, W. R. Arnold, L. del Rosario, H. A. Wilcox, and C. N. Yang.** Measurement of short range nuclear recoils from disintegrations of the light elements—1233(A)
Alpher, Ralph A. Neutron-capture theory of the formation and relative abundance of the elements—1577
—— **and Robert Herman.** On the relative abundance of the elements—1737
——, **R. Herman, and G. A. Gamow.** Thermonuclear reactions in the expanding universe—1198(L)
Althaus, E. J. (see Sard, R. D.)—1364
Alvarez, Luis W. Properties of the 4-second neutron emitter of low Z—1217(A)
Anderson, H. L. Nuclear magnetic moments of hydrogen 3 and helium 3—1203(T)
Andrew, Alan and W. W. Carter. Isotopic shift in the helium line spectrum—838(L)
—— **and W. R. Smythe.** Concentration of helium 3—496(L)
Andrews, C. L. Diffraction pattern of electromagnetic waves in the planes of apertures—1231(A)
Andrews, Donald H. Superconducting noise and rectification—1234(A)
Antonoff, George. Effect of length of capillary on capillary rise of polar liquids—1227(A)
—— Structure of liquids from other than X-ray evidence—1254(T)
Apker, L., E. Taft, and J. Dickey. Photoelectric emission and contact potentials of semiconductors—1462
Apte, A. S. (see Majumdar, R. C.)—538
Araki, Gentaro. Divergence difficulty and mixed meson theory—985(L)
—— On the magnetic moment of nucleons according to the pseudovector meson theory—986(L)
—— Theory of elliptically polarized photons—472
Argo, Harold V. Direct determination of the energy of the He^3 nucleus from the D−D reaction—1293
—— (see Allison, Samuel K.)—1233(A), 1561(A)
Arner, W. J. and D. E. Sharp. Discoloration of glass by radium radiations—116(A)
Arnold, W. R. (see Allison, S. K.)—1233(A)
Arroe, O. H. Hyperfine structure of 30 Zn^{67}—1263(A)
Ashkin, J. (see Szilard, L.)—1216(A)
Austern, N. (see Mack, J. E.)—1262(A)
Auld, Mary Jane. Present problems in the use of the electrostatic analyzer—129(A)
—— **and F. T. Rogers, Jr.** "Band width" for energy in the electrostatic analyzer—128(A)
Avery, R. and R. G. Sachs. Further remarks on the magnetic moments of H^3 and He^3—1320
Axel, P. (see Sala, O.)—1249(A)

Babcock, Horace W. Magnetic variable stars as sources of cosmic rays—489(L)
—— Stellar magnetic fields—1555(T)
Baker, Saul (see Wayland, Harold)—1563(A)
Baker, W. O. (see Mason, W. P.)—1873(L)
Balakrishnan, C. (see Knowles, A. J.)—627(L)
——, **J. D. Craggs, and A. A. Jaffe.** Discharge spread in Geiger counters with methane and methane/argon fillings—410
Ballario, C., M. Benini, and G. Calamai. On the positive excess of the meson component at sea level under different zenithal angles—1729(L)
Band, William (see Meyer, Lothar)—394, 1235(A)
—— **and Lothar Meyer.** Effect of relaxation on the theory of second sound in helium II—1235(A)
—— **and Lothar Meyer.** Influence of relaxation on the two velocity field model of helium II—386
Bandel, H. W. and W. N. English. Point-to-plane corona characteristics—1557(A)
Banks, Floyd R., Jr. Effects of chlorine and sulphur on photo-conductivity in silver chloride—1207(A)
Barber, W. C. East-west asymmetry of cosmic rays at 33,000 feet—1556(A)
Barbour, Ian G. On the use of nuclear plates in a magnetic field—507(L)
Bardeen, J. (see Brattain, W. H.)—231(L)
—— **and W. H. Brattain.** Transistor, a semi-conductor triode—230(L)
Barkas, Walter H., Eugene Gardner, and C. M. G. Lattes. Meson mass estimation by grain counting in photographic emulsions—1558(A)

Barlow, J. S. and F. T. Rogers, Jr. On the positive particles occurring from P^{32} in the cloud chamber—700(L)
Barnóthy, J. On the intrinsic moment of the electron—113(L)
—— Specific charge of the positron—844(L)
—— **and M. Forro.** Neutral decay-products of cosmic radiation at great depth—1300
Bashkin, S. and H. T. Richards. Simple all-electronic cloud-chamber control circuit—1260(A)
Bass, Arnold M. and H. Sponer. Fluorescence of fluorobenzene—1247(A)
Bauer, Carl August. Absorption of cosmic radiation in meteorites—225(L)
—— Rate of production of helium in meteorites by cosmic radiation—501(L)
Beams, J. W. (see Dillon, J. F.)—117(A)
—— (see McQueen, J. H.)—1551(L)
—— (see Snoddy, L. B.)—126(A)
Bearden, J. A. (see Schwarz, Guenter)—1209(A)
Beatty, Suzanne Van Dijke. Table of interplanar spacings in Angstrom or K.X. units in terms of 2θ for different target materials—625(L)
Beck, Guido. Contribution to the theory of the Cherenkov effect—795
Beeber, R. J. (see Hubbard, J. C.)—708(L)
Beeman, W. W. (see Hanson, H. P.)—1261(A)
—— (see Kaesberg, Paul)—71, 1255(A)
Begovich, Nicholas. High frequency loading—1563(A)
Belinfante, F. J. First-order variational principle for classical electrodynamics—779
Bell, P. R. and R. C. Davis. Scintillation counting with anthracene—1245(A)
Bell, R. E. (see Elliott, L. G.)—1869(L)
—— **and L. G. Elliott.** Gamma-rays from the reaction $H^1(n, \gamma)D^2$ and the binding energy of the deuteron—1552(L)
Belock, H., E. Bromberg, S. Fifer, U. Manfredi, R. McCoy, and H. Zagor. REAC: Direct current analog computer—1230(A)
Benade, A. H. (see Sard, R. D.)—1237(A)
Bender, R. S., F. C. Shoemaker, S. G. Kaufmann, and G. M. B. Bouricius. Elastic scattering of protons by aluminum in the neighborhood of the 985-kev resonance—1205(A)
Benedict, W. S. New bands in the vibration-rotation spectrum of water vapor—1246(A)
—— (see Mohler, Orren C.)—702(L)
—— (see Nelson, R. C.)—703(L)
Benedikt, Elliot T. On the integral equations of motion—1213(A)
—— On the theory of a new magneto-electric effect—1563(A)
Benfield, A. E. Thermal consequences of the capture of neutrinos by the earth—621(L)——Erratum——1192(L)
Benini, M. (see Ballario, C.)—1729(L)
Bennett, Willard H. Radiofrequency mass spectrometer—1222(A)
Berezin, Evelyn (see Zar, Jacob L.)—111(L)
Berggren, Jane L. and Robert K. Osborne. Beta-ray spectra of C^{14} and S^{35}—1240(A)
Bergman, C. E. and G. H. Fett. Theory and applications of the parallel T resistance-capacitance network—1206(A)
Bergmann, Peter G. Low angle scattering of colloidal solutions—1209(A)
Berlin, T. H. (see Greenberg, J. Mayo)—1243(A)
Bernardini, G., G. Cortini, and A. Manfredini. Nuclear evaporations produced by cosmic rays—845(L)
——, **G. Cortini, and M. Manfredini.** On the absorption of nucleonic component in cosmic rays—1878(L)
Bernstein, S. (see Szilard, L.)—1216 (A)
——, **F. L. Talbott, J. K. Leslie, and C. P. Stanford.** Yield of photo-neutrons from U^{235} fission products in Be—1258(A)
Berry, H. W. Secondary electron emission by fast neutral molecules and neutralization of positive ions—848(L)
Bershader, D. and R. Ladenburg. Interferometric analysis of two-dimensional supersonic flow through small channels—1229(A)
Bever, Renate S., Virgil E. Bottom, and Louis R. Weber. Modes of vibration in contoured quartz plates—1562(A)
Beyer, R. T. (see Davis, W. H.)—1208(A)
—— **and J. A. Krumhansl.** Barkhausen noise in ferromagnetic electrical circuit elements—1206(A)
Bhabha, H. J. and S. K. Chakrabarty. Further calculations on the cascade theory—1352
Bhattacharya, P. C. Experiments on the separation of low energy mesotrons from electrons—38
Bird, R. Byron (see Hirschfelder, Joseph O.)—1265(A)
Birks, J. B. Microwave magnetic dispersion in carbonyl iron powder—843(L)
—— Natural and induced ferromagnetic resonance—988(L)
Birnbaum, George. Recording microwave refractometer—1211(A)
—— (see Lyons, Harold)—1210(A)
Bishop, A. S., John Burfening, Eugene Gardner, and C. M. G. Lattes. Detection of positive meson producted by the 184-in. cyclotron—1558(A)
Bitter, Francis. Nuclear magnetic resonance experiments at the Massachusetts Institute of Technology—1203(T)
Blachman, Nelson M. and Ernest D. Courant. Scattering of particles by the gas in a synchrotron—140
Blair, J. Morris (see Sleator, William, Jr.)—1260(A)
——, **George Freier, Eugene Lampi, William Sleator, Jr., and J. H. Williams.** Angular distribution of 1 to 3.5-Mev deuterons scattered by deuterons—1594
——, **George Freier, Eugene Lampi, William Sleator, Jr., and J. H. Williams.** Angular distribution of the products of the D−D reaction: 1 to 3.5 Mev—1599
——, **George Freier, Eugene E. Lampi, William Sleator, Jr., and John Williams.** Scattering of 2.4- to 3.5-Mev protons by protons—553
——, **W. Sleator, Jr., George Freier, E. E. Lampi, and J. H. Williams.** Angular distribution of the disintegration products from the D−D reaction: 1 to 4 Mev—1259(A)
——, **William Sleator, Jr., George Freier, E. E. Lampi, and J. H. Williams.** Proton-proton scattering: 2.4 to 3.5 Mev—1205(A)
Blatt, John M. On the neutron-proton force—92, 1205(A)

Blau, M. and J. A. De Felice. Development of thick emulsions by a two-bath method—1198(L)
Bless, A. A. Bioelectric potentials as an index of X-ray action—1209(A)
—— (see Jones, M. W.)—126(A)
Bloch, F., D. Nicodemus, and H. H. Staub. Quantitative determination of the magnetic moment of the neutron in units of the proton moment—1025
Bloch, I. (see Breit, G.)—397
Bloom, Evelyn G., Fred L. Mohler, J. H. Lengel, and C. E. Wise. Metastable transitions in mass spectra of hydrocarbons—1222(A)
Bockhop, Dorothy, A. C. Helmholz, and J. M. Peterson. Radioactive products of high energy deuteron bombardment of Cu—1559(A)
Bockstahler, Lester I. and Harmon Plumb. Characteristics of liquid air as a low temperature bath—1235(A)
Bohm, D. and E. P. Gross. Plasma oscillations as a cause of acceleration of cosmic-ray particles—624(L)
—— **and M. Weinstein.** Self-oscillations of charged particles—1789
Bonner, T. W. (see DeBenedetti, S.)—1645
——, **J. E. Evans, J. C. Harris, and G. C. Phillips.** Resonances in the disintegration of carbon by deuterons—1227(A)
Borkowski, C. J. and E. Fairstein. Methane proportional counter for beta-counting—1243(A)
Borowitz, Sidney. Depolarization of neutrons during diffusion—1215(A)
—— **and Morton Hamermesh.** Depolarization of neutrons during diffusion—1285
Borst, L. B. and J. J. Floyd. Radioactive decay of K^{40}—989(L)
——, **M. Fox, D. H. Gurinsky, I. Kaplan, R. W. Powell, C. Williams, and W. E. Winsche.** Nuclear reactor at the Brookhaven National Laboratory—1883(L)
Bottom, Virgil E. Hall effect in tellurium measured by a.c. method—1218(A)
—— (see Bever, Renate S.)—1562(A)
Bouricius, G. M. B. (see Bender, R. S.)—1205(A)
Bouricius, W. G. (see Breit, G.)—1546(L)
Bowers, W. A. Focusing properties of the electrostatic analyzer—128(A)
—— On the relative yields of (γ, n) reactions—1538(L)
Boyd, G. E. (see Motta, E. E.)—220(L), 344(L)
Boyd, L. R. (see Wineland, W. C.)—118(A)
Boydston, R. W. Durable and optically improved front surfaced mirrors processed exclusively by thermal evaporation—124(A)
—— Hard and durable non-absorbing optical beam splitters produceable by evaporated multilayer thin filming methods—125(A)
Boyer, R. L. Determination of detonation temperatures in high explosives—1221(A)
Braden, C. H., G. E. Owen, J. Townsend, C. S. Cook, and F. B. Shull. Discrepancies caused by source charging in beta-spectrometers—1539(L)
Bradner, Hugh and J. D. Gow. Half-lives of aluminum^{25} and aluminum^{26}—1559(A).
Bradt, H. L. (see Freier, Phyllis)—213
—— **and B. Peters.** Investigation of the primary cosmic radiation with nuclear photographic emulsions—1828
Brady, Edward L. and Martin Deutsch. Angular correlation of successive gamma-ray quanta. II—1541(L)
Bragg, J. K. Interaction of nuclear electric quadrupole moments with molecular rotation in asymmetric-top molecules. I—533
Brattain, W. H. (see Bardeen, J.)—230(L)
—— **and J. Bardeen.** Nature of the forward current in germanium point contacts—231(L)
Bray, Ralph. Dependence of resistivity of germanium on electric field—1218(A)
Breit, G. Some effects of the intrinsic magnetic moment of the electron—656
—— **and I. Bloch.** Resonances in $Li^7(p, n)Be^7$—397
—— **and G. E. Brown.** Effect of nuclear motion on the fine structure of hydrogen—1278
—— **and W. G. Bouricius.** Boundary value condition for proton-proton scattering—1546(L)
Bremner, J. W. (see Poole, J. H. J.)—836(L)
Brentano, J. C. M. and D. H. Davis. Change of photoconductivity of cadmium sulfide between room temperature and the temperature of liquid air—711(L)
Brickwedde, F. G. Redefinition of the thermodynamic scale of temperatures—1220(A)
Bridge, H. and W. Hazen. Shower production by penetrating particles at 14,000 feet—579
——, **W. E. Hazen, B. Rossi, and R. W. Williams.** Study of cosmic-ray bursts—1083
Brillouin, L. Waves and electrons traveling together—a comparison between traveling wave tubes and linear accelerators—90
Britten, R. J. (see Fullbright, H. W.)—1251(A)
Brocklehurst, R. E. and L. F. Vassamillet. Measurement of the coefficient of expansion of microgram samples of metals—114(T)
Broer, L. J. F. On the reflection-transmission effect in experiments on polarization of electrons—1887(L)
Bromberg, E. (see Belock, H.)—1230(A)
Brown, F. W., III (see Lamb, W. A.)—104(L)
Brown, G. E. (see Breit, G.)—1278
Brown, Harrison S. (see Inghram, Mark G.)—343(L)
Brown, Sanborn C. (see Everhart, Edgar)—1210(A)
—— (see Farmer, Earle C.)—902
—— (see Herlin, Melvin A.)—291, 910, 1650, 1209(A)
Brubaker, W. M. Present problems in conduction of electricity in gases—116(T)
Buechner, W. W. (see Strait, E. N.)—1226(A), 1257(A)
——, **E. N. Strait, C. G. Stergipoulos, and A. Sperduto.** Excited level in Li^7 from the $Li^6(d, p)Li^7$ and $Be^9(d, \alpha)Li^7$ reactions—1569
——, **R. J. Van de Graaff, E. A. Burrill, and A. Sperduto.** Thick-target x-ray production in the range from 1250 to 2350 kilovolts—1348
——, **R. J. Van de Graaff, E. N. Strait, C. G. Stergiopoulos, and A. Sperduto.** Magnetic analysis of disintegration products—1226(A)
Buehler, J. H. (see Ramsay, B. P.)—118(A)
—— (see Wolf, H. E.)—118(A)

Bundy, F. P. (see Strong, H. M.)—1221(A)
——, **A. B. Gregg, and H. M. Strong.** Measurement of gas pressures in the exhaust flames of rocket motors by spectroscopic methods II—1221(A)
Burbury, D. W. P. (see Fenton, A. G.)—589
Burfening, John (see Bishop, A. S.)—1558(A)
Burg, Anton B. (see Gordy, Walter)—1191(L)
Burgy, M., D. J. Hughes, and J. Wallace. Double transmission and depolarization of neutrons—1207(A)
Burling, R. L. and F. N. D. Kurie. On γ-induced β-disintegration: experimental—109(L)
Burrill, E. A. (see Buechner, W. W.)—1348
Burson, S. B. and C. O. Muehlhause. Decay scheme of 47-hr Sm^{153}—1264(A)
Burstein, Elias and Paul L. Smith. Photoelastic properties of cubic crystals—229(L)
—— **and Paul L. Smith.** Photoelastic properties of diamond —1880(L)
Bush, R. R. (see Fulbright, H. W.).—1323, 1203(A)
—— (see White, M. G.)—1242(A)
—— **and H. W. Fulbright.** Nuclear energy levels from inelastic scattering of protons—1206(A)
Byatt, W. J. and F. T. Rogers, Jr. Maximum normal stresses in mild steel during bending—121(A)
——, **F. T. Rogers, Jr., and Arthur Waltner.** Cloud-chamber observations of the decay of tritium—699(L)

Cady, W. M. (see Marlow, Douglas)—1228(A)
Calamai, G. (see Ballario, C.)—1729(L)
Calbick, C. J. (see Christensen, H.)—1219(A)
Caldwell, E. E. and F. T. Rogers, Jr. Output voltage from carbon-pile type of voltage-regulator—120(A)
Caldwell, Wallace C. and Lloyd P. Smith. Photo-conductivity of silver chloride and thallium bromide in the visible and near infra-red—1207(A)
Cameron, A. E. (see White, J. R.)—991
Cardell, J. (see McCormack, R. L.)—1204(T)
Carmichael, H. Studies of bursts at sea level—1667
Carter, Robert L. and William V. Smith. Saturation effect in the microwave absorption of ammonia—123(A)
Carter, W. W. (see Andrew, Alan)—838(L)
Case, Kenneth M. Magnetic moments of the neutron and proton—1884(L)
Cassels, J. M. Polarization of neutrons by magnetized iron—111(L)
—— **and R. Latham.** Inelastic scattering of neutrons—103(L)
Castle, J. (see Spence, J.)—704(L)
Chaffe, E. L. (see Hickman, R. W.)—354(T)
Chako, Nicholas. Extensional and thickness vibrations of two-dimensional crystals—126(A)
Chakrabarty, S. K. (see Bhabha, H. J.)—1352
Champion, F. C. and R. R. Roy. Emission of protons from light nuclei on bombardment with α-particles of short range—5
Chang, T. S. Note on the general properties of S matrices —1213(A)
—— Relativistic field theories—1250(A)
Chang, W. Y. Alpha-ray spectra of RaC, and RaC′—1195(L)
—— Search for heavy particles from stopped mesons—1236(A)
—— **and T. Coor.** Alpha-ray spectra of RdTh, ThC and ThC′—1196(L)
Chao, C. Y. Cosmic-ray showers produced by penetrating particles—492(L)
Cheka, J. S. Investigation of the fading of latent images of neutron-induced proton tracks in special fine grain particle emulsions—127(A)
Cheng, Laura (see Hubbard, J. C.)—708(L)
Chew, Geoffrey F. Elastic scattering of high energy nucleons by deuterons—809
Chou, Chang-Ning. Cosmic-ray bursts at sea-level and under thirty meters of clay—1659
Christensen, H. and C. J. Calbick. Sintering process study by electron micrography—1219(A)
Christy, R. F. (see Cohen, E. Richard)—1566(A)
—— (see O'Reilly, J.)—1559(A)
Chu, K. Y. and M. L. Wiedenbeck. Coincidences between beta-rays and conversion electrons in europium—494(L)
Chubbuck, J. B. and I. Perlman. Neutron deficient isotopes of cerium and lanthanum—982(L)
Chupp, W. W. and E. M. McMillan. Production of N^{17} by deuteron bombardment—1217(A)
Clark, C. L. Electron ballistics in the Yale linear accelerator—1243(A)
Cleland, Marshall (see Townsend, J.)—99(L), 499(L)
Cobb, Jock and A. K. Solomon. Detection of beta-radiation by photographic film—354(A)
Cobine, J. D. and C. J. Gallagher. Current density of the arc cathode spot—1524
Cocconi, G. and K. Greisen. On the penetrating showers of cosmic radiation—62
——, **V. Cocconi Tongiorgi, and K. Greisen.** Neutrons in the penetrating showers of the cosmic radiation—1867
Cocconi, Vanna Tongiorgi. On the origin of the neutrons associated with the extensive cosmic-ray showers—226(L)
Cohen, E. Richard and R. F. Christy. Analysis of the Be^9+p resonances at 0.988 and 1.077 Mev—1566(A)
Cohen, Martin J. Proposed self-controlled cloud chamber—1244(A)
Coles, Donald K. Microwave absorption line frequencies of methyl alcohol and their Stark effect—1194(L)
—— Precision measurement of molecular rotation frequencies—1203(T)
Collins, George B. Decay times of scintillations—1543(L)
Conforto, A. M. (see Sard, R. D.)—97(L)
Conwell, Esther. Non-product wave function for a negative ion—268
—— Wave functions for H^- obtained by variation method —277
Cook, C. Sharp (see Owen, George E.)—1879(L)
—— (see Langer, Lawrence M.)—1263(A)
—— (see Braden, C. H.)—1539(L)
—— **and Lawrence M. Langer.** Auger electrons following K-capture in Cu^{64}—1241(A)
—— **and Lawrence M. Langer.** Shape of the positron spectrum of Cu^{61}—227(L)

——, **Lawrence M. Langer, and H. Clay Price, Jr.** Study of the beta-spectra of C^{14} and S^{35}—548
——, **L. M. Langer, H. C. Price, Jr., and M. B. Sampson.** Shape of the positron spectrum of N^{13}—502(L)
Cook, Richard K., Martin Greenspan, and Pearl G. Weissler. Thermal voltages of a quartz crystal—1714
Cooke, S. P. Hall and Kerr effects at microwave frequencies —701(L)
Cool, R. L. (see Fowler, E. C.)—101(L), 850(L)
Cooper, D. (see Kissinger, C. W.)—349(L), 1237(A)
Cooper, Eugene P. On the failure of beta-decay theory at low energies—1565(A)
Cooper, J. N. (see Shaw, C. H.)—114(T)
—— **and C. H. Shaw.** Ohio State electrostatic generator—114(T)
Coor, T. (see Chang, W. Y.)—1196(L)
Corben, H. C. Use of phase space in classical and quantum theory—788
Cork, J. M., R. G. Shreffler, and C. M. Fowler. Converted gamma-radiation from silver, cadmium, indium, praseodynium, and rhenium—1657
——, **R. G. Shreffler, and C. M. Fowler.** Gamma-radiation from tellurium and samarium—1249(A)
——, **R. G. Shreffler, and C. M. Fowler.** Neutron induced radioactivity in certain rare-earth elements—240
Cornog, I. C. (see Franzen, W.)—1234(A)
——, **W. Franzen, and W. E. Stephens.** Range of protons from $N^{14}(n, p)C^{14}$—1
Cortini, G. (see Bernardini, G.)—845(L), 1878(L)
Cottington, R. L. (see Hardy, R. C.)—1220(A)
Courant, Ernest D. Photoelectric production of protons in nuclei—1226(A)
—— (see Blachman, Nelson M.)—140
Cowan, Clyde L. Absorption of gamma-radiation—1841
—— (see Hughes, A. L.)—1238(A)
—— (see Morganstern, K. H.)—499(L)
Craggs, J. D. (see Balakrishnan, C.)—410
—— (see Knowles, A. J.)—627(L)
Crain, C. M. Dielectric constant of several gases at a wave-length of 3.2 centimeters—691
Crawford, G. W. Tensiometer for elastic properties of very small wires—119(A)
—— (see Linz, Arthur, Jr.)—119(A)
—— **and F. T. Rogers, Jr.** Note on the d.c. characteristics of the string galvanometer. II—118(A)
Crawley, Clyde B. Study of the mean radiant temperature and the air temperature in a panel heated house—120(A)
—— (see Howard, R.)—125(A)
Creutz, E. (see Falk, C. E.)—1226(A)
Critchfield, Charles L. Analysis of proton-proton scattering—1205(A)
Crittenden, E. C. (see Smith, C. S.)—114(T)
Crouch, M. F. (see Sard, R. D.)—97(L)
Csongor, Eva (see Szalay, A.)—1063
Cullwick, E. G. Tentative explanation of the observed mass of mesons and other particles—707(L)
Cunningham, B. B. (see Miller, D. R.)—347(L)
Cunningham, G. L., W. I. LeVan, and William D. Gwinn. Rotational spectrum of ethylene oxide—1537(L)
Curcio, J. A. (see Sanderson, J. A.)—1221(A)
Curtiss, C. F. and J. O. Hirschfelder. Equilibrium assumption in the theory of absolute reaction rates—1265(A)
Curtiss, L. F. Radioactivity and neutron standards—1203(T)

Dabbs, J. W. T. (see Moak, C. D.)—1249(A)
Dailey, B. P. (see Shulman, R. G.)—846(L)
——, **K. Rusinow, R. G. Shulman, and C. H. Townes.** Pure rotational spectrum of AsF^3—1245(A)
Danielson, Gordon C., Bernd T. Matthias, and John M. Richardson. Dielectric behavior of single domain crystals of $BaTiO^3$—986(L)
Darrow, K. K. Outline of the topics of the symposium—1203(T)
Daunt, John G. Erratum: the magnetic threshold curves of superconductors—985(L)
—— Special lecture: the behavior of the helium isotopes in the liquid phase—114(T)
——, **A. R. Miller, A. B. Pippard, and D. Shoenberg.** Temperature dependence of penetration depth of a magnetic field in superconductors—842(L)
——, **R. E. Probst, and S. R. Smith.** Experiments on He^3 at low temperatures—495(L)
Davidson, Norman and A. E. Larsh, Jr. Conductivity pulses in liquid argon—220(L)
Davidson, W. L. X-ray diffraction evidence for ZnS formation in zinc activated rubber vulcanizates—116(A)
Davis, D. H. (see Brentano, J. C. M.)—711(L)
Davis, Karl A. (see Edwards, John E.)—116(A)
Davis, Luther, Jr. Nuclear spin and magnetic moment of Na^{22}—1193(L)
—— **and Carroll W. Zabel.** Electric quadrupole moments of the chlorine nuclei—1211(A)
Davis, R. C. (see Bell, P. R.)—1245(A)
Davis, R. E., W. E. Johnson, K. Lark-Horovitz, and S. Siegel. Neutron-bombarded germanium semiconductors —1255(A)
Davis, W. H., A. O. Williams, Jr., and R. T. Beyer. Self-consistent field for Ca XIII—1208(A)
Davison, Perry W. Recent results of investigation of reaction $S(dp)$—1233(A)
Davisson, Charlotte M. and Robley D. Evans. Gamma-ray absorption measurements—1239(A)
Davisson, J. W. Electrical breakdown in LiF below room temperature—1218(A)
Day, F. H. (see Deal, L. J.)—127(A)
Deal, L. J., J. H. Robertson, and F. H. Day. Energy dependence of film meters—127(A)
DeBenedetti, S., J. E. Francis, Jr., W. M. Preston, and T. W. Bonner. Angular dependence of coincidences between fission neutrons—1645
—— **and F. K. McGowan.** Short-lived isomers of nuclei—728
Decker, K. M. (see Schulkin, M.)—840(L)
De Felice, Joseph A. Removal of latent image in the Powell photographic plate technique—1244(A)
—— (see Blau, M.)—1198(L)
de Hoffmann, F., B. T. Feld, and P. R. Stein. Delayed neutrons from U^{235} after short irradiation—1330

de Launay, Jules and M. C. Steele. On temperature dependence of penetration depth in superconductors—1235(A)
del Rosario, Leticia. Use of an electron multiplier tube as a new technique in disintegration experiments—304
—— (see Allison, S. K.)—1233(A)
Dempster, A. J. Neutron absorption in samarium—505(L)
—— Packing fraction measurements of the heavy elements—1225(A)
de Saussure, G. (see Medicus, H.)—839(L)
Deutsch, Martin (see Brady, Edward L.)—1541(L)
—— (see Fluharty, R. G.)—1241(A)
—— (see Metzger, Franz)—1640
—— **and Franz Metzger.** Correlation between direction and polarization of successive gamma-ray quanta—1542(L)
Devons, S. and M. G. N. Hine. γ-radiation from Be^8—976(L)
Dickey, J. (see Apker, L.)—1462
Dickson, D. (see Slack, C. M.)—1230(A)
Dillon, J. F. and J. W. Beams. Improved axial magnetic suspension—117(A)
Dirac, P. A. M. Theory of magnetic poles—817
Dollmann, E. M. (see Salant, E. O.)—694(L)
Dougherty, C. B. (see Hornyak, W. F.)—1727(L)
—— (see Lauritsen, T.)—1566(A)
——, **W. F. Hornyak, T. Lauritsen, and V. K. Rasmussen.** Internal conversion pairs in carbon—712(L)
Dresden, M. Approximate methods in momentum space—1236(A)
Dropkin, J. J. (see Parker, W. L.)—1242(A)
Duffield, R. B. (see McElhinney, J.)—1257(A)
DuMond, Jesse W. M. Erratum; Solid state interpretation of the structure near the limit of the continuous x-ray spectrum—1883(L)
—— (see Lind, David)—1561(A)
—— (see Watson, Bernard B.)—1561(A)
——, **David Lind, and Bernard B. Watson.** Precision spectroscopy of nuclear gamma-rays with a focusing curved quartz crystal—1561(A)
Dunipace, D. W. Optics of curved glass—116(A)
Dunlap, W. C., Jr. and E. F. Hennelly. Non-rectifying germanium—976(L)
Dunning, J. R. (see Havens, W. W., Jr.)—1216(A)

Eberlein, W. F. Characteristic values of spheroidal wave functions—190
Eckert, W. J. IBM selective sequence electronic calculator—1204(T)
Eden, R. J. Analytic behavior of Heisenberg's S-matrix—982(L)
Edwards, John E. and Karl A. Davis. Combination electron diffraction and x-ray tube—116(A)
Eggen, D. T. and M. L. Pool. Radioactive isotopes of Ru and Tc—57
—— **and M. L. Pool.** Radioactive Ru and Tc—1248(A)
Eggler, C. (see Hughes, D. J.)—1239(A)
——, **D. J. Hughes, and C. Huddleston.** Formation of Be^{10}—1239(A)
Ehrke, L. F. (see Slack, C. M.)—1230(A)
Einbinder, Harvey. Generalized virial theorems—803
—— Quantum statistics and the $\aleph$ theorem—805
Eisenbud, L. Neutron helium resonance scattering—1206(A)
Eisenhart, L. P. Enumeration of potentials for which one-particle Schroedinger equations are separable—87
Eisenstein, J. (see Feshbach, H.)—1223(A)
Ekstein, H. and S. Siegel. Erratum; achromatization of Debye-Scherrer lines—625(L)
Elder, F. R., R. V. Langmuir, and H. C. Pollock. Radiation from electrons accelerated in a synchrotron—52
Elliott, L. G. (see Bell, R. E.)—1552(L)
—— **and R. E. Bell.** Experimental upper limit for the mean life of the 478.5-kev excited state of Li^7—1869(L)
Elliott, Norman. Magnetic susceptibility of uranium tetrafluoride, UF_4—498(L)
Ellis, Cecil B. On closed shells in nuclei—1547(L)
English, W. N. Corona from a water drop—179
—— Effect of point material on corona onset—1556(A)
—— Positive and negative point-to-plane corona in air—170
—— (see Bandel, H. W.)—1557(A)
—— (see Moore, D. B.)—1557(A)
Epstein, H. T. Electron microscopy of monolayers—1256(A)
—— (see Mautz, C. W.)—1872(L)
Estermann, I. Interaction of molecules with solid substances—1555(T)
Estes, Dorothy V. (see Sanderson, J. A.)—1221(A)
Evans, J. E. (see Bonner, T. W.)—1227(A)
Evans, John (see Lagemann, R. T.)—124(A)
Evans, Robley D. (see Ahrens, L. H.)—279
—— (see Davisson, Charlotte M.)—1239(A)
Everhart, Edgar and Sanborn C. Brown. Method of measuring the complex conductivity of an ionized gas at microwave frequencies—1210(A)
Eyges, Leonard. Multiple scattering with energy loss—1534(L)
—— Scattering of particles in air showers—1801

Fagg, Lawrence W. (see Mock, Dana L.)—1536(L)
Fairbank, Henry A., Charles A. Reynolds, C. T. Lane, B. B. McInteer, L. T. Aldrich, and Alfred O. Nier. Increase in vapor pressure of liquid helium due to He^3 in solution—345(L)
Fairstein, E. (see Borkowski, C. J.)—1243(A)
Falk, C. E., E. Creutz, and F. Seitz. Angular distribution of neutrons from (d, n) reactions—1226(A)
Falkoff, D. L. (see Ling, D. S.)—1224(A)
Fan, H. Y. Theory of rectification of an insulating layer—1505
Farmer, Earle C. and Sanborn C. Brown. Study of the deterioration of methane-filled Geiger-Mueller counters—902
Farnsworth, H. E. Production and tests of metal single crystal surfaces—1219(A)
Feenberg, Eugene. Note on perturbation theory—206
—— Theory of scattering processes—664
Feer, Daniel B. Emission of radiation in the disintegration of mesons—1238(A)

Feld, B. T. (see de Hoffmann, F.)—1330
—— (see Knight, G.)—354(A)
—— (see Szilard, L.)—1216(A)
Fenton, A. G. and D. W. P. Burbury. Measurements of the east-west asymmetry of cosmic rays at Hobart, Tasmania—589
Ferry, John D. (see Marvin, Robert S.)—1256(A)
Feshbach, Herman. On Feenberg's perturbation formula—1548(L)
—— (see McKinley, William A., Jr.)—1759
——, **J. Eisenstein, and J. S. Schwinger.** On tensor forces and the variation-iteration method—1223(A)
Fett, G. H. (see Bergman, C. E.)—1266(A)
Feynman, R. P. Relativistic cut-off for classical electrodynamics—939
—— Relativistic cut-off for quantum electrodynamics—1430, 1212(A)
Fifer, S. (see Belock, H.)—1230(A)
Finkelnburg, Wolfgang. Electrode vapor jets in arc and spark discharges—222(L)
—— Theory of the production of electrode vapor jets by sparks and arcs—1475
Finkelstein, R. J. Quantization of unitary field theories—1563(A)
Finston, H. L. (see McCown, D. A.)—1263(A), 1263(A)
—— (see Woodward, L. L.)—1263(A)
Fireman, E. Double beta decay—1238(A)
Fisher, John C. Fracture of liquids—1256(A)
Fitzgerald, Edwin R. (see Marvin, Robert S.)—1254(A)
Fitzpatrick, J. A. (see Hubbard, J. C.)—107(L), 708(L)
——, **Thomas Kankovsky, and William J. Thaler.** Intensity as a factor in precision measurements in ultrasonics—1227(A)
Flanary, H. G., F. B. Pauls, and L. A. Pardue. Current integrator for small currents—125(A)
Flint, H. T. Quantization of space and time—209
Floyd, J. J. (see Borst, L. B.)—989(L)
Fluharty, R. G. and Martin Deutsch. Search for crossover gamma-ray transitions in Co^{60} and Se^{46}—1241(A)
Foley, H. M. (see Kusch, P.)—250
Follin, James W., Jr. Source of the solar magnetic field—1232(A)
Fonda, Gorton R. (see Studer, Frank J.)—1241(A)
Foner, S. N., A. Kossiakoff, and F. T. McClure. Ionization efficiency curves from mass spectrometer data—1222(A)
Forró, M. Comments on the theories interpreting the magnetism of celestial bodies—218(L)
—— (see Barnóthy, J.)—1300
Forstat, Harold (see Jesse, William P.)—1259(A)
Forster, Harriet H. Energy spectrum and altitude dependence of slow protons and stars up to 30,000 feet—1556(A)
Fowler, C. M. (see Cork, J. M.)—240, 1657, 1249(A)
Fowler, E. C., R. L. Cool, and J. C. Street. Example of the beta-decay of the light meson—101(L); Erratum—850(L)
Fowler, W. A. (see Rubin, S.)—1564(A)
—— (see Snyder, C. W.)—1564(A)
—— **and R. N. Hall.** Low energy $C^{12}(p, \gamma)$ cross section—1558(A)
Fowles, G. R. S-level shift in ionized helium—219(L)
Fox, F. E. and V. Griffing. Concentration of ultrasonic beams by curved reflectors—1228(A)
Fox, M. (see Borst, L. B.)—1883(L)
Fox, R. E., A. Langer, and J. A. Hipple. Appearance potential of metastable ions in some hydrocarbon gases—1222(A)
Franchetti, S. and M. Giovanozzi. On the high energy part of the K^{40} β-spectrum—102(L)
Francis, J. E., Jr. (see DeBenedetti, S.)—1645
Franzen, W. (see Cornog, I. C.)—1
——, **I. C. Cornog, and W. E. Stephens.** $N^{14}(n, p)$ reaction and the proton range-energy curve—1234(A)
Freier, George (see Blair, J. Morris)—553, 1594, 1599, 1205(A), 1259(A)
—— (see Sleator, William, Jr.)—1260(A)
Freier, Phyllis, E. J. Lofgren, E. P. Ney, and F. Oppenheimer. Heavy component of primary cosmic rays—1818
——, **E. J. Lofgren, E. P. Ney, F. Oppenheimer, H. L. Bradt, and B. Peters.** Evidence for heavy nuclei in the primary cosmic radiation—213
Frerichs, Rudolf and A. J. F. Siegert. Note on the photoconductivity of cadmium crystals—1875(L)
Fretter, W. B. Penetrating showers in lead—1555(T)
Frick, Walter, Edward J. Lofgren, Frank Oppenheimer, and Edward P. Ney. Equipment for photographing cosmic-ray cloud-chamber tracks at 100,000 ft.—1258(A)
Friedland, S. S. On the life of self-quenching counters—898
—— **and A. D. Krumbein.** Deadtime theory—1244(A)
Friedlander, G. (see Perlman, M. L.)—442
——, **M. Goldhaber, and G. Scharff-Goldhaber.** Long-lived metastable state of Te^{125}—981(L)
Fulbright, H. W. (see Bush, R. R.)—1206(A)
—— (see White, M. G.)—1242(A)
—— **and R. J. Britten.** High pressure ion chamber using fast electron collection—1251(A)
—— **and R. R. Bush.** Inelastic scattering of protons from light nuclei—1323
—— **and R. R. Bush.** New method of studying nuclear energy levels—1205(A)
Fuson, Nelson. Recent study of the infra-red sensitivity of superconducting bolometers—1234(A)

Gallagher, C. J. (see Cobine, J. D.)—1524
Gamow, G. A. Origin of elements and the separation of galaxies—505(L)
—— (see Alpher, R. A.)—1198(L)
Gardner, Eugene (see Barkas, Walter H.)—1558(A)
—— (see Bishop, A. S.)—1558(A)
—— (see Lattes, C. M. G.)—1555(T), 1236(A)
—— **and C. M. G. Lattes.** Production of mesons by the 184-inch Berkeley cyclotron. Part I. Experimental arrangement—1236(A)
Garrett, W. M. Dipole, quadrupole, and octupole field and search coils using loops and solenoids—1231(A)
Gartlein, C. W. Aurora spectra showing broad hydrogen lines—1208(A)
Gaus, Louise (see Michels, Walter C.)—1241(A)
Geib, I. G. Formation of radioactive zinc dimethyl dithiocarbamate in the vulcanization of rubber—117(A)

Geiger, F. W. (see Mautz, C. W.)—1872(L)
George, Waller and Richard LaTorre. Breaking strength dispersion in nylon yarns—1256(A)
Gerjuoy, Edward (see Halpern, Otto)—1562(A)
Geschwind, S. (see Townes, C. H.)—626(L)
Ghiorso, A. (see Perlman, I.)—1730(L)
——, **W. W. Meinke, and G. T. Seaborg.** Artificial collateral chains to the thorium and actinium families—695(L)
Gill, E. W. B. Frictional electricity—842(L)
Ginsburg, N. Additional rotational energy levels of H_2O and D_2O molecules—1052
Giovanozzi, M. (see Franchetti, S.)—102(L)
Gittings, H. T. (see Taschek, R. F.)—1553(L)
Glendenin, L. E. and A. K. Solomon. Comparison of the beta-spectra of C^{14} and S^{35}—700(L)
Goldberg, Edward (see Inghram, Mark G.)—343(L)
Goldberg, Leo (see McMath, Robert R.)—623(L)
—— (see Mohler, Orren C.)—352(L)
——, **Orren, C. Mohler, and Robert R. McMath.** Isotopes of carbon and oxygen in the earth's atmosphere—1881(L)
Goldberger, M. L. Interaction of high energy neutrons and heavy nuclei—1269
Goldhaber, Gerson. Gamma-ray spectrum from $F^{19}+H^1$ using photographic emulsions containing D_2O—1725(L)
Goldhaber, M. Note on the spins of nuclei of mass number ten—1194(L)
—— (see Friedlander, G.)—981(L)
—— (see Meyerhof, W. E.)—348(L)
—— (see Sala, O.)—1249(A)
—— **and C. O. Muehlhause.** Metastable state of Sc^{46}—1877(L)
—— **and C. O. Muehlhause.** Nuclear isomers produced by slow neutron capture—1248(A)
—— **and E. Teller.** On nuclear dipole-vibrations—1046
Goldsmith, G. J. Separation of the isomers of indium 112 and indium 114 in an electric field—1249(A)
Goldstein, L. and D. W. Sweeney. On neutron-proton scattering models—1565(A)
Golian, S. E., C. Y. Johnson, and M. Kuder. Rocket borne cloud chamber I—1215(A)
Good, W. M., E. O. Wollan, and W. A. Strauser. Stopping of fission fragments—1225(A)
Gordy, Walter (see Kessler, Myer)—123(A)
—— (see Simmons, James W.)—123(A), 1246(A)
—— (see Smith, A. G.)—123(A), 370
——, **Harold Ring, and Anton B. Burg.** Nuclear spins and quadrupole moments of B^{10} and B^{11}—1191(L)
——, **James W. Simmons, and A. G. Smith.** Microwave determination of the molecular structures and nuclear couplings of the methyl halides—243
Gorter, C. J. Irreversible processes in liquid helium II—1544(L)
Goss, Norman. Recrystallization of zinc at room temperature—116(A)
Goudsmit, S. A. Time-of-flight mass spectrometer—622(L)
—— **and W. T. Scott.** Proposed method for measuring scattering of particle tracks—1537(L)
Gow, J. D. (see Bradner, Hugh)—1559(A)
Gráf, T. On the half-life of K^{40}—831(L)
—— On the total half-life period of K^{40}—1199(L)
—— Significance of the radioactivity of potassium in geophysics. II—831(L)
Green, Alex E. S. Interaction energy in quantum field theory—1545(L)
Green, J. B. and Howard N. Maxwell. Zeeman effect of gold—1208(A)
Greenberg, J. Mayo and T. H. Berlin. Gas scattering in the electron synchrotron—1243(A)
Greene, R. F. (see Isenberg, I.)—1255(A)
Greenfield, M. A. Diffusion of neutrons without change in energy in a medium with an isotropic scattering—1215(A)
Greenspan, Martin (see Cook, Richard K.)—1714
Gregg, A. B. (see Bundy, F. P.)—1221(A)
Greisen, K. I. (see Cocconi, G.)—62, 1867
—— (see Treat, J. E.)—414
Griffing, V. (see Fox, F. E.)—1228(A)
Groetzinger, Gerhart and Gordon W. McClure. Production of neutrons by the capture of cosmic-ray mesons at sea level—341
Gross, E. P. (see Bohm, D.)—624(L)
Grunlund, Jean M. (see Yaffe, L.)—696(L)
Gugelot, P. C. (see White, M. G.)—1242(A)
—— **and M. G. White.** Neutron diffusion in shielding materials—1215(A)
Guindon, William G. Radial dependence of the tensor force in the deuteron—145; Erratum—699
Gunlock, H. F. and M. L. Pool. Evidence for a double isomer in Rh^{103}—1264(A)
Gurinsky, D. H. (see Borst, L. B.)—1883(L)
Guth, Eugene and Charles J. Mullin. On models for Be^9—832(L)
—— **and Charles J. Mullin.** Theory of the photo-disintegration of Be^9—833(L)
——, **C. J. Mullin, and J. F. Marshall.** Theory of electrodisintegration of Be^9—834(L)
Gutowsky, H. S. (see Pake, G. E.)—979(L)
Gwinn, William D. (see Cunningham, G. L.)—1537(L)

Haber-Schaim, U. On the motion of point electrons—836(L)
Haddock, F. T. (see Schulkin, M.)—840(L)
Haeff, Andrew V. Space-charge wave amplification effects—1532(L)
Hafner, E. M. (see Inglis, D. R.)—1257(A)
Hagen, J. P. (see Schulkin, M.)—840(L)
Haggenmacher, J. E. Melting pressure of helium II—1539(L)
Hahn, T. M., Jr. (see Wineland, W. C.)—118(A)
Hainer, R. M. (see King, Gilbert W.)—1247(A)
Hall, R. N. High frequency proton source—1558(A)
—— (see Fowler, W. A.)—1558(A)
Halliday, David (see Wheatley, John)—1211(A)
—— **and John Wheatley.** Paramagnetic resonance absorption in aqueous solutions of manganese sulfate—1724(L)
—— **and John Wheatley.** Paramagnetic resonance absorption in chrome alum—1712

—— **and John Wheatley.** Paramagnetic resonance absorption in single crystals of chrome alum and in aqueous solution of manganous salts—1210(A)
Halpern, I. Thin target (α,n) cross sections of Be, Mg, and Al—1234(A)
—— (see Woodward, W. M.)—1225(A)
Halpern, Otto and Edward Gerjuoy. On diffraction under small angles by three-dimensional lattices—1562(A)
Halpern, W. (see Somers, H. S., Jr.)—1210(A)
Hamermesh, Morton (see Borowitz, Sidney)—1285
Hamilton, Donald R. Polarization and direction of propagation of successive quanta—782
Hammer, C. F., A. G. Pieper, and R. Rollefson. Infra-red dispersion of N_2O and C_2H_4—1262(A)
Hanna, G. C. (see Kirkwood, D. H. W.)—497(L)
Hansen, W. W. and R. F. Post. Method of measuring cavity impedance—1560(A)
Hanson, A. O. (see McElhinney, J.)—1257(A)
Hanson, H. P. and W. W. Beeman. MnK absorption edges of manganese and manganese compounds—1261(A)
Hardin, W. D. (see Reynolds, G. T.)—1549(L)
Harding, John M. and Joseph E. Henderson. Properties of Cerenkov radiation near the threshold—1560(A)
Hardy, R. C. and R. L. Cottington. Viscosity of D_2O and of H_2O from 5° to 125°C—1220(A)
Harish-Chandra. Motion of an electron in the field of a magnetic pole—883
Harris, J. C. (see Bonner, T. W.)—1227(A)
Harris, S. P. and A. S. Langsdorf, Jr. Neutron scattering resonances in elements from scandium to arsenic—1216(A)
Hart, J. C. (see Smith, C. S.)—114(T)
Hatton, J. (see Rollin, B. V.)—346(L), 508(L)
Havas, Peter. On the classical equations of motion of point charges—456
Havens, W. W., Jr. (see Wu, C. S.)—1248(A)
——, **L. J. Rainwater, C. S. Wu, and J. R. Dunning.** Recently improved slow neutron velocity spectrometer with some of the results obtained—1216(A)
Hawkings, R. C., R. F. Hunter, W. B. Mann, and W. H. Stevens. Half-life of C^{14}—696(L)
Haxel, O., F. G. Houtermans, and M. Kemmerich. On the half-life of Rb^{87}—1886(L)
Hayden, Richard J. Mass spectrographic mass assignment of radioactive isotopes—650
—— (see Hess, D. C., Jr.)—1531(L)
—— (see Inghram, Mark G.)—98(L)
Haynes, S. K. Beta- and gamma-spectra of gallium irradiated by slow neutrons—423
—— **and H. C. Thomas.** Use of Auger electrons in coincidence experiments—128(A)
Hazen, W. (see Bridge, H.)—579; 1083
Hein, R. E. and A. F. Voigt. Activities produced by bombardment of TiO_2 with pile neutrons—1265(A)
Heiss, J. H. (see Mason, W. P.)—1873(L)
Heitler, W. Theory of meson production—1204(T)
Helmholz, A. C. Nuclear isomerism—1555(T)
—— (see Bockhop, Dorothy)—1559(A)
—— **and C. L. McGinnis.** Assignment of 48-min. and 2-min. isomers of Cd—1559(A)
Hemmendinger, Arthur (see Taschek, Richard)—373
Henderson, Joseph E. (see Harding, John M.)—1560(A)
Henderson, R. S. On the fine structure in the inversion spectrum of ammonia—107(L); Erratum—626(L)
—— **and J. H. Van Vleck.** Coupling of electron spins in rotating polyatomic molecules—106(L)
Henkel, R. L. and B. Petree. Stabilized high voltage supply for electrostatic analyzer—1260(A)
Hennelly, E. F. (see Dunlap, W. C., Jr.)—976(L)
Henry, Hugh F. Cathode spark velocities in $CuSO_4$ solutions—1232(A)
Herb, R. G. Review of electrostatic generator techniques and recent results—1254(T)
—— (see Sala, O.)—1260(A)
——, **S. C. Snowden, and O. Sala.** Absolute voltage determinations of three nuclear reactions—1256(A)
Hereford, Frank L. Polarization effects in ionization loss of fast particles—1224(A)
—— Specific primary ionization and energy loss of fast electrons in matter—574
Herlin, Melvin A. Electrical discharges in gases at microwave frequencies—1254(T)
—— **and Sanborn C. Brown.** Breakdown of a gas at microwave frequencies—291
—— **and Sanborn C. Brown.** Electrical breakdown between coaxial cylinders at microwave frequencies—1209(A)
—— **and Sanborn C. Brown.** Electrical breakdown of a gas between coaxial cylinders at microwave frequencies—910
—— **and Sanborn C. Brown.** Microwave breakdown of a gas in a cylindrical cavity of arbitrary length—1650
Herman, Robert C. (see Alpher, Ralph A.)—1198(L), 1737
——, **C. F. Meyer, and H. S. Hopfield.** Theory of electron retrapping in infra-red phosphors—1242(A)
Hershkowitz, Joseph (see Zar, Jacob L.)—111(L)
Hess, David C., Jr. Isotopic constitution of europium, gadolinium, and terbium—773
—— (see Inghram, Mark G.)—98(L), 343(L), 627(L)
—— **and Mark G. Inghram.** New naturally occurring isotope of dysprosium—1724(L)
——, **M. G. Inghram, and R. J. Hayden.** Relative abundance of the zinc isotopes—1531(L)
Hewitt, William H., Jr. Microwave resonance absorption in ferromagnetic semiconductors—1211(A)
Heydenburg, N. P. (see Inglis, D. R.)—1257(A)
——, **C. M. Hudson, D. R. Inglis, and W. D. Whitehead, Jr.** Angular distribution of alphas from $Li^6(d,\alpha)\alpha$ and $Li^7(p,\alpha)\alpha$—405
——, **C. M. Hudson, D. R. Inglis, and W. D. Whitehead, Jr.** Energy and angle variation in $Li^6(d,\alpha)\alpha$—1226(A)
Hibdon, Carl T. (see Krisberg, N. L.)—44, 1249(A)
Hickam, W. M. Analysis of solids by the mass spectrometer—1222(A)
Hickman, R. W. and E. L. Chaffe. Physics laboratories, and researches in progress at Harvard University—354(T)
Hicks, B. L. On the calculation of steady diabatic flows—1230(A)

Hicks, Harry G. (see Wilkinson, Geoffrey)—1733(L)
Hill, R. D. Internal conversion electrons from Sm^{153}-47 hour—78
—— **and J. W. Mihelich.** Radiations from Te^{131}—1874(L)
Hincks, E. P. and B. Pontecorvo. Absorption of charged particles from the 2.2-μsec. meson decay—697(L)
Hine, G. J. (see Marinelli, L. D.)—1245(A)
Hine, M. G. N. (see Devons, S.)—976(L)
Hipple, J. A. (see Fox, R. E.)—1222(A)
Hirschberg, J. G., Jr. Rydberg denominators in the principal series of the alkali metal atoms—1262(A)
Hirschfelder, Joseph O. (see Curtiss, C. F.)—1265(A)
——, **R. Byron Bird, and Ellen L. Spotz.** Transport properties of non-polar gases—1265(A)
Hirzel, O. and H. Wäffler, On the radioactivity of K^{40}—1553(L)
Hoffman, Banesh. Trajectories of charged meson test particles in the similarity geometry—1238(A)
Hofstadter, Robert. Alkali halide scintillation counters—100(L); Erratum—628(L)
Hoge, Harold J. Vapor pressure of O_2 from the triple point to the critical point—1221(A)
Holden, A. N. (see Townes, C. H.)—1113
Holstein, T. Imprisonment of resonance radiation in ionized gases—1254(T)
Hoover, J. I., W. H. Jordan, C. D. Moak, L. Pardue, H. Pomerance, J. D. Strong, and E. O. Wollan. Measurement of neutron absorption cross sections with a pile oscillator—864
Hopfield, H. S. (see Herman, R. C.)—1242(A)
Hornbeck, J. A. (see Molnar, J. P.)—1254(T)
Hornbostel, J. (see Salant, E. O.)—694(L)
Hornyak, W. F. (see Dougherty, C. B.)—712(L)
——, **C. B. Dougherty, and T. Lauritsen.** Beta-decay spectra of B^{12} and Li^8—1727(L)
—— **and T. Lauritsen.** First excited state of Li^7—1565(A)
Horowitz, J. J., O. Kofoed-Hansen, and J. Lindhard. On the β-decay of mesons—713
Hough, P. V. C. Angular distribution of pair-produced electrons and Bremsstrahlung—80
Houtermans, F. G. (see Haxel, O.)—1886(L)
Howard, R. and C. B. Crawley. Supercooling of water—125(A)
Hsiang, J. S. (see Whitmer, C. A.)—1478
Hsueh, Chao-Wang. Internal intensity ratio of H_α and of D_α—670
Hu, F. C. (see Ma, S. T.)—500(L)
Hu, Ning. On the application of Heisenberg's theory of *s*-matrix to the problems of resonance scattering and reactions in nuclear physics—131
Huang, Su-Shu. Continuous absorption coefficient of the helium atom—1262(A)
Hubbard, J. C., J. A. Fitzpatrick, B. T. Kankovsky, and William J. Thaler. Distortion of progressive ultrasonic waves—107(L)
——, **J. A. Fitzpatrick, W. J. Thaler, Laura Cheng, and R. J. Beeber.** Study of turbulence by light diffraction—708(L)
Huddleston, C. (see Eggler, C.)—1239(A)
Hudson, C. M. (see Heydenburg, N. P.)—405, 1226(A)
Hudspeth, Emmett L. (see Swann, C. P.)—1243(A)
—— **and C. P. Swann.** Deuteron bombardment of boron and fluorine—1227(A)
—— **and Charles P. Swann.** Observations associated with the reaction $B^{11}(d,p)$—1722(L)
Hughes, A. L. (see Morganstern, K. H.)—499(L)
—— (see Townsend, J.)—99(L), 499(L)
—— **and Clyde L. Cowan.** Measurement of absorption coefficients for gamma-rays in various materials—1238(A)
Hughes, D. J. (see Burgy, M.)—1207(A)
—— (see Eggler, C.)—1239(A)
—— **and C. Eggler.** β-spectrum of Be^{10}—1239(A)
Hull, G. F., Jr. (see Wilson, M. Carr)—711(L)
Hull, T. E. and L. Infeld. Factorization method, hydrogen intensities, and related problems—905
Humphreys, R. F. (see Motz, H. T.)—1232(A)
—— **and H. T. Motz.** Corrections to range data—1232(A)
Hunter, Joseph L. Acoustic interpretation of interferometer data—116(A)
—— Piezoelectric measurement of acoustic absorption and reflection in fluids—114(T)
—— Supersonic absorption in resonant liquid column with a free face—1228(A)
Hunter, R. F. (see Hawkings, R. C.)—696(L)
Hutchison, T. S. (see Reekie, James)—610
Hyde, Earl K. (see Studier, Martin H.)—591
Hylleraas, Egil A. Calculation of a perturbing central field of force from the elastic scattering phase shift—48
Hynek, Allen. Dynamical parallaxes and the apparent failure of the mass luminosity law—114(T)

Iberall, A. S. and W. A. Wildhack. Linear-resistance flowmeter—1229(A)
Imai, Isao. On a refinement of the W. K. B. method—113(L)
Infeld, L. (see Hull, T. E.)—905
Inghram, Mark G. (see Hess, David C., Jr.)—1531(L), 1724(L)
—— **and D. C. Hess, Jr.** Radioactive lanthanum and cerium isotopes of mass 137—627(L)
——, **David C. Hess, Jr., Harrison S. Brown, and Edward Goldberg.** On the isotopic composition of meteoritic and terrestrial gallium—343(L)
——, **David C. Hess, Jr., and Richard J. Hayden.** Isotopic constitution of praseodymium and neodymium—98(L)
Inglis, D. R. Nuclear spin of B^{10} and spin-orbit coupling in Li^7—1876(L)
—— Theory of the lithium two-alpha-reactions—1227(A)
—— Theory of the lithium two-alpha-reactions. I. Angular distribution of $Li^7(p,\alpha)\alpha$—21
—— (see Heydenburg, N. P.)—405, 1226(A)
——, **N. P. Heydenburg, and E. M. Hafner.** Energy and angle variation of $C^{13}(d,p)C^{13}$—1257(A)
Isenberg, I., B. R. Russell, and R. F. Greene. On the measurement of the Hall effect in semiconductors—1255(A)
Ittner, W. B., III (see Sard, R. D.)—97(L)
Ivey, Henry F. Anomalous values of the thermionic emission constant—983(L)

Jacobs, Harold and A. P. LaRocque. Role of the cathode surface in sparking phenomena—163
Jaffe, A. A. (see Balakrishnan, C.)—410
James, Hubert M. Electronic states in almost periodic systems—1218(A)
—— Structure and behavior of rubberlike materials—1254(T)
Jarmotz, P. and R. Pepinsky. Some observations of Geiger counters for periodically pulsed x-ray photon counting—126(A)
Jarrell, H. A. and T. E. Pardue. Characteristics of curved tubes—121(A)
Jauch, J. M. Spin-orbit effect in the hyperfine structure of the ammonia inversion spectrum—1262(A)
—— (see Watson, K.)—1262(A)
—— **and K. M. Watson.** Phenomenological quantum-electrodynamics—950, 1485
Jen, C. K. Microwave Zeeman spectra of methyl-chloride and some nuclear properties of chlorine—1246(A)
—— Zeeman effect in microwave molecular spectra—1396
Jenkins, F. A. Nuclear spins of the carbon isotopes—355
Jenkins, G. L. and F. T. Rogers, Jr. Compensation of circuits for variations of temperature—120(A)
Jenkins, James F., Jr. East-west asymmetry, zenith angle dependence, and flux measurements of cosmic rays up to 36,000 feet—1214(A)
Jennings, B. (see Shoupp, W. E.)—1233(A)
Jesse, William P. and Harold Forstat. Ionization produced by alpha-particles in argon as a function of their energy—1259(A)
Johnson, C. Y. (see Golian, S. E.)—1215(A)
Johnson, E. A. Magnetization of ancient glacial varves—1204(T)
Johnson, Peter D. and Ferd E. Williams. Magnetic properties of the ZnF_2: Mn phosphor—1241(A)
Johnson, V. A. Theory of electrical resistivity in tellurium—1255(A)
Johnson, W. E. (see Davis, R. E.)—1255(A)
Jones, Emily and F. T. Rogers, Jr. Effects of relaxing materials in force-transmitting linkages—122(A)
Jones, J. G. (see Jones, M. W.)—126(A)
Jones, M. W., J. G. Jones, and A. A. Bless. Correlation of the bioelectric potential of corn seeds with x-ray dosage—126(A)
Jones, Shannon. Effects of milling on zinc beryllium silicate phosphors—116(A)
Jones, Stanley B. (see Wang, Kan-Chang)—1547(L)
Jones, W. B., Jr., Slow neutron cross section of H—364
Jordon, W. H. (see Hoover, J. I.)—864
Judson, L. V. Intercomparisons of the standard meter—1203(T)
Jungerman, J. and S. C. Wright. Fission excitation functions—150
Jurney, E. T. Coincidence experiments on Sc^{46}, Ga^{72}, Au^{198}, and Rb^{86}—1049
Justus, Katharine M. (see Yaffe, L.)—850(L)

Kaesberg, Paul, H. N. Ritland, and W. W. Beeman. Small angle Bragg reflections from collagen—1255(A)
——, **H. N. Ritland, and W. W. Beeman.** Use of the double crystal spectrometer in the analysis of Bragg reflections at very small angles—71
Kankovsky, B. T. (see Hubbard, J. C.)—107(L)
Kankovsky, Thomas (see Fitzpatrick, J. A.)—1227(A)
Kaplan, I. (see Borst, L. B.)—1883(L)
Kaplan, Nathan (see Yagoda, Herman)—1249(A)
Karplus, Robert. Saturation effects in microwave spectroscopy—223(L)
Katcoff, Seymour, John A. Miskel, and Charles W. Stanley. Ranges in air and mass identification of plutonium fission fragments—631, 1225(A)
Katzin, Leonard I. and M. Pobereskin. Isotopes Os^{185} and Os^{193}—264
Kaufmann, S. G. (see Bender, R. S.)—1205(A)
Kê, T'ing-Sui. Internal friction and precipitation from the solid solution of N in tantalum—914
—— Internal friction in the interstitial solid solutions of C and O in tantalum—9
—— Stress relaxation by interstitial atomic diffusion in tantalum—16, 1219(A)
Keighton, W. B. (see Mandeville, C. E.)—601, 888
Keller, K. K. and K. B. Mather. Investigation of samarium and gadolinium by the photographic method—624(L)
Kemmerich, M. (see Haxel, O.)—1886(L)
Kennard, E. H. Hydrodynamic problem: flapping wavemaker—1229(A)
Kenty, Carl. Study of metastable and resonance atom populations in gas discharges—114(T)
Kern, Bernard D. (see Zaffarano, Daniel J.)—105(L), 682
Kerst, D. W. Process aiding the capture of electrons injected into a betatron—503(L)
Kessler, Myer, and Walter Gordy. Methods in microwave spectroscopy—123(A)
Keuffel, J. W. Reaction time of parallel-plate counters—1562(A)
King, Gilbert W. and R. M. Hainer. Analysis of the 2.6-Mu band of H_2S by punched-card methods—1247(A)
Kirkwood, D. H. W., B. Pontecorvo, and G. C. Hanna. Fluctuations of ionization and low energy beta-spectra—497(L)
Kissinger, C. W. and D. Cooper. Decay of mesons in carbon—1237(A)
—— **and D. Cooper.** Mean life of negative mesons in carbon—349(L)
Kittel, Charles. Microwave resonance absorption in ferromagnetic materials—1203(T)
—— Theory of the ferromagnetism of simple tetragonal arrays—1206(A)
—— (see Newton, R. R.)—1604
Knable, N., E. O. Lawrence, C. E. Leith, B. J. Moyer, and R. L. Thornton. Delayed emission of neutrons from the decay of N^{17}—1217(A)
Knight, G. B. and B. T. Feld. Interaction of nuclear qudrupole moments with molecular rotation in slightly asymmetric rotor molecules—354(A)
—— **and R. L. Macklin.** Half-life of UX_1 (Th_{234})—1540(L)
Knop, Harry W., Jr. Emissivity of iron-tungsten and iron-cobalt alloys—1413
—— (see Wahlin, H. B.)—687, 1207(A)

Knorr, H. V. Absorption and fluorescence spectra of tetraphenylisoporphine and tetraphenylisoporphine zinc salt—115(A)
Knowles, A. J., C. Balakrishnan, and J. D. Craggs. Velocity of discharge propagation in Geiger counters—627(L)
Knox, William J. Search for gamma-rays from He^6 and F^{18}—1192(L)
Koch, W. R. Illuminant problem in the spectrophotometry of fluorescent materials—115(A)
Koehler, J. S. Change in the electrical resistance produced by cold-work—1219(A)
Kofoed-Hansen, O. On the theory of the recoil in β-decay—1785
—— (see Horowitz, J. J.)—713
Kofsky, Irving L. and Henry Levinstein. Dynamic method for the determination of the velocity distribution of thermal atoms—500(L)
Kohman, Truman P. Binding energies of α-particles in medium-heavy nuclides—1259(A)
Kohn, W. Variational methods in nuclear collision problems—1763
Kossiakoff, A. (see Foner, S. N.)—1222(A)
Kramer, R. L. (see McMillen, J. Howard)—1882(L)
Krasnican, Milan J. Demonstration of some optical phenomena using 3.2-cm microwave source—114(T)
Krause, E. H. Cosmic rays above the atmosphere—1555(T)
—— (see Perlow, G. J.)—1215(A)
Krisberg, N. L., M. L. Pool, and Carl T. Hibdon. Radioactive europium, gadolinium, and terbium—44, 1249(A)
Kruegel, S. L. (see Plyler, E. K.)—1247(A)
Kruger, P. Gerald (see Phillips, J. A.)—1259(A)
—— (see Smith, Lyle W.)—1258(A)
Krumbein, A. D. (see Friedland, S. S.)—1244(A)
Krumhansl, J. A. (see Beyer, R. T.)—1206(A)
Kryder, S. J. (see Lyons, Harold)—1210(A)
Kuder, M. (see Golian, S. E.)—1215(A)
Kundu, D. N. and M. L. Pool. Tc^{92} and Tc^{93} by relative cross-section measurements—1775
—— **and M. L. Pool.** Use of enriched molybdenum in cross-section measurements of the (p,n): (p,γ) and (d,n): $(d,2n)$ reactions—1574
Kunkel, Wulf. Factors affecting the determination of particles size by the Hopper-Laby Stokes' law method—1557(A)
Kurbatov, J. D. (see Yu, Fu-Chun)—34, 114(T)
Kurie, Franz, N. D. (see Burling, R. L.)—109(L)
—— **and M. Ter-Pogossian.** Some measurements of gamma-ray energies—677
Kusch, P. Intrinsic magnetic moment of the electron—1203(T)
—— **and H. M. Foley.** Magnetic moment of the electron—250

Ladenburg, R., J. Winckler, and C. C. Van Voorhis. Erratum: Interferometric studies of faster-than-sound phenomena. Part I. The gas flow around various objects in a free, homogeneous, supersonic air stream—1884(L)
—— (see Bershader, D.)—1229(A)
——, **C. C. Van Voorhis, and J. Winckler.** Supersonic, intermittent, movable wind tunnel for optical studies—1229(A)
Lagemann, R. T., John Evans, and Newton Underwood. Ultrasonic velocity in some liquid fluoro-carbons—124(A)
Lamb, W. A. and F. W. Brown, III. Fading of the latent image in nuclear emulsions—104(L)
Lamb, W. E. Fine structure of the hydrogen atom by a microwave method—1203(T)
Lamont, H. R. L. Atmospheric absorption of microwaves—353(L)
Lampi, Eugene E. (see Blair, J. Morris)—553, 1594, 1599, 1205(A), 1259(A)
—— (see Sleator, William, Jr.)—1260(A)
Lander, J. J. Measurements of Thomson coefficients for metals at high temperatures and of Peltier coefficients for solid-liquid interfaces of metals—479
Lane, C. T. (see Fairbank, Henry A.)—345(L)
Langer, A. (see Fox, R. E.)—1222(A)
Langer, Lawrence M. (see Cook, C. Sharp)—227(L), 502(L), 548, 1241(A)
——, **C. Sharp Cook, and H. Clay Price, Jr.** Beta-spectrum of C^{14}—1263(A)
Langer, R. M. and Herman Yagoda. Interpretation of dual cosmic-ray events—1238(A)
Langmuir, R. V. Radioactive potassium—1559(A)
—— (see Elder, F. R.)—52
Langsdorf, Alexander S., Jr. Oscillatory method for measuring neutron cross sections by the effect on the reactivity of a chain-reacting pile—1216(A)
—— (see Harris, S. P.)—1216(A)
Lanzl, L. H., J. S. Laughlin, and L. S. Skaggs. Method of measuring ratio of Bremsstrahlung cross sections—1261(A)
Lark-Horovitz, K. (see Davis, R. E.)—1255(A)
LaRocque, A. P. (see Jacobs, Harold)—163
Larsh, A. E., Jr. (see Davidson, Norman)—220(L)
Lassen, N. O. Disintegration of deuterium by gamma-rays from ^{24}Na—1533(L)
Latham, R. (see Cassels, J. M.)—103(L)
LaTorre, Richard (see George, Waller)—1256(A)
Lattes, C. M. G. (see Barkas, Walter H.)—1558(A)
—— (see Bishop, A. S.)—1558(A)
—— (see Gardner, Eugene)—1236(A)
—— **and E. Gardner.** Observations of mesons produced by the 184-inch cyclotron—1555(T)
—— **and Eugene Gardner.** Production of mesons by the 184-inch Berkeley cyclotron. Part II. Mass determination—1236(A)
Lauer, James L. Refractive index of several hydrocarbons in the near ultraviolet wave-length region—1232(A)
Laughlin, J. S. (see Lanzl, L. H.)—1261(A)
Lauritsen, C. C. (see Rubin, S.)—1564(A)
—— (see Snyder, C. W.)—1564(A)
Lauritsen, T. (see Dougherty, C. B.)—712(L)
—— (see Hornyak, W. F.)—1727(L), 1565(A)
——, **C. B. Dougherty, and V. K. Rasmussen.** Gamma-radiation from $Be^9(d,n)B^{10}$—1566(A)
Lawrence, E. O. (see Knable, N.)—1217(A)

Lawson, J. L. and M. L. Perlman. Cross section for the reaction $C^{12}(\gamma,n)C^{11}$—1190(L)
Lazarus, David. Elastic constants of beta-brass—1726(L)
Lehovec, K. Photo-voltaic effect—463
Leith, C. E. (see Knable, N.)—1217(A)
Leitner, A. (see Spence, R. D.)—349(L)
Lengel, J. H. (see Bloom, Evelyn G.)—1222(A)
Leslie, J. K. (see Bernstein, S.)—1258(A)
LeVan, W. I. (see Cunningham, G. L.)—1537(L)
Levine, Harold and Julian Schwinger. On the theory of diffraction by an aperture in an infinite plane screen. I—958
—— **and Julian Schwinger.** Variational principles for diffraction problems—1212(A)
Levinstein, Henry (see Kofsky, Irving L.)—500(L)
Levy, M. G. (see Shamos, M. H.)—1237(A)
Lew, Hin. Hyperfine structure and quadrupole moment of Al^{27}—1550(L)
Liebson, S. H. Discharge spread in Geiger-Mueller counters—694(L)
Lind, David A. Protected multicellular Geiger counter for short-wave-length x-rays and gamma-rays for use in the curved crystal spectrometer—1566(A)
—— (see DuMond, Jesse W. M.)—1561(A)
—— (see Watson, Bernard B.)—1561(A)
——, **Bernard B. Watson, and Jesse W. M. DuMond.** Reflecting power of the (310) planes of a curved quartz crystal for x-rays and gamma-rays from 494 x.u. (Sn $K\alpha$ x-rays) to 30 x.u. (Au^{198} gamma-rays). Experimental results and theoretical interpretation—1561(A)
Lindhard, J. (see Horowitz, J. J.)—713
Ling, D. S. and D. L. Falkoff. Interference effects in angular correlations—1224(A)
Linz, Arthur, Jr. (see Scherrer, V. E.)—120(A)
——, **F. T. Rogers, Jr., and G. W. Crawford.** Cathode-follower type of dual-coincidence circuit—119(A)
—— **and V. E. Scherrer.** Possible method for measurement of speed of brittle fracture in steel—121(A)
Little, Charles A., Jr. Diurnal variations of meteor trails 1875(L)
Lockwood, J. A. (see McCarthy, R. L.)—1243(A)
Loeb, Leonard B. Threshold for spark development by streamer mechanism in uniform fields—210
—— (see Parker, James M.)—1557(A)
—— **and Robert A. Wijsman.** Quantitative relations for the thresholds of pre-onset positive burst pulse corona and of positive streamer advance—1556(A)
Lofgren, Edward J. (see Freier, Phyllis)—213, 1818
—— (see Frick, Walter)—1258(A)
——, **Edward P. Ney, and Frank Oppenheimer.** Data obtained from cosmic-ray cloud-chamber tracks taken at 100,000 feet—1258(A)
London, F. On the problem of the molecular theory of superconductivity—562
—— **and P. R. Zilsel.** Heat transfer in liquid helium II by internal convection—1148
Long, H. M., Jr. and R. Pepinsky. Operation of grid-controlled fine-focus x-ray tube—126(A)
Longmire, Conrad. On the virtual excited state of the Be^9 nucleus—1773
Lopes, J. Leite. On the light and heavy mesons—1722(L)
Loud, Oliver S. Physical science course—114(T)
Loughridge, D. H. (see Millican, F. M.)—66
Low Francis. On the ground state of the deuteron—1885(L)
Lowe, D. S. (see Sponer, H.)—122(A)
Lower, I. S. (see Shamos, M. H.)—1237(A)
Lowry, E. F. Long-term decay of phosphors under ultraviolet excitation—1254(T)
Luttinger, J. M. Note on the magnetic moment of the electron—893
Lyons, Harold. Microwave frequency standards—1203(T)
——, **George Birnbaum, and S. J. Kryder.** Measurements of the complex dielectric constant of gases at microwaves—1210(A)
Lyons, W. James and Irven B. Prettyman. Method for the absolute measurement of dynamic properties of linear structures at sonic frequencies—114(T)

Ma, S. T. and F. C. Yu. Erratum: electromagnetic properties of nuclei in the meson theory—500(L)
Mack, J. E. Prospective means for studying the solar and coronal spectra in the vacuum ultraviolet—1208(A)
—— **and N. Austern.** Electromagnetic shift of S levels in He II—1262(A)
MacKenzie, K. R. Wide range frequency modulation—104(L)
Macklin, R. L. (see Knight, G. B.)—1540(L)
Madsen, C. B. and P. Venkateswarlu. Energy straggling of protons—1782
—— **and P. Venkateswarlu.** Proton stopping power of solid beryllium—648
Majumdar, R. C. and A. S. Apte. Meson field and equations of motion of point particles—538
Maloof, M. (see Rado, G. T.)—1206(A)
Mandeville, C. E. (see Scherb, M. V.)—508(L), 1248(A)
—— **and M. V. Scherb.** Coincidence investigation of lanthanum (140)—1251(A)
—— **and M. V. Scherb.** Radiations from columbium (95)—1266(A)
—— **and M. V. Scherb.** Radiations from gold (199)—1565(A)
—— **and M. V. Scherb.** Study of the radiations of two radioactive isotopes of iridium—1250(A)
——, **M. V. Scherb, and W. B. Keighton.** Radiations from platinum (193) and gold (199)—601
——, **M. V. Scherb, and W. B. Keighton.** Study of the radiations from columbium (95), rhenium (188), osmium (191), and osmium (193)—888
Manfredi, U. (see Belock, H.)—1230(A)
Manfredini, A. (see Bernardini, G.)—845(L)
Manfredini, M. (see Bernardini, G.)—1878(L)
Mann, W. B. (see Hawkings, R. C.)—696(L)
Manring, Edward R., John R. Zimmerman, and Dudley Williams. Variation of the nuclear resonance experiment—1263(A)
Marcus, Paul M. Rigorous expansions of the acoustic radiation field on a vibrating piston in a baffle—1228(A)
—— (see Maxwell, E.)—1234(A)

Margenau, H. Erratum: Theory of high frequency discharges. IV—706(L)
Mariani, Jean. Unitary field theory and cosmic magnetism —1265(A)
Marinelli, L. D. and G. J. Hine. Gamma-ray isodosimeter —1245(A)
Markham, J. J. (see Miller, P. H., Jr.)—1218(A)
—— **and Frederick Seitz.** Binding energy for a self-trapped electron in NaCl—1014
Markstein, George H. Application of the image converter tube as electronic stroboscope—1230(A)
Marlow, Douglas, C. R. Nisewanger, and W. M. Cady. Method for the instantaneous measurement of velocity and temperature in high speed air flow—1228(A)
Marshall, J. F. (see Guth, E.)—834(L)
Marshall, L. Angular distribution of α's coincident with U^{235} fission—1259(A)
Marvin, Robert S., Edwin R. Fitzgerald, and John D. Ferry. Twin transducer for measuring mechanical properties of rubberlike solids at audiofrequencies—1256(A)
Masi, J. F. Heats of vaporization of uranium hexafluoride —1220(A)
Mason, F. D. (see Stephenson, S. T.)—1560(A)
Mason, R. C. Adsorption of mercury by activated carbon—1220(A)
Mason, W. P. Electrostrictive effect in barium titanate ceramics—1134
——, **W. O. Baker, H. J. McSkimin, and J. H. Heiss.** Errata and addenda: Mechanical properties of long chain molecule liquids at ultrasonic frequencies—1873(L)
—— **and B. T. Matthias.** Theoretical model for explaining the ferroelectric effect in barium titanate—1622
Mather, K. B. (see Keller, K. K.)—624(L)
Matossi, Frank and Robert Mayer. Extension of the polarizability theory of Raman effect—449
Matthias, Bernd T. (see Danielson, Gordon C.)—986(L)
—— (see Mason, W. P.)—1622
—— (see Richardson, John M.)—987(L)
Mautz, C. W., F. W. Geiger, and H. T. Epstein. On the investigation of supersonic flow patterns by means of the shock tube—1872(L)
Mayar, C. H. (see Schulkin, M.)—840(L)
Mayer, Maria G. On closed shells in nuclei—235
Mayer, Robert (see Matossi, Frank)—449
Maxwell, E., P. M. Marcus, and J. C. Slater. Surface impedance of tin at 24,000 mc/sec.—1234(A)
Maxwell, Howard N. (see Green, J. B.)—1208(A)
McCarthy, R. L., J. A. Lockwood, P. J. Rice, and H. L. Schultz. Two cavity operations of Yale linear electron accelerator—1243(A)
McCay, M. S. Reversal of secondary series—122(A)
McClure, F. T. (see Foner, S. N.)—1222(A)
McClure, Gordon W. (see Groetzinger, Gerhart)—341
McCormack, R. L., J. Cardell, and W. B. Nottingham. Pulsed emission correlated with low temperature direct-current emission properties of certain oxide-coated cathodes—1204(T)
McCown, D. A. (see Woodward, L. L.)—761, 870, 1263(A)
——, **L. L. Woodward, and M. L. Pool.** Radioactive arsenic isotopes—1315
——, **L. L. Woodward, and M. L. Pool.** Radioactive isotopes of Ga and Ge—1311
——, **L. L. Woodward, M. L. Pool, and H. L. Finston.** Radioactive Ga^{67}, Ge^{69}, As^{73}, and As^{74}—1248(A)
——, **L. L. Woodward, M. L. Pool, and H. L. Finston.** Radioactive isotopes of germanium and arsenic—1263(A)
McCoy, R. (see Belock, H.)—1230(A)
McDaniel, B. D. (see Walker, R. L.)—315
McElhinney, J., A. O. Hanson, and R. B. Duffield. Thresholds for some photo-nuclear reactions—1257(A)
McGinnis, C. L. (see Helmholz, A. C.)—1559(A)
McGowan, F. K. (see DeBenedetti, S.)—728
McInteer, B. B. (see Fairbank, Henry A.)—345(L)
——, **L. T. Aldrich, and Alfred O. Nier.** Concentration of He^3 by thermal diffusion—946
McKay, Kenneth G. Electron bombardment conductivity in diamond—1606
McKinley, William A., Jr. and Herman Feshbach. Coulomb scattering of relativistic electrons by nuclei—1759
McMath, Robert R. (see Goldberg, Leo)—1881(L)
—— (see Mohler, Orren C.)—352(L)
——, **Orren C. Mohler, and Leo Goldberg.** Abundance and temperature of methane in the earth's atmosphere—623(L)
McMillan, D. R., Jr. and W. E. Woolf. Temperature coefficient of ultrasonic velocity—124(A)
McMillan, Edwin M. Survey of recent work at the radiation laboratory in Berkeley—1204(T)
—— (see Chupp, W. W.)—1217(A)
McMillen, J. Howard and R. L. Kramer. High velocity particles produced at impact—1882(L)
McQueen, J. H., J. W. Beams, and L. B. Snoddy. Light scattering in supersonic streams—1551(L)
McSkimin, H. J. (see Mason, W. P.)—1873(L)
Medicus, H., A. Mukerji, P. Preiswerk, and G. de Saussure. Disintegration of Tc^{95} and Tc^{96}—839(L)
Meers, J. T. and L. A. Parduo. Knudsen type vacuum gauge—119(A)
Meggers, W. F. Spectrum lines of Hg 198 as standards of length—1203(T)
Meinke, W. W. (see Ghiorso, A.)—695(L)
Meissner, K. W., L. G. Mundie, and P. H. Stelson. Structure of the ^2D-terms of Li^7—1262(A)
——, **L. G. Mundie, and P. H. Stelson.** Structure of the ^2D terms of the arc spectrum of lithium—932
Melander, Lars and Hilding Slätis. Preparation and radiation of U^{237}—709(L)
Melchor, J. L. (see Parker, J. P.)—121(A)
Mendenhall, H. E. Secondary emission from thoria on platinum and tantalum—1265(A)
Meneghetti, David (see Sidhu, S. S.)—222(L)
—— (see Winsberg, Lester)—1216(A)
Menius, A. C., Jr. and T. J. Turner. Crystal "growth" in the electron microscope—125(A)
Merritt, F. R. (see Townes, C. H.)—1113

Metzger, Franz (see Deutsch, Martin)—1542(L)
—— **and Martin Deutsch.** Disintegration scheme of I^{131}—1640
Meyer, C. F. (see Herman, R. C.)—1242(A)
Meyer, H. A. Theory of internal conversion—979(L)
——, **G. Schwachheim, and Andrea Wataghin.** On the production of showers of penetrating particles—846(L)
Meyer, Lothar (see Band, William)—386, 1235(A)
—— **and William Band.** Relaxation and heat conductivity in liquid helium II—1235(A)
—— **and William Band.** Relaxation theory of thermal conduction in helium II—394
Meyerhof, Walter E. Notes on the beta-spectra of Y^{90} and Sr^{90}—621(L)
—— **and M. Goldhaber.** Notes on the beta-ray spectra from copper 64—348(L)
Michels, Walter C. and Louise Gaus. Temperature dependence of the long period. Phosphorescence of zinc silicate—1241(A)
—— **and Esther D. Redding.** Improved lock-in amplifier—1562(A)
Migeotte, Marcel V. Lines of methane at 7.7μ in the solar spectrum—112(L)
Mihelich, J. W. (see Hill, R. D.)—1874(L)
Miles, John W. On vector transforms—1531(L)
Miller, A. R. (see Daunt, J. G.)—842(L)
Miller, D. R., R. C. Thompson, and B. B. Cunningham. Products of high energy deuteron and helium ion bombardments of copper—347(L)
Miller, David C. Effect of the piezoelectric properties of a crystal on diffuse x-ray reflections—166
Miller, L. C. (see Snell, H.)—1217(A)
Miller, P. H., Jr. and J. J. Markham. Work function and semiconductors at high temperatures—1218(A)
Miller, Walter C. (see Waldman, Bernard)—1225(A)
Millett, Walter E. Focusing in crossed fields of charged particles at relativistic energies—1058
Millican, F. M. and D. H. Loughridge. Mass temperature coefficients of cosmic-ray components—66
Millikan, R. A. Why my stork chose 1868—1204(T)
Mills, M. M. Altitude dependence of Auger showers—1555(A)
Miskel, John A. (see Katcoff, Seymour)—631, 1225(A)
Mitchell, Allan C. G. (see Schelberg, A. D.)—1239(A)
—— (see Zaffarano, Daniel J.)—105(L), 682
Mitra, S. K. Active nitrogen—1637
Mizushima, Masataka. On the ammonia molecule—705(L)
Moak, C. D. (see Hoover, J. I.)—864
—— **and J. W. T. Dabbs.** Cloud-chamber measurements of cadmium capture gamma-rays—1249(A)
Mock, Dana L., Ramond C. Waddel, Lawrence W. Fagg, and Ralph A. Tobin. Photo-induced reactions at 20 Mev—1536(L)
Moe, David (see Owen, George E.)—1879(L)
Mohler, Fred L. (see Bloom, Evelyn G.)—1222(A)
Mohler, Orren C. (see Goldberg, Leo)—1881(L)
—— (see McMath, Robert R.)—623(L)
—— **and W. S. Benedict.** Atmospheric absorption of water vapor between 1.42μ and 2.50μ—702(L)
——, **Leo Goldberg, and Robert R. McMath.** Spectroscopic evidence for ammonia in the earth's atmosphere—352(L)
Molineux, C. E. (see Ramsay, B. P.)—118(A)
Molnar, J. P. and J. A. Hornbeck. Cathode-emission processes in Townsend discharges—1254(T)
Montgomery, C. G. Cosmic-ray showers at low altitudes—354(T)
Moore, D. B. and W. N. English. Point-to-plane impulse corona—1557(A)
Morganstern, K. H., C. L. Cowan, and A. L. Hughes. Note on ethylene self-quenching G-M counters—499(L)
Morris, Peter A., W. F. G. Swann, and H. C. Taylor. Sea level latitude effect of cosmic radiation—1102
Morrish, A. H. (see Allen, James S.)—1224(A)
—— **and J. S. Allen.** Performance of the Allen type multiplier tube for lithium ion counting—1260(A)
Morrison, Adair and Eric Pickup. Primary and secondary meson event in photographic emulsions—706(L)
Morrison, H. L. New data on convection in sands—119(A)
Morrison, P. Nuclear magnetic moments and meson exchange—1224(A)
Moshinsky, Marcos and E. P. Wigner. Boundary conditions as relativistic interaction—1212(A)
Motta, E. E. and G. E. Boyd. Characterization of Tc activities produced by deuteron bombardment of separated Mo isotopes—220(L)
—— **and G. E. Boyd.** Long-lived Tc activities produced by deuteron bombardment of separated Mo isotopes—344(L)
Motz, H. T. (see Humphreys, R. F.)—1232(A)
—— **and R. F. Humphreys.** $Na^{23}(\alpha p)Mg^{26}$ reaction—1232(A)
Moyer, B. J. (see Knable, N.)—1217(A)
Muehlhause, C. O. (see Burson, S. B.)—1264(A)
—— (see Goldhaber, M.)—1248(A), 1877(L)
Muether, H. R. (see Sherr, R.)—1239(A)
Mukerji, A. (see Medicus, H.)—839(L)
Mullaney, J. F., F. Reines, and H. G. Weiss. Excitation time of silver-activated zinc sulfide on electron bombardment—491(L)
Mulliken, Robert S. Molecular orbital method and molecular ionization potentials—736
Mullin, Charles J. (see Guth, Eugene)—832(L), 833(L), 834(L)
Mundie, L. G. (see Meissner, K. W.)—932, 1262(A)
Murakawa, K. and S. Suwa. Isotope effects in the spectrum of Ne II—1535(L)
Mutter, W. E. (see Nottingham, W. B.)—1261(A)
Myers, V. and A. Wattenberg. "Cross-over" transitions in gamma-ray spectra—1264(A)

Nafe, John E. Hyperfine structure of hydrogen and deuterium—1203(T)
—— (see Nelson, Edward B.)—1210(A)
Nelson, Edward B. and John E. Nafe. Comparison of the g value of the electron in hydrogen and deuterium—1210(A)
Nelson, R. C. and W. S. Benedict. Absorption of water vapor between 1.34μ and 1.97μ—703(L)

Nereson, Norris G. Disintegration of mesotrons in B^{10}—509(L)
Newton, R. R. and C. Kittel. Proposal for determining the thickness of the transition layer between ferromagnetic domains by a neutron polarization experiment—1604
Ney, Edward P. (see Freier, Phyllis)—213, 1818
—— (see Frick, Walter)—1258(A)
—— (see Lofgren, Edward J.)—1258(A)
Nicodemus, D. (see Bloch, F.)—1025
Nielsen, Alvin H. (see Talley, Robert M.)—123(A)
Nier, Alfred O. C. Mass spectrometry—1254(T)
—— (see Aldrich, L. T.)—876, 1590, 1225(A)
—— (see Fairbank, Henry A.)—345(L)
—— (see McInteer, B. B.)—946
Nierenberg, W. A. and M. Slotnick. Note on the stark effect in diatomic molecules—1246(A)
Nisewanger, C. R. (see Marlow, Douglas)—1228(A)
Nordheim, L. W. (see Richards, James A.)—1106
Nordsieck, A. T. (see Adams, G. D.)—1255(T)
Norris, L. D. and Arthur H. Snell. Some notes on radioactive carbon of high specific activity—1240(A)
Nottingham, W. B. (see McCormack, R. L.)—1204(T)
—— **and W. E. Mutter.** Photoelectric technique for spectral emissivity determination illustrated by results on tungsten—1261(A)

O'Connor, P. R. and G. T. Seaborg. High energy spallation and fission products of uranium—1189(L)
Olsen, L. O. (see Smith, C. S.)—114(T)
Omer, Guy C., Jr. Non-homogeneous cosmological model with a finite cosmological constant—1564(A)
Onsager, L. and J. E. Robinson. De Haas-van Alphen effect in zinc—1235(A)
Opinsky, A. and R. Smoluchowski. Clustering phenomena in solid solution—343(L)
Oppenheimer, Frank (see Freier, Phyllis)—213, 1818
—— (see Frick, Walter)—1258(A)
—— (see Lofgren, Edward J.)—1258(A)
O'Reilly, J. and R. F. Christy. Energy production in the sun—1559(A)
Osborne, Robert K. (see Berggren, Jane L.)—1240(A)
Owen, G. E. Physical properties of water substance near the critical temperature—114(T)
—— (see Braden, C. H.)—1539(L)
—— (see Townsend, J.)—99(L)
——, **David Moe, and C. Sharp Cook.** Evidence for a complex disintegration of I^{131}—1879(L)
—— **and H. Primakoff.** Relation between apparent shapes of monoenergetic conversion lines and of continuous β-spectra in a magnetic spectrometer—1406

Pake, G. E. and H. S. Gutowsky. Nuclear relaxation in ice at −180°C—979(L)
—— **and E. M. Purcell.** Line shapes in nuclear paramagnetism—1184
Paneth, H. R. (see Allen, James S.)—1224(A)
Panofsky, Wolfgang K. H. Detection of light and heavy mesotrons outside the tank of the 184-in. cyclotron—1558(A)
—— (see Phillips, Robert)—1560(A)
—— **and Robert Phillips.** Evidence for a p, d reaction in carbon—1732(L)
Pardue, L. A. (see Flanary, H. G.)—125(A)
—— (see Hoover, J. I.)—864
—— (see Meers, J. T.)—119(A)
Pardue, T. E. (see Jarrell, H. A.)—121(A)
—— (see Parker, J. P.)—121(A)
Parker, J. P., T. E. Pardue, and J. L. Melchor. Failure of metals subjected to repeated plastic strains—121(A)
Parker, James M. and Leonard B. Loeb. Potential and field distribution in the hemispherically capped cylindrical point to plane corona gap—1557(A)
Parker, W. L. and J. J. Dropkin. Stimulated phosphorescence and photo-conductivity of infra-red phosphors—1242(A)
Parnell, Jack L. and Joseph W. Straley. Infra-red spectrum of HCl in solution with dioxane, di-ethyl ether, and ethyl acetate—123(A)
Parzen G. and L. I. Schiff. Short range repulsion as a mechanism for nuclear saturation—1564(A)
Pauls, F. B. (see Flanary, H. G.)—125(A)
Peacock, Charles L. (see Wilkinson, Roger G.)—1250(A)
—— **and Roger G. Wilkinson.** Disintegration of Sc^{46}—1240(A)
—— **and Roger G. Wilkinson.** Disintegration of scadium^{46}, gold^{198}, and tungsten^{185,187}—297
Pearce, Willard J. (see Winans, J. Gibson)—1262(A)
Pearson, G. L. (see Shockley, W.)—232(L)
Peaslee, D. C. $d-p$ and $d-n$ cross sections—1223(A)
—— Deuteron-induced reactions—1001
Peck, R. A., Jr. $Al^{27}(dn)$ reaction—1233(A)
Pekeris, C. L. Stability of the laminar parabolic flow of a viscous fluid between parallel fixed walls—191
Pell, E. M. and D. H. Tomboulian. Response of certain inorganic phosphors in the extreme ultraviolet region—1242(A)
Pellam, J. R. Pulsed second sound in liquid helium II—841(L)
Pensak, L. Conductivity induced in thin insulating films by electron bombardment—1204(T)
Pepinsky, R. (see Jarmotz, P.)—126(A)
—— (see Long, H. M., Jr.)—126(A)
—— (see Sayre, D.)—127(A)
—— **and D. Sayre.** Quantitative determination of electron densities and contour line delineation in the Auburn electronic Fourier synthesizer for crystal structure analyses—126(A)
Perlman, I. (see Chubbuck, J. B.)—982(L)
——, **A. Ghiorso, and G. T. Seaborg.** Alpha-decay systematics of the heavy elements—1730(L)
Perlman, M. L. (see Lawson, J. L.)—1190(L)
—— **and G. Friedlander.** Relative yields of some x-ray induced nuclear reactions—442
Perlow, G. J., E. Krause, and C. Schroeder. Rocket borne cloud chamber II—1215(A)
Peters, B. (see Bradt, H. L.)—1828
—— (see Freier, Phyllis)—213
Peterson, Jack M. (see Bockhop, Dorothy)—1559(A)

Petree, B. (see Henkel, R. L.)—1260(A)
Phillips, G. C. (see Bonner, T. W.)—1227(A)
Phillips, J. A. and P. Gerald Kruger. Preliminary data on the production of ± electron pairs in the field of an electron—1259(A)
Phillips, Robert (see Panofsky, Wolfgang K. H.)—1732(L)
—— **and Wolfgang K. H. Panofsky.** Excitation curves of $C^{12}(p, pn)C^{11}$ and $B^{11}(p, n)C^{11}$ up to 32 Mev—1560(A)
Piccioni, Oreste. Search for photons from meson-capture—1754
—— Search for photons from stopped mesons—1236(A)
Pickup, Eric. Production of Li^8 in boron-loaded photographic emulsions—495(L)
—— (see Morrison, Adair)—706(L)
Pieper, A. G. (see Hammer, C. F.)—1262(A)
Pietenpol, William J., John D. Rogers, and Dudley Williams. Saturation effects in microwave spectra—1246(A)
Pippard, A. B. (see Daunt, J. G.)—842(L)
Plumb, Harmon (see Bockstahler, Lester I.)—1235(A)
Plyler, E. K. and S. L. Kruegel. Infra-red absorption spectra of ethyl and of *n*-propyl alcohol—1247(A)
Pobereskin, M. (see Katzin, Leonard I.)—264
Pollard, Ernest and David E. Alburger. Large-angle scattering of Na^{24} gamma-radiation—926
——, **V. L. Sailor, and L. D. Wyly.** Energy levels of Al 28 and Mg 25—1233(A)
Pollock, H. C. (see Elder, F. R.)—52
Pomerance, H. (see Hoover, J. I.)—864
Pontecorvo, B. (see Hincks, E. P.)—697(L)
—— (see Kirkwood, D. H. W.)—497(L)
Pool, M. L. (see Eggen, D. T.)—57, 1248(A)
—— (see Gunlock, H. F.)—1264(A)
—— (see Krisberg, N. L.)—44, 1249(A)
—— (see Kundu, D. N.)—1569, 1775
—— (see McCown, D. A.)—1311, 1315, 1248(A), 1263(A)
—— (see Woodward, L. L.)—761, 870, 1263(A)
Poole, J. H. J. and J. W. Bremner. Emission of alpha-particles from the different faces of a radioactive crystal—836(L)
Post, R. F. Wave guide fast counter—1560(A)
—— (see Hansen, W. W.)—1560(A)
Pound, R. V. Erratum: On the nuclear moments of I^{127}, Ga^{69}, Ga^{71}, and P^{31}—228(L)
—— Structure of nuclear resonance absorption lines in crystals—1203(T)
Powell, J. L. On the Compton effect for protons—1258(A)
—— (see Sachs, R. G.)—1258(A)
Powell, R. W. (see Borst, L. B.)—1883(L)
Powell, W. M. Cloud-chamber measurements of recoil protons in the neutron beam of the 184-inch cyclotron—1555(T)
Preiswerk, P. (see Medicus, H.)—839(L)
Preston, W. M. (see DeBenedetti, S.)—1645
Prettyman, Irven B. (see Lyons, W. James)—114(T)
Price, H. Clay, Jr. (see Cook, C. Sharp)—502(L), 548
—— (see Langer, Lawrence M.)—1263(A)
Prim, R. C. Family of rotational corner flows—1563(A)
Primakoff, H. On γ-induced β-disintegration: Theoretical—110(L)
—— On the momentum distribution of the decay electrons from negative mesons—878
—— (see Owen, G. E.)—1406
Probst, R. E. (see Daunt, J. G.)—495(L)
Purcell, E. M. (see Pake, G. E.)—1184

Quercia, I. F., B. Rispoli, and S. Sciuti. About the positive excess of the hard component of cosmic-ray—1728(L)
Quevedo, José L. García and William V. Smith. Frequency stabilization of microwave oscillators by spectrum lines—123(A)

Rabi, I. I. Recent experiments on the dynamics of the electron in atoms—1555(T)
Rado, G. T., M. Maloof, and H. Rosenblatt. Effect of surface treatment on complex permeability—1206(A)
Rainwater, L. J. (see Havens, W. W., Jr.)—1216(A)
—— (see Wu, C. S.)—1248(A)
Ramsay, B. P., J. H. Buehler, and C. E. Molineux. Controls for generators of influence signals—118(A)
Ramsay, Norman F. Effect of large quadrupole interacactions on nuclear radiofrequency spectra at twice Larmor frequency—286
Randolph, M. L. Sampling specimens from an ultracentrifuge by quick freezing—118(A)
Rappaport, George. Specular infra-red spectral reflectance for the analysis of organic materials—115(A)
Rarita, William. Deuteron and triton methods—1799
—— Some deuteron variational methods—1222(A)
Rasmussen, V. K. (see Dougherty, C. B.)—712(L)
—— (see Lauritsen, T.)—1566(A)
Rayski, Jerzy. Negative energies in generalized electrodynamics—629(L)
Redding, Esther D. (see Michels Walter C.)—1562(A)
Reekie, James and T. S. Hutchison. Effect of cold working on the magnetic properties of pure metals—610
Reines, F. Neutron spectra from proton recoils in photographic emulsions—1565(A)
—— (see Mullaney, J. F.)—491(L)
Reynolds, Charles A. (see Fairbank, Henry A.)—345(L)
Reynolds, G. T. and W. D. Hardin. Penetrating power of extensive shower particles—1549(L)
Reynolds, S. E. (see Workman, E. J.)—709(L), 1231(A)
—— **and E. J. Workman.** Small generating voltmeter and generating electrometer—1231(A)
Rhodes, J. E., Jr. Device for determining particle size distribution in smokes—124(A)
Rice, P. J. (see McCarthy, R. L.)—1243(A)
Richards, H. T. (see Baskin, S.)—1260(A)
—— (see Smith, R. V.)—1257(A), 1871(L)
—— **and R. V. Smith.** Argon and neon (*pn*) thresholds—1870(L)
—— **and R. V. Smith.** Proton-neutron thresholds in Cl^{37} and K^{41}—1257(A)
Richards, James A., Jr. and L. W. Nordheim. Energy distribution in cosmic-ray showers—1106
Richards, Paul I. Notes on Feenberg's series—Rearrangements—835(L)
Richardson, J. M. On a course-grained density in phase space and its relation to transport phenomena—1214(T)

Richardson, J. Reginald. Lifetime of the heavy meson—1720
Richardson, John M. (see Danielson, Gordon C.)—986(L)
—— **and Bernd T. Matthias.** Theory of the dielectric behavior of $BaTiO_3$—987(L)
Ring, Harold (see Gordy, Walter)—1191(L)
—— (see Smith, A. G.)—123(A), 370
Rispoli, B. (see Quercia, I. F.)—1728(L)
Ritland, H. N. (see Kaesberg, Paul)—71, 1255(A)
Rivier, D. and E. C. G. Stueckiberg. Convergent expression for the magnetic moment of the neutron—218(L); Erratum—986(L)
Robertson, J. H. (see Deal, L. J.)—127(A)
Roberts, Arthur. Nuclear spins and moments obtained from microwave spectra—1254(T)
Robinson, C. V. Neutral region in the space charge of a self-quenching G-M counter—1261(A)
Robinson, J. E. (see Onsager, L.)—1235(A)
Rogers, F. T., Jr. Considerations on the use of field-deflections for determining the mass of the meson—128(A)
—— Quantitative data from a slow-bend test of mild steel—122(A)
—— (see Auld, Mary Jane)—128(A)
—— (see Barlow, J. S.)—700(L)
—— (see Byatt, W. J.)—121(A), 699(L)
—— (see Caldwell, E. E.)—120(A)
—— (see Crawford, G. W.)—118(A)
—— (see Jenkins, G. L.)—120(A)
—— (see Jones, Emily)—122(A)
—— (see Linz, Arthur, Jr.)—119(A)
—— (see Scherrer, V. E.)—119(A)
—— (see Waltner, Arthur)—699(L)
Rogers, John D. (see Pietenpol, William J.)—1246(A)
Rogers, Marguerite M. Creeping cracks in slow-bend fracturing of mild steels—121(A)
—— Strain-aging effects in the slow-bend fracturing of mild steels—122(A)
Rohrlich, F. Classification of the odd terms of Ti I—1381
—— On the configuration of d^2sp, d^3p, and d^7p—1372
Rollefson, R. (see Hammer, C. F.)—1262(A)
Rollin, B. V. and J. Hatton. Concentration of He^3 by evaporation of liquid helium at temperatures below the λ-point—508(L)
—— **and J. Hatton.** Nuclear paramagnetism at low temperatures—346(L)
Rose, M. E. and M. M. Shapiro. Statistical error in absorption experiments—1853
—— **and M. M. Shapiro.** Statistical error in transmission measurements—1213(A)
Rosen, Nathan. Composite particles—128(A)
Rosenbaum, Alma (see Rusk, Rogers D.)—110(L)
—— **and Rogers D. Rusk.** Effects of absorption and scattering of mesons on coincidence-anticoincidence counts—354(A)
Rosenblatt, H. (see Rado, G. T.)—1206(A)
Rossi, Bruno. Interpretation of cosmic-ray phenomena—354(T)
—— (see Bridge, H. S.)—1083
Rothstein, Jerome. Errata and addendum: On the mechanism of electron emission at the cathode spot of an arc—228(L)
Roy, R. R. (see Champion, F. C.)—5
Ruark, Arthur E. Formation of spiral marks on fractures—120(A)
Rubin, S. (see Snyder, C. W.)—1564(A)
——, **C. W. Snyder, C. C. Lauritsen, and W. A. Fowler.** Inelastic scattering of protons from Li^7—1564(A)
Rusinow, K. (see Dailey, B. P.)—1245(A)
Rusk, Rogers D. (see Rosenbaum, Alma)—354(A)
—— **and Alma Rosenbaum.** Attempt to detect neutral particles produced by exchange of charge with cosmic-ray mesons—110(L)
Russek, A. (see Shamos, M. H.)—1545(L)
Russell, B. R. (see Isenberg, I.)—1255(A)
Russell, Henry Norris. Configurations of the low terms of Ti II—689

Sachs, R. G. Exchange currents in nuclei—1223(A)
—— Interpretation of the magnetic moments of light nuclei—1255(T)
—— Phenomenological theory of exchange currents in nuclei—433
—— (see Avery, R.)—1320
—— **and J. L. Powell.** On the Bremsstrahlung produced by protons—1258(A)
Saibel, Edward. Theoretical approach to the strength of materials under cyclic loading—1220(A)
Sailor, V. L. (see Pollard E.)—1233(A)
Sala, O. (see Herb, R. G.)—1256(A)
——, **P. Axel, and M. Goldhaber.** Internal conversion electrons accompanying slow neutron capture in Gd—1249(A)
—— **and R. G. Herb.** Design of electrostatic generator for the University of São Paulo, Brazil—1260(A)
Salant, E. O., J. Hornbostel, and E. M. Dollmann. Tracks in emulsions at 100,000 feet—694(L)
Sampson, M. B. (see Cook, C. S.)—502(L)
—— (see Schelberg, A. D.)—1239(A)
Sanderson, J. A., J. A. Curcio, and Dorothy V. Estes. Photoelectric pyrometer for the measurement of luminous flame temperatures—1221(A)
Sands, Matthew. Slow mesons in the atmosphere—1237(A)
Sard, R. D. and E. J. Althaus. Search for delayed photons from stopped sea-level cosmic-ray mesons—1364
—— **and A. H. Benade.** Time distribution of decay electrons from mesons stopped in magnesium at 3500-m altitude—1237(A)
——, **W. B. Ittner III, A. M. Conforto, and M. F. Crouch.** Evidence for neutrons associated with the stopping of sea level mesons in lead—97(L)
Saxton, D. Beta-spectrum of $Hg^{(\frac{203}{205})}$—849(L)
—— Beta-spectra of W^{185} and Os^{193}—1264(A)
Sayre, D. (see Pepinsky, R.)—126(A)
—— **and R. Pepinsky.** Photoelectric two-dimensional Fourier analyzer—127(A)
Scharff-Goldhaber, G. (see Friedlander, G.)—981(L)

Schein, Marcel. Problem of low energy mesotrons in the cosmic radiation—1555(T)
Schelberg, A. D., M. B. Sampson, and A. C. G. Mitchell. Method for measuring short period activities—1239(A)
Schenck, J. (see Winckler, J. R.)—837(L)
Scherb, M. V. (see Mandeville, C. E.)—601, 888, 1250(A), 1251(A), 1266(A), 1565(A)
—— **and C. E. Mandeville.** Beta-beta-coincidence curves for Ir^{192} and Ta^{182}—508(L)
—— **and C. E. Mandeville.** Radiations from the long period activity of zirconium—1248(A)
Scherrer, Victor E. (see Linz, Arthur, Jr.)—121(A)
—— **and Arthur Linz, Jr.** Speed of propagation of fractures in glass plates—120(A)
—— **and F. W. Rogers, Jr.** Incremental regulation by carbon-pile type of voltage-regulator—119(A)
—— **and Joseph W. Straley.** Conditions for brittle fracture of mild steel—121(A)
Schiff, L. I. Capture of sea-level negative mesons by nuclei—1556(A)
—— (see Parzen, G.)—1564(A)
Schönberg, Mario. Elimination of divergences in the meson theory. I—748
—— Quantum theory of the point electron. I—738
Schroeder, C. (see Perlow, G. J.)—1215(A)
Schulkin, M., F. T. Haddock, K. M. Decker, C. H. Mayar, and J. P. Hagen. Observation of a solar noise burst at 9500 Mc/sec. and a coincident solar flare—840(L)
Schultz, H. L. (see McCarthy, R. L.)—1243(A)
Schwachheim, G. (see Meyer, H. A.)—846(L)
Schwarz, Guenter and J. A. Bearden. Determination of h/e by x-rays—1209(A)
Schweinler, H. C. (see Weinberg, A. M.)—851
Schwinger, Julian. Invariant quantum electrodynamics—1212(A)
—— Quantum electrodynamics: I. A covariant formulation—1439
—— (see Feshbach, H.)—1223(A)
—— (see Levine, Harold)—958, 1212(A)
Sciuti, S. (see Quercia, I. F.)—1728(L)
Scott, E. J. Beta-ray spectrum of P^{32}—1240(A)
Scott, W. T. (see Goudsmit, S. A.)—1537(L)
Seaborg, G. T. (see Ghiorso, A.)—695(L)
—— (see O'Conner, P. R.)—1189(L)
—— (see Perlman, I.)—1730(L)
Segrè, Emilio. Experiments on high energy neutron-proton scattering—1204(T)
Seitz, Frederick. On the theory of vacancy diffusion in alloys—1513
—— (see Falk, C. E.)—1226(A)
—— (see Markham, Jordon J.)—1014
Serber, R. Interpretation of the radiation laboratory meson experiments—1555(T)
Setlow, R. B. High energy states of N_2^+ and N_2—153
Seyfert, C. K. Densely crowded group of galaxies in Serpens—129(A)
Shamos, M. H., M. G. Levy, and I. S. Lower. On the energy dependence of the positive meson excess—1237(A)
—— **and A. Russek.** On the range of decay electrons from mesons—1545(L)
Shapiro, M. M. (see Rose, M. E.)—1853, 1213(A)
Sharbaugh, A. Harry. Microwave determination of the molecular structure of chlorosilane—1870(L)
Sharp, D. E. (see Arner, W. J.)—116(A)
Shaw, A. E. Mass deposition of completely resolved samarium isotopes—980(L)
Shaw, C. H. (see Cooper, J. N.)—114(T)
—— **and J. N. Cooper.** Vacuum double crystal x-ray spectrometer—114(T)
Shaw, J. H., G. B. B. M. Sutherland, and T. W. Wormell. Nitroux oxide in the earth's atmosphere—978(L)
Sherr, R., H. R. Muether, and M. G. White. New 20-second activity induced in boron by high energy protons—1239(A)
Shockley, W. and G. L. Pearson. Modulation of conductance of thin films of semi-conductors by surface charges—232(L)
Shoemaker, F. C. (see Bender, R. S.)—1205(A)
Shoenberg, D. (see Daunt, J. G.)—842(L)
Shoupp, W. E. and B. Jennings. Threshold and resonances in the $C^{14}(pn)$ reaction—1233(A)
Shreffler, R. G. (see Cork, J. M.)—240, 1657, 1249(A)
Shull, C. G. (see Siegel, Sidney)—1255(A)
Shull, Franklin B. Beta-ray spectra of europium and tungsten—917
—— (see Braden, C. H.)—1539(L)
Shulman, R. G. (see Dailey, B. P.)—1245(A)
——, **B. P. Dailey, and C. H. Townes.** Preliminary analysis of the microwave spectrum of ethylene oxide—846(L)
Sidhu, S. S. (see Winsberg, Lester)—1216(A)
——, **L. Winsberg, and D. Meneghetti.** Phase of scattering of thermal neutrons by titanium—222(L)
Siegel, Sidney (see Davis, R. E.)—1255(A)
—— (see Ekstein, H.)—625(L)
—— **and C. G. Shull.** Observations on superlattices in order-disorder alloys using neutron diffraction—1255(A)
Siegert, A. J. F. (see Frerichs, Rudolf)—1875(L)
Silsbee, F. B. Absolute electrical units—1203(T)
Simmons, James W. (see Gordy, Walter)—243
—— **and Walter Gordy.** Structure of the inversion spectrum of ammonia—123(A)
——, **Walter Gordy, and A. G. Smith.** Microwave determination of the molecular structures and nuclear couplings of methyl chloride, methyl bromide, and methyl iodide—1246(A)
Simpson, J, A., Jr. Neutron densities in the atmosphere as a function of latitude and altitude—1214(A)
Singer, S. F. Density spectrum and latitude dependence of extensive air showers at sea level—1214(A)
—— On the lateral extension of Auger showers—844(L)
Skaggs, L. S. (see Lanzl, L. H.)—1261(A)
Slack, C. M., L. F. Ehrke, C. Zavales, D. Dickson, and R. G. Young. High speed x-ray motion pictures—1230(A)
Slater, J. C. (see Maxwell, E.)—1234(A)
Slätis, Hilding (see Melander, Lars)—709(L)
Sleator, William, Jr. (see Blair, J. Morris)—553, 1594, 1599, 1205(A), 1259(A)

——, **J. M. Blair, George Freier, Eugene Lampi, and J. H. Williams.** Angular distribution of 1- to 4-Mev deuterons scattered by deuterons—1260(A)
Slotnick, M. (see Nierenberg, W. A.)—1246(A)
Small, H. (see Wolf, H. E.)—118(A)
Smart, J. S. On the formation of shielded isobars by the nuclear photo-effect—1882(L)
Smith, A. G. (see Gordy, Walter)—243
—— (see Simmons, James W.)—1246(A)
——, **H. Ring, W. V. Smith, and W. Gordy.** Microwave spectra of cyanogen halides—123(A)
——, **Harold Ring, W. V. Smith, and Walter Gordy.** Interatomic distances and nuclear quadrupole couplings in ClCN, BrCN, and ICN—370
Smith, C. S., J. C. Hart, E. C. Crittenden, and L. O. Olsen. Structure of evaporated cobalt films—114(T)
Smith, DeForest F. Pressure broadening in ammonia at centimeter wave-lengths—506(L)
Smith, Lloyd P. (see Caldwell, Wallace C.)—1207(A)
Smith, Lyle W. and P. Gerald Kruger. Absolute thick target yields from several (D, n) reactions—1258(A)
Smith, Paul L. (see Burstein, Elias)—229(L), 1880(L)
Smith, R. V. (see Richards, H. T.)—1257(A), 1870(L)
—— **and H. T. Richards.** Deuterium (pn) threshold—1870(L)
—— **and H. T. Richards.** Proton-neutron thresholds in V^{51} and Mn^{55}—1257(A)
Smith, S. R. (see Daunt, J. G.)—495(L)
Smith, William V. (see Carter, Robert L.)—123(A)
—— (see Quevedo, José L. García)—123(A)
—— (see Smith, A. G.)—123(A), 370
—— (see Opinsky, A.)—343(L)
Smythe, W. R. (see Andrew, Alan)—496(L)
Snell, Arthur H. (see Norris, L. D.)—1240(A)
Snell, H. and L. C. Miller. On the radioactive decay of the neutron—1217(A)
Snoddy, L. B. (see McQueen, J. H.)—1551(L)
—— **and J. W. Beams.** Production of short x-ray pulses by a resonant cavity electron accelerator—126(A)
Snowden, S. C. (see Herb, R. G.)—1256(A)
Snyder, C. W. (see Rubin, S.)—1564(A)
——, **C. C. Lauritsen, W. A. Fowler, and S. Rubin.** Double-focusing magnetic spectrograph—1564(A)
Snyder, R. L. Status of large scale computing devices in the United States—1204(T)
Solomon, A. K. (see Cobb, Jock)—354(A)
—— (see Glendenin, L. E.)—700(L)
Somers, H. S., Jr., P. R. Weiss, and W. Halpern. Precision magnetic field stabilizer—1210(A)
Spence, J., J. Castle, and J. H. Webb. Tracks of low ionizing particles in photographic emulsions—704(L)
Spence, R. D. and A. Leitner. Diffraction by circular disks and apertures—349(L)
Spencer, Charles D. "Brittleness" testing device for small glass tubing—115(A)
Sperduto, A. (see Buechner, W. W.)—1348, 1569, 1226(A)
—— (see Strait, E. N.)—1226(A)
Sponer, H. (see Bass, Arnold M.)—1247(A)
—— **and D. S. Lowe.** Absorption spectrum of benzotrifluoride vapor in the near ultraviolet—122(A)
Spotz, Ellen L. (see Hirschfelder, Joseph O.)—1265(A)
Stanford, C. P. (see Bernstein, S.)—1258(A)
Stanley, Charles W. (see Katcoff, Seymour)—631, 1225(A)
Staub, Hans H. High precision determination of the ratio of the nuclear magnetic moments of proton and neutron—1203(T)
—— (see Bloch, F.)—1025
Steele, M. C. (see de Launay, Jules)—1235(A)
Stein, P. R. (see de Hoffmann, F.)—1330
Steinberger, J. On the range of the electrons in meson decay—500(L)
—— **and G. C. Wick.** Neutron polarization—1207(A)
Stelson, P. H. (see Meissner, K. W.)—932, 1262(A)
Stephens, W. E. (see Cornog, I. C.)—1
—— (see Franzen, W.)—1234(A)
Stephenson, S. T. and F. D. Mason. Continuous spectrum of x-rays to 13A—1560(A)
Stergiopoulos, C. G. (see Buechner, W. W.)—1569, 1226(A)
—— (see Strait, E. N.)—1226(A), 1257(A)
Sternheimer, R. Resonance scattering of slow neutrons in crystals—335
Stevens, W. H. (see Hawkings, R. C.)—696(L)
Stimson, H. F. Proposed revision of the international temperature scale—1203(T)
Stout, J. W. Second-order transformations in two-component systems. Application to solutions of He^3 in He^4—605
Strait, E. N. (see Buechner, W. W.)—1569, 1226(A)
——, **C. G. Stergiopoulos, and W. W. Buechner.** Protons from the $Li^7(d, p)Li^8$ reaction—1257(A)
——, **C. G. Stergiopoulos, A. Sperduto, and W. W. Buechner.** Energy relations in the $Be^9(d, \alpha)Li^7$ reaction—1226(A)
Straley, Joseph W. (see Parnell, Jack L.)—123(A)
—— (see Scherrer, Victor)—121(A)
Strandberg, M. W. P. Microwave rotational absorption in D_2O—1245(A)
—— Rotational spectra of linear molecules—1203(T)
Strauser, W. A. (see Good, W. M.)—1225(A)
Street, J. C. Application of crystal counters to cosmic-ray studies—354(T)
—— (see Fowler, E. C.)—101(L), 850(L)
Strong, H. M. (see Bundy, F. P.)—1221(A)
—— **and F. P. Bundy.** Measurement of gas temperatures in the exhaust flames of rocket motors by spectroscopic methods. I—1221(A)
Strong, J. D. (see Hoover, J. I.)—864
Stroud, W. G. (see Winckler, J. R.)—837(L)
Studer, Frank J. and Gorton R. Fonda. Optical properties and constitution of calcium silicate-lead phosphors—1241(A)
Studier, Martin H. and Earl K. Hyde. New radioactive series—the protactinium series—591
Stuecklberg, E. C. G. (see Rivier, D.)—218(L), 986(L)
Stuhlman, Otto, Jr. Mechanical analysis of the closure movements of Benus' fly trap—119(A)
Sutherland, G. B. B. M. (see Shaw, J. H.)—978(L)
Suwa, S. (see Murakawa, K.)—1535(L)

Svartholm, N. Velocity and two-directional focusing of charged particles in crossed electric and magnetic fields—108(L)
Swann, Charles P. (see Hudspeth, Emmett L.)—1722(L), 1227(A)
—— **and E. L. Hudspeth.** Compact electrostatic generator for positive ion acceleration—1243(A)
Swann, W. F. G. Mass-energy relation—200
—— Possible circulation of cosmic-ray helium particles around the earth—1215(A)
—— (see Morris, Peter A.)—1102
Sweeney, D. W. (see Goldstein, L.)—1565(A)
Szalay, A. and Eva Csongor. Contributions to the nuclear processes induced in magnesium by polonium alpha-particles—1063
Szilard, L., S. Bernstein, B. Feld, and J. Ashkin. Inelastic scattering of fast neutrons—1216(A)

Taft, E. (see Apker, L.)—1462
Talbott, F. L. (see Bernstein, S.)—1258(A)
Talley, Robert M. and Alvin H. Nielsen. Some new measurements on the infra-red spectrum of HF—123(A)
Taschek, Richard F. and H. T. Gittings. Observations of naphthalene scintillations caused by tritium beta-rays—1553(L)
—— **and Arthur Hemmendinger.** Reaction constants for $Li^7(p, n)Be^7$—373
Taub, A. H. Relativistic Rankine-Hugoniot equations—328, 1230(A)
Taylor, H. C. (see Morris, Peter A.)—1102
Teichmann, T. Comparison of recent methods in the theory of nuclear reactions—1223(A)
Teller, E. (see Goldhaber, M.)—1046
Ter-Pogossian, M. (see Kurie, Franz, N. D.)—677
Thaler, William J. (see Fitzpatrick, J. A.)—1227(A)
—— (see Hubbard, J. C.)—107(L), 708(L)
Thamer, B. J. (see Voigt, A. F.)—1264(A)
—— **and A. F. Voigt.** Multivibrator quenching of Geiger-Mueller tubes—1261(A)
Thomas, H. C. (see Haynes, S. K.)—128(A)
—— **and N. Underwood.** Counter for low energy ionizing particles—127(A)
Thomas, Roy. Existence of tensor interactions between nucleons—1564(A)
Thompson, R. C. (see Miller, D. R.)—347(L)
Thompson, R. W. Cloud-chamber study of meson disintegration—490(L)
Thornton, R. L. (see Knable, N.)—1217(A)
Ticho, Harold K. Capture probability of negative mesotrons—1337
—— Mean life of negative mesotrons in sulfur—492(L)
Tinlot, John. Further data concerning the variation of penetrating showers with altitude—1197(L)
Tisza, L. Irreversibility and quantum mechanics—1213(A)
Tobin, Ralph A. (see Mock, Dana L.)—1536(L)
Tollestrup, A. V. Counting efficiency of scintillating counter—1561(A)
Tomboulian, D. H. Radiative x-ray transition within the *L* shell of sulphur—1887(L)
—— (see Pell, E. M.)—1242(A)
Tomlinson, E. P. Wide range field control system for a magnetic spectrograph—1231(A)
Tomonaga, Sin-Itiro. On infinite field reactions in quantum field theory—224(L)
Tongiorgi, V. Cocconi (see Cocconi, G.)—1867
Townes, C. H. Nuclear properties determined from microwave spectroscopy—1203(T)
—— Nuclear quadrupole moments of N^{14} and I^{127}—1245(A)
—— (see Dailey, B. P.)—1245(A)
—— (see Shulman, R. G.)—846(L)
—— **and S. Geschwind.** Spin and quadrupole moment of S^{33}—626(L)
——, **A. N. Holden, and F. R. Merritt.** Microwave spectra of some linear *XYZ* molecules—1113
Townsend, J. (see Braden, C. H.)—1539(L)
——, **Marshall Cleland, and A. L. Hughes.** Disintegration of Cs^{137}—499(L)
——, **G. E. Owen, Marshall Cleland, and A. L. Hughes.** Beta- and gamma-spectra of Cs^{137}—99(L)
Treat, J. E. and K. I. Greisen. Penetrating particles in extensive air showers—414
Trischka, J. W. Nuclear quadrupole interaction in CsF—718
Trolander, Hardy. Description of a klystron oscillator for microwave demonstrations and measurements—114(T)
Turner, T. J. (see Menius, A. C., Jr.)—125(A)

Ufford, C. W. (see Aller, L. H.)—1208(A)
Underwood, Newton. Characteristics of an acoustic interferometer—124(A)
—— (see Lagemann, R. T.)—124(A)
—— (see Thomas, H. C.)—127(A)

Valatin, J. G. Isotopic effect of the potential function of molecular states—346(L)
—— On the dissociation energy of carbon monoxide and the heat of sublimation of carbon—350(L)
Vallarta, M. S. On the energy of cosmic radiation allowed by the earth's magnetic field—1837
Van de Graaff, R. J. (see Buechner, W. W.)—1348, 1226(A)
Van der Grinten, W. Particle tracks in emulsions showing grain gradation—1244(A)
Van Vleck, J. H. Line-breadths in radiofrequency and microwave absorption spectra—1254(T)
—— Dipolar broadening of magnetic resonance lines in crystals—1168
—— (see Aller, L. H.)—1208(A)
—— (see Henderson, R. S.)—106(L)
—— (see Wheatley, John)—1211(A)
Van Voorhis, C. C. (see Ladenburg, R.)—1229(A), 1884(L)
Vassamillet, L. F. (see Brocklehurst, R. E.)—114(T)
Venkateswarlu, P. (see Madsen, C. B.)—648, 1782
Victoreen, John A. Absorption of incident quanta by atoms—114(T)
Vineyard, George H. Interpretation of small angle x-ray scattering observed from argon—1209(A)
—— Small angle x-ray scattering from amorphous materials—1076

Voigt, A. F. (see Hein, R. E.)—1265(A)
—— (see Thamer, B. J.)—1261(A)
—— **and B. J. Thamer.** Studies on the radiation of Hf^{181}—1264(A)

Waddel, Ramond C. (see Mock, Dana L.)—1536(L)
Wadey, Walter G. Alpha-ray spectrum of polonium—1846
Wäffler, H. (see Hirzel, O.)—1553(L)
Wahlin, H. B. and Harry W. Knop, Jr. Spectral emissivity of iron and cobalt—687, 1207(A)
Waldman, Bernard and Walter C. Miller. Ratio of deuterium to beryllium photo-disintegration thresholds—1225(A)
Walker, R. L. and B. D. McDaniel. Gamma-ray spectrometer measurements of fluorine and lithium under proton bombardment—315
Wallace, J. (see Burgy, M.)—1207(A)
Waltner, Arthur. Effect of rapidity of expansion on cloud-chamber operation—129(A)
—— Simplified low pressure cloud chamber—127(A)
—— (see Byatt, W. J.)—699(L)
—— **and F. T. Rogers, Jr.** Cloud-chamber observation on low energy portion RaE beta-spectrum—699(L)
Wang, Kan-Chang and Stanley B. Jones. On the disintegration of mesotrons—1547(L)
Warburton, F. W. Average negative gradient of potential energy—1562(A)
Wataghin, Andrea (see Meyer, H. A.)—846(L)
Wataghin, G. On the multiple production of mesons—975(L)
Watanabe, Satosi. On the possible types of interaction between spinorial and tensorial fields—1865
Watson, Bernard B. (see DuMond, Jesse W. M.)—1561(A)
—— (see Lind, David)—1561(A)
——, **David A. Lind, and Jesse W. M. DuMond.** Method of studying the gamma-ray spectrum of annihilation radiation from a source of positrons using the focusing curved crystal spectrometer—1561(A)
Watson, K. M. (see Jauch, J. M.)—950, 1485
—— **and J. M. Jauch.** Phenomenological quantum-electrodynamics—1262(A)
Watenberg, A. (see Myers, V.)—1264(A)
Watts, R. J. Slave sweep circuits for nuclear research—114(T)
Wayland, Harold and Saul Baker. Behavior of spherically tipped bodies in the early stage of water entry—1563(A)
Weber, Louis R. (see Bever, Renate S.)—1562(A)
Webb, J. H. Photographic plates for use in nuclear physics—511
—— (see Spence, J.)—704(L)
Weidner, R. T. (see Whitmer, C. A.)—1478
——, **P. R. Weiss, and C. A. Whitmer.** Microwave resonance absorption in potassium chrome alum—1211(A)
Weimer, Paul K. Measurement of secondary emission of insulators at low primary energies—1221(A)
Weinberg, A. M. and H. C. Schweinler. Theory of oscillating absorber in a chain reactor—851
Weinberg, Joseph W. Special property of the electron's gyromagnetic ratio—1212(A)
Weinstein, M. (see Bohm, D.)—1789
Weiss, H. G. (see Mullaney, J. F.)—491(L)
Weiss, P. R. Application of the Bethe-Peierls method to ferromagnetism—1493
—— Microwave resonance absorption in paramagnetic salts—1203(T)
—— (see Somers, H. S., Jr.)—1210(A)
—— (see Weidner, R. T.)—1211(A)
—— (see Whitmer, C. A.)—1478
Weissler, Alfred. Ultrasonic velocity in liquid halides—1228(A)
Weissler, Pearl G. (see Cook, Richard K.)—1714
Weisz, P. B. Starting potential of the Geiger-Mueller counter discharge—1807
Welton, Theodore A. Some observable effects of the quantum-mechanical fluctuations of the electromagnetic field—1157
Wentzel, Gregor. Remarks on recent developments in quantum electrodynamics—1254(T)
—— New aspects of the photon self-energy problem—1070
Wheatley, John (see Halliday, David)—1712, 1724(L), 1210(A)
——, **David Halliday, and J. H. Van Vleck.** Paramagnetic resonance absorption line shapes for single crystals of $CuSO_4 \cdot 5H_2O$—1211(A)
White, J. R. and A. E. Cameron. Natural abundance of isotopes of stable elements—991
White, M. G. (see Gugelot, P. C.)—1215(A)
—— (see Sherr, R.)—1239(A)
——, **H. W. Fulbright, P. Gugelot, and R. R. Bush.** Redesign of the Princeton cyclotron to yield 18-Mev protons—1242(A)
White, M. W. Utilization of physicists and other scientists during world war II—1254(T)
Whitehead, W. D., Jr. (see Heydenburg, N. P.)—405, 1226(A)
Whitehurst, Robert N. Study of short-distance propagation of 147-mc radio-waves—124(A)
Whitmer, C. A. (see Weidner, R. T.)—1211(A)
——, **R. T. Weidner, J. S. Hsiang, and P. R. Weiss.** Magnetic resonance absorption in the chrome alums—1478
Whitmer, Robert M. Extremals of impedance elements in wave guide equivalent circuits—1231(A)
Wick, G. C. (see Steinberger, J.)—1207(A)
Wickenden, Roger C. Utilizing the Vernier principle for precise readings of slide rule settings—116(A)
Wiedenbeck, M. L. (see Chu, K. Y.)—494(L)
Wightman, A. Note on polarization effects in Compton scattering—1813
Wigner, E. P. Nuclear reactions and level widths—1254(T)
—— (see Moshinsky, Marcos)—1212(A)
Wijsman, Robert A. (see Loeb, Leonard B.)—1556(A)
Wilcox, Howard A. Experimental determination of rate of energy loss for slow H^1, H^2, He^4, Li^8 nuclei in Au and Al—1743
—— (see Allison, S. K.)—1233(A)
Wildhack, W. A. Pneumatic flow type pressure controller—1229(A)
—— (see Iberall, A. S.)—1229(A)

Wilkinson, D. H. Geiger discharge—1417
Wilkinson, Geoffrey and Harry G. Hicks. Some new radioactive isotopes of Tb, Ho, Tm, Lu, Ta, W, and Re—1733(L)
Wilkinson, Roger G. (see Peacock, Charles L.)—297, 1240(A)
—— **and Charles L. Peacock.** Beta- and gamma-radiation of W^{187} and Au^{198}—1250(A)
Williams, A. O., Jr. (see Davis, W. H.)—1208(A)
Williams, C. (see Borst, L. B.)—1883(L)
Williams, Dudley. Methods of observing microwave absorption lines—114(T)
—— (see Manring, Edward R.)—1263(A)
—— (see Pietenpol, William J.)—1246(A)
—— (see Zimmerman, John R.)—1885(L)
Williams, Ferd E. (see Johnson, Peter D.)—1241(A)
Williams, John H. (see Blair, J. Morris)—553, 1594, 1599, 1205(A), 1259(A)
—— (see Sleator, William, Jr.)—1260(A)
Williams, Robert W. Structure of the large cosmic-ray air showers—1689
—— (see Bridge, H. S.)—1083
Wilson, E. Bright. Use of microwave spectroscopy for studies of molecular structure—1203(T)
Wilson, H. A. Rotation vibration levels of the Fe^{57} and Ni^{60} nuclei—351(L)
—— Rotation vibration levels of the Si^{28} and Al^{28} nuclei—352(L)
Wilson, M. Carr and G. F. Hull, Jr. On the Faraday effect of microwave frequencies—711(L)
Wilts, Charles H. (e/m_0) for free electrons by use of resonant cavity—1560(A)
Winans, J. Gibson and Willard J. Pearce. Band spectrum of HgTl—1262(A)
Winckler, John R. Directional distribution of the total cosmic radiation at atmospheric heights up to 10-cm Hg at Princeton—1214(A)
—— (see Ladenburg, R.)—1229(A), 1884(L)
——, **W. G. Stroud, and J. Schenck.** Directional intensity of cosmic rays at high altitudes—837(L)
Wineland, W. C., T. M. Hahn, Jr., and L. R. Boyd. Coil system for producing longitudinal magnetic gradients—118(A)
Winn, E. B. Self-diffusion coefficient of nitrogen—698(L)
Winsberg, Lester (see Sidhu, S. S.)—222(L)
——, **David Meneghetti, and S. S. Sidhu.** Total neutron cross sections of compounds with different crystalline structures—1216(A)
Winsche, W. E. (see Borst, L. B.)—1883(L)
Wise, C. E. (see Bloom, Evelyn G.)—1222(A)
Witmer, Enos E. Explicit formula for the energy levels of the asymmetric rotator according to quantum mechanics—1250(A)
—— Explicit solution of the problem of the asymmetric rotator according to quantum mechanics—1247(A)
Wohlfarth, E. P. Anomalous values of the thermionic emission constant—984(L)
Wolf, H. E., H. Small, and J. H. Buehler. Current amplifiers for use with magnetic generators—118(A)
Wolfenstein, Lincoln. Proposed nuclear reactions involving polarized protons—1224(A)
Wollan, Abner. Infra-red spectrum of dimethylacetylene—114(T)
Wollan, E. O. (see Goods, W. M.)—1225(A)
—— (see Hoover, J. I.)—864
Woodward, L. L. (see McCown, D. A.)—1311, 1315, 1248(A), 1263(A)
——, **D. A. McCown, and M. L. Pool.** Radioactive Br isotopes—870
——, **D. A. McCown, and M. L. Pool.** Radioactive Kr isotopes—761
——, **D. A. McCown, M. L. Pool, and H. L. Finston.** Artificial radioactivity from enriched Se^{74} and Se^{76}—1263(A)
Woodward, W. M. and I. Halpern. On the angular distribution of protons from the photo-disintegration of the deuteron—1225(A)
Woolf, W. E. (see McMillan, D. R., Jr.)—124(A)
Woolley, Harold W. Force constant calculations for the X_4Y_6 molecule—1247(A)
Wooten, L. A. Sorption of gases by metals at low pressure—a study of getters—1254(T)
Workman, E. J. (see Reynolds, S. E.)—1231(A)
—— **and S. E. Reynolds.** Electrical activity as related to thunderstorm cell growth—1231(A)
—— **and S. E. Reynolds.** Suggested mechanism for the generation of thunderstorm electricity—709(L)
Wormell, T. W. (see Shaw, J. H.)—978(L)
Wouters, Louis F. Pulse characteristics of anthracene scintillation counters—489(L)
Wright, S. C. (see Jungerman, J.)—150
Wu, C. S. (see Albert, R. D.)—847(L)
—— (see Havens, W. W., Jr.)—1216(A)
——, **W. W. Havens, Jr., and L. J. Rainwater.** Beta- and gamma-radiations of arsenic^{76},—1248(A)
Wyly, L. D. (see Pollard E.)—1233(A)

Yaffe, L. and Jean M. Grunlund. Half-life of C^{14}—696(L)
—— **and Katharine M. Justus.** Erratum: A rapid method for the determination of the maximum energies of β-emitters with simple spectra—850(L)
Yagoda, Herman (see Langer, R. M.)—1238(A)
—— **and Nathan Kaplan.** Background eradication of nuclear emulsions by accelerated fading of the latent image—1249(A)
Yang, C. N. On the angular distribution in nuclear reactions and coincidence measurements—764
—— (see Allison, S. K.)—1233(A)
Yevick, G. J. Symmetry properties of χ-functions—1213(A)
Young, R. G. (see Slack, C. M.)—1230(A)
Yu, F. C. (see Ma, S. T.)
Hu, Fu-Chun and J. D. Kurbatov. Disintegration by consecutive electron capture in nucleus—114(T)
—— **and J. D. Kurbatov.** Energy quanta emitted in disintegration of ground state of Ba^{133}—34
Yuan, Luke C. L. Neutron density in the free atmosphere up to 67,000 feet—504(L)

Zabel, Carroll W. (see Davis, Luther, Jr.)—1211(A)
Zacharias, J. R. Molecular beam experiments with chlorine —1203(T)
Zaffarano, Daniel J., Bernard D. Kern, and Allan C. G. Mitchell. Beta- and gamma-rays of Rb^{86}—682
——, Bernard D. Kern, and Allan C. G. Mitchell. Energy of the Be^{7} gamma-ray—105(L)
Zagor, H. (see Belock, H.)—1230(A)
Zar, Jacob L., Joseph Hershkowitz, and Evelyn Berezin. Cloud-chamber study of electrons from meson decay—111(L)
Zavales, C. (see Slack, C. M.)—1230(A)
Zener, C. Theory of strain interaction of solute atoms—639
Zilsel, P. R. (see London, F.)—1148
Zimmerman, John R. (see Manring, Edward R.)—1263(A)
—— and Dudley Williams. Magnetic moment of $boron^{11}$—1885(L)

PHYSICAL REVIEW VOLUME 74, NUMBER 12 DECEMBER 15, 1948

Analytic Subject Index to Volume 74

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor.

Absorption of radiation
Coefficients for gamma-rays, Charlotte M. Davisson and Robley D. Evans—1239(A); Arthur L. Hughes and Clyde L. Cowan—1238(A); Clyde L. Cowan—1841
High energy quanta I, G. D. Adams—1707
Absorption coefficient (see also **Scattering of electrons, etc.; X-ray, absorption**)
Statistical error in absorption, M. E. Rose and M. M. Shapiro—1853
Acoustics (see also **Ultrasonics**)
Interpretation of interferometer data, Joseph L. Hunter —116(A)
Radiation field, vibrating piston in baffle, Paul M. Marcus —1234(A)
Second sound in helium II, velocity, J. R. Pellam —841(L)
Two-velocity field model of helium II, William Band and Lothar Meyer—386
Activated gases
Active nitrogen, S. K. Mitra—1637
Adsorption
Of Hg by activated carbon, R. C. Mason—1220(A)
Astrophysics
Dense group of galaxies in Serpens, C. K. Seyfert—129(A)
Energy production in sun, J. O'Reilly and R. F. Christy —1559(A)
Field theory and cosmic magnetism, Jean Mariani—1265(A)
Lines of methane in solar spectrum, Marcel V. Migeotte —112(L)
Magnetic variable stars as sources of cosmic rays, Horace W. Babcock—489(L)
Magnetism of celestial bodies, M. Forró—218(L)
Meteor trials, Charles A. Little, Jr.—1875(L)
Model with finite cosmological constant, Guy C. Omer, Jr.—1564(A)
Origin of elements, separation of galaxies, G. Gamow —505(L)
Production of He in meteorites by cosmic radiation, Carl August Bauer—501(L)
Solar noise burst at 9500 Mc/s, M. Schulkin, F. T. Haddock, K. M. Decker, C. H. Mayar, and J. P. Hagen—840(L)
Source of solar magnetic field, James W. Follin, Jr.—1232(A)
Thermonuclear reactions in expanding universe, R. A. Alpher, R. Herman, and G. A. Gamow—1198(L)
Atmosphere (see **Meteorology**)
Atmospheric electricity (see **Meteorology**)
Atomic structure (see also **Energy states of atoms; Spectra**)
Configurations of d^3sp, d^3p, and d^7p, F. Rohrlich—1372
Aurora
Spectra showing broad hydrogen lines, C. W. Gartlein —1208(A)

Barkhausen effect (see **Magnetic properties**)
Biophysics
Bioelectric potential of corn seeds with x-ray dosage, M. W. Jones, J. G. Jones, and A. A. Bless—126(A)
Closure movements of Venus' fly trap, Otto Stuhlman, Jr.—119(A)
Gamma-ray isodosimeter, L. D. Marinelli and G. J. Hine—1245(A)
Potentials as index of x-ray action, A. A. Bless—1209(A)
Broadening of spectral lines
In NH_3 at cm wave-lengths, DeForest F. Smith —506(L)

Chemical reactions
Theory of reaction rates, C. F. Curtiss and J. O. Hirschfelder—1265(A)
Colloids
Low angle scattering, Peter G. Bergmann—1209(A)
Compton effect (see **X-rays, diffraction, scattering**)
Conductivity, electrical (see **Electrical conductivity, Discharge of electricity in gases**)
Conductivity, thermal (see **Thermal conductivity**)

Constants, physical, standards
Charge of positron, J. Barnóthy—844(L)
(e/m_0) for free electrons, Charles H. Wilts—1560(A)
h/e by x-rays, Guenter Schwarz and J. A. Bearden—1209(A)
Contact potentials
Of semiconductors, L. Apker, E. Taft, and J. Dickey—1462
Cosmic radiation
Absorption and scattering of mesons, Alma Rosenbaum and Rogers D. Rusk—354(A)
Absorption in meteorites, production of He, Carl August Bauer—225(L)
Absorption of nucleonic component, G. Bernardini, G. Cortini, and M. Manfredini—1878(L)
Air showers at sea level, S. F. Singer—1214(A)
Altitude dependence of Auger showers, M. M. Mills—1555(A)
Auger showers, S. F. Singer—844(L)
Beta-decay of light meson, E. C. Fowler, R. L. Cool, and J. C. Street—101(L), 850(L)
Beta-decay of mesons, J. J. Horowitz, O. Kofoed-Hansen, and J. Lindhard—713
Bursts, analysis of, H. S. Bridge, W. E. Hagen, B. Rossi, and R. W. Williams—1083
Bursts at sea level, H. Carmichael—1667; Chang-Ning Chou—1659
Calculations on cascade theory, H. J. Bhabha and S. K. Chakrabarty—1352
Capture of negative mesons, L. I. Schiff—1556(A)
Capture probability of negative mesotrons, Harold K. Ticho—1337
Charged particles from 2.2-μ sec. meson decay, E. P. Hincks and B. Pontecorvo—697(L)
Circulation of He particles around earth, W. F. G. Swann—1215(A)
Directional distribution of radiation at 10 cm Hg, John Winckler—1214(A)
Directional intensity, J. R. Winckler, W. G. Stroud, and J. Schenck—837(L)
Distribution of decay electrons from mesons, R. D. Sard and A. H. Benade—1237(A)
East-west asymmetry, A. G. Fenton and D. W. P. Burbury—589
East-west asymmetry at 33,000 feet, W. C. Barber—1556(A)
East-west asymmetry, etc., up to 36,000 ft., James F. Jenkins, Jr.—1214(A)
Electrons from meson decay, Jacob L. Zar, Joseph Hershkowitz, and Evelyn Berezin—111(L)
Energy allowed by earth's field, M. S. Vallarta—1837
Energy distribution in showers, J. A. Richards, Jr. and L. W. Nordheim—1106
Energy spectrum of protons and stars, Harriet H. Forster—1556(A)
Field deflections for determining mass of meson, F. T. Rogers, Jr.—128(A)
Hard component, I. F. Quercia, B. Rispoli, and S. Sciuti—1728(L)
Heavy component of primary, Phyllis Freier, E. J. Lofgren, E. P. Ney, F. Oppenheimer, H. L. Bradt, and B. Peters—213; Phyllis Freier, E. J. Lofgren, E. P. Ney, and F. Oppenheimer—1818
Heavy mesons to lighter, R. M. Langer and Herman Yagoda—1238(A)
Large air showers, Robert W. Williams—1689
Magnetic variable stars as sources, Horace W. Babcock—489(L)
Mass of mesons and other particles, E. G. Cullwick—707(L)
Mean life of mesotrons in S, Harold K. Ticho—492(L)
Meson disintegration, R. W. Thompson—490(L)
Mesons in C, C. W. Kissinger and D. Cooper—1237(A)
Momentum distribution of electrons from negative mesons, H. Primakoff—878
Multiple production of mesons, G. Wataghin—975(L)
Neutral decay-products, J. Barnóthy and M. Forro—1300
Neutral particles produced by exchange, Rogers D. Rusk and Alma Rosenbaum—110(L)
Neutron density in the atmosphere, Luke C. L. Yuan—504(L); J. M. Simpson, Jr.—1214(A)
Neutrons associated with sea level mesons in Pb, R. D. Sard, W. B. Ittner, III, A. M. Conforto, and M. F. Crouch—97(L)
Neutrons in penetrating showers, G. Cocconi, V. Cocconi Tongiorgi, and K. Greisen—1867
Nuclear evaporations, G. Bernardini, G. Cortini, and A. Manfredini—845(L)
Nuclear plates in magnetic field, determination of sign of particles, Ian G. Barbour—507(L)
Origin of neutrons in showers, Vanna Tongiorgi Cocconi—226(L)
Particles from stopped mesons, W. Y. Chang—1236(A)
Penetrating showers, G. Cocconi and K. Greisen—62; J. E. Treat and K. I. Greisen—414; H. A. Meyer, G. Schwachheim, and Andrea Wataghin—846(L); G. T. Reynolds and W. D. Hardin—1549(L); John Tinlot—1197(L)
Photographing cloud-chamber tracks at 100,000 ft., Walter Frick, Edward J. Lofgren, Frank Oppenheimer, and Edward P. Ney—1258(A)
Photons from meson capture, O. Piccioni—1754
Photons from sea-level mesons, R. D. Sard and E. J. Althaus—1364
Plasma oscillations, acceleration of particles, D. Bohm and E. P. Gross—624(L)
Positive excess, meson component, C. Ballario, M. Benini, and G. Calamai—1729(L); M. H. Shamos, M. G. Levy, and I. S. Lower—1237(A)
Primary and secondary mesons, Adair Morrison and Eric Pickup—706(L)
Primary radiation, photographic emulsions, H. L. Bradt and B. Peters—1828
Production of He in meteorites, Carl August Bauer—501(L)
Production of neutrons at sea level, Gerhart Groetzinger and Gordon W. McClure—341

Range of electrons in meson decay, J. Steinberger—500(L)
Rocket borne cloud chamber, S. E. Golian, C. Y. Johnson, and M. Kuder—1215(A); G. J. Perlow, E. Krause, and C. Schroeder—1215(A)
Scattering in air showers, L. Eyges—1801
Sea level latitude effect, Peter A. Morris, W. F. G. Swann, and H. C. Taylor—1102
Separation of low energy mesotrons from electrons, P. C. Bhattacharya—38
Shower production at 14,000 ft., H. Bridge and W. Hazen—579
Showers by penetrating particles, C. Y. Chao—492(L)
Slow mesons in atmosphere, Matthew Sands—1237(A)
Temperature coefficients, F. M. Millican and D. H. Loughridge—66
Tracks in emulsions at 100,000 ft., E. O. Salant, J. Hornbostel, and E. M. Dollmann—694(L)
Tracks taken at 100,000 ft., Edward J. Lofgren, Edward P. Ney, and Frank Oppenheimer—1258(A)

Cosmology
Model with finite cosmological constant, Guy C. Omer, Jr.,—1564(A)

Cross section, measurements, theory
(α, n) of Be, Mg, and Al, I. Halpern—1234(A)
For $C^{12}(\gamma, n)C^{11}$, J. L. Lawson and M. L. Perlman—1190
d-p and d-n cross sections, D. C. Peaslee—1223(A)
Elastic scattering of nucleons by deuterons calculation, Geoffrey F. Chew—809
Of H for slow neutrons, W. B. Jones, Jr.—364
Low energy $C^{12}(p, \gamma)$ cross section, W. A. Fowler and R. N. Hall—1558(A)
Neutron absorption, pile oscillator, J. I. Hoover, W. H. Jordon, C. D. Moak, L. Pardue, H. Pomerance, J. D. Strong, and E. O. Wollan—864
Of (p, n): (p, γ) and (d, n): (d, $2n$) reactions, D. N. Kundu and M. L. Pool—1574
Of Tc^{97} and Tc^{98}, D. N. Kundu and M. L. Pool—1775

Crystal structure
Auburn electronic Fourier synthesizer, R. Pepinsky and D. Sayre—126(A)
Table of interplanar spacings in terms of 2θ, Suzanne Van Dijke Beatty—625(L)

Crystalline state
Clustering phenomena in solid solution, A. Opinsky and R. Smoluchowski—343(L)
Cold working magnetic properties, James Reekie, and T. S. Hutchison—610
Crystal "growth" in electron microscope, A. C. Menius, Jr. and T. J. Turner—125(A)
Dielectric behavior of $BaTiO_3$, Gordon C. Danielson, Bernd T. Matthias, and John M. Richardson—986(L)
Electron bombardment conductivity in diamond, Kenneth G. McKay—1606
Electronic states in almost period systems, Hubert M. James—1218(A)
Electrostrictive effect in barium titanate ceramics, W. P. Mason—1134
Energy of self-trapped electron in NaCl, J. J. Markham and F. Seitz—1014
Ferroelectric effect in barium titanate, W. P. Mason and B. T. Matthias—1622
Internal friction and precipitation, T'ing-Sui Kê—914
Internal friction, interstitial solid solutions of C and O in Ta, T'ing-Sui Kê—9
Non-rectifying germanium, W. C. Dunlap, Jr. and E. F. Hennelly—976(L)
Nuclear paramagnetism at low temperatures, B. V. Rollin and J. Hatton—346(L)
Nuclear relaxation in ice at −180°C, G. E. Pake and H. S. Gutowsky—979(L)
Paramagnetic resonance absorption in chrome alum, David Halliday and John Wheatley—1712
Paramagnetic resonance absorption in single crystals, David Halliday and John Wheatley—1210(A)
Photoelastic properties of cubic crystals, Elias Burstein and Paul L. Smith—229(L)
Photoelastic properties of diamond, Elias Burstein and Paul L. Smith—1880(L)
Radioactivity from different crystal faces, J. H. J. Poole and J. W. Bremner—836
Recrystallization of Zn at room temperature, Norman Goss—116(A)
Resonance absorption in chrome alums, C. A. Whitmer, R. T. Weidner, J. S. Hsiang, and P. R. Weiss—1478
Resonance absorption in potassium chrome alum, R. T. Weidner, P. R. Weiss, and C. A. Whitmer—1211(A)
Resonance absorption line shapes, John Wheatley, David Halliday, and J. H. Van Vleck—1211(A)
Sintering process, H. Christensen and C. J. Calbick—1219(A)
Strain interaction of solute atoms, C. Zener—639
Stress relaxation by interstitial diffusion, T'ing-Sui Kê—1219(A)
Superlattices in order-disorder alloys, Sidney Siegel and C. G. Shull—1255(A)
Tests of metal single crystal surfaces, H. E. Farnsworth—1219(A)
Thermal voltages of quartz crystal, Richard K. Cook, Martin Greenspan, and Pearl G. Weissler—1714
Vacancy diffusion in alloys, Frederick Seitz—1513
Vibrations of two-dimensional crystals, Nicholas Chako—126(A)

Dielectric constants (see **Dielectrics and dielectric properties**)

Dielectrics and dielectric properties
Of $BaTiO_3$, Gordon C. Danielson, Bernd T. Matthias, and John M. Richardson—986(L)
Of $BaTiO_3$, theory, John M. Richardson and Bernd T. Matthias—987(L)
Dielectric constant of gases at 9340 megacycles, C. M. C. M. Crain—691
Of gases at microwave frequencies, Harold Llyons, George Birnbaum, and S. J. Kryder—1210(A)

Diffraction of neutrons (see **Neutron diffraction**)

Diffraction of radiation
By an aperture in infinite plane screen, Harold Levine and Julian Schwinger—958
By circular disks and apertures, R. D. Spence and A. Leitner—349(L)
Diffraction pattern in plane of apertures, C. L. Andrews —1231(A)
Variational principles for diffraction problems, Harold Levine and Julian Schwinger—1212(A)
Diffusion (see also **Thermal diffusion**)
Concentration of He_3, B. B. McInteer, L. T. Aldrich, and Alfred O. Nier—946
Self-diffusion coefficient of N_2, E. B. Winn—698(L)
Discharge of electricity in gases
Breakdown at microwave frequencies, Melvin A. Herlin and Sanborn C. Brown—291, 910, 1209(A), 1650
Conductivity gas at microwave frequencies, Edgar Everhart and Sanborn C. Brown—1210(A)
Corona from water drop, W. N. English—179
Current density in cathode spot, J. D. Cobine and C. J. Gallagher—1524
Cylindrical point to plane corona gap, James M. Parker and Leonard B. Loeb—1557(A)
Discharge spread in counters, C. Balakrishnan, J. D. Craggs, and A. A. Jaffe—410; S. H. Liebson—694(L)
Effect of point material on corona onset, W. N. English —1556(A)
Electrode vapor jets, Wolfgang Finkelnburg—1475
Electron emission at cathode, errata, Jerome Rothstein —228(L)
Erratum: High frequency discharges, H. Margenau —706(L)
Frictional electricity, E. W. B. Gill—842(L)
Geiger discharge, D. H. Wilkinson—1417
Point-to-plane corona, W. N. English—170; H. W. Bandel and W. W. English—1557(A); D. B. Moore and W. N. English—1557(A)
Positive burst pulse corona, Leonard B. Loeb and Robert A. Wijsman—1556(A)
Role of cathode surface, Harold Jacobs and A. P. LaRocque—163
Spark development in uniform fields, Leonard B. Loeb —210
Vapor jets in arc and spark discharges, Wolfgang Finkelnburg—222(L)
Velocity of discharge in counters, A. J. Knowles, C. Balakrishnan, and J. D. Craggs—627(L)
Discharge of electricity in high vacua (see also **Thermionic emission**)
High frequency loading, Nicholas Begovich—1563(A)
Disintegration and excitation of nucleus (see also **Radioactivity**)
Absolute determinations of three nuclear reactions, R. G. Herb, S. C. Snowden, and O. Sala—1256(A)
Al^{27} (d,n) reaction, R. A. Peck, Jr., —1233(A)
Angular distribution in reactions, C. N. Yang—764
Angular distribution of alphas from $Li^6(d,\alpha)\alpha$ and $Li^7(p,\alpha)\alpha$, N. P. Heydenburg, C. M. Hudson, D. R. Inglis, and W. D. Whitehead, Jr.—405
Angular distribution of D-on D, William Sleator, Jr., J. M. Blair, Goerge Freier, Eugene Lampi, and J. H. Williams—1260(A)
Angular distribution of $Li^7(p,\alpha)a$, theory, D. R. Inglis —21
Angular distribution of neutrons from (d,n), C. E. Falk, E. Creutz, and F. Seitz—1226(A)
Angular distribution of products from D−D reaction, J. M. Blair, W. Sleator, Jr., George Freier, E. E. Lampi, and J. H. Williams—1259(A)
Argon and neon (pn) thresholds, H. T. Richards and R. V. Smith—1870(L)
$B^{11}(d,p)$ reaction, β-rays, mass, energy, E. L. Hudspeth and C. P. Swann—1722(L)
Of Ba^{133}, energy quanta emitted, Fu-Chun Yu and J. D. Kurbatov—34
Of Be, electron multiplier tube, Leticia del Rosario—304
Be^9+p resonances, E. Richard Cohen and R. F. Christy —1566(A)
Coincidence experiments on Sc^{46}, Ga^{72}, Au^{198}, and Rb^{86}, E. T. Jurney—1049
Complex disintegration of I^{131}, George E. Owen, David Moe, and C. Sharp Cook—1879(L)
"Cross-over" transitions in gamma-ray spectra, V. Myers and A. Wattenberg—1264(A)
Cross section for $C^{12}(\gamma,n)C^{11}$, J. L. Lawson and M. L. Perlman—1190(L)
Cross-section measurements of (p,n): (p,γ) and (d,n): $(d,2n)$ reactions, D. N. Kundu and M. L. Pool—1574
Deuterium (pn) threshold, R. V. Smith and H. T. Richards—1871(L)
Deuteron bombardment of B and F, γ-rays, E. L. Hudspeth and C. P. Swann—1227(A)
Deuteron-induced reactions, D. C. Peaslee—1001
Disintegration scheme of I^{131}, Franz Metzger and Martin Deutsch—1641
Double beta-decay, E. Fireman—1238(A)
Electrodisintegration of Be^9, E. Guth, C. J. Mullin, and J. F. Marshall—834(L)
Electrons accompanying slow neutron capture in Gd, O. Sala, P. Axel, and M. Goldhaber—1249(A)
Energy and angle variation in $Li^6(d,\alpha)\alpha$, N. P. Heydenburg, C. M. Hudson, D. R. Inglis, and W. D. Whitehead, Jr.—1226(A)
Energy and angle variation of $C^{12}(d,p)C^{13}$, D. R. Inglis, N. P. Heydenburg, and E. M. Hafner—1257(A)
Energy relations in $Be^9(d,\alpha)Li^7$ reaction, E. N. Strait, C. G. Stergiopoulos, A. Sperduto, and W. W. Buechner —1226(A)
Excitation curves of $C^{12}(p,pn)C^{11}$ and $B^{11}(p,n)C^{11}$, Robert Phillips and Wolfgang K. H. Panofsky—1560 (A); Wolfgang K. H. Panofsky and Robert Phillips —1732(L)
Excited state of Be^9, Conrad Longmire—1773
γ-induced β-disintegration, experimental, R. L. Burling and F. N. D. Kurie—109(L)
γ-induced β-disintegration, theoretical, H. Primakoff —110(L)
γ-radiation from Be^8, S. Devons and M. G. N. Hine —976(L)

γ-radiation from $Be^9(d, n)B^{10}$, T. Lauritsen, C. B. Dougherty, and V. K. Rasmussen—1566

γ-ray from $F^{19} + H^1$, Gerson Goldhaber—1725(L)

γ-rays from F and Li under proton bombardment, R. L. Walker and B. D. McDaniel—315

γ-rays from $H^1(n, \gamma)D^2$, R. E. Bell and L. G. Elliott —1552(L)

High energy deuteron and helium ion bombardments of Cu, D. R. Miller, R. C. Thompson, and B. B. Cunningham—347(L)

Interaction of high energy neutrons and heavy nuclei, M. L. Goldberger—1269

$Li^7(d, p)Li^8$, E. N. Strait, C. G. Stergiopoulos, and W. W. Buechner—1257(A)

Monoenergetic conversion lines, continuous β-spectra, G. E. Owen and H. Primakoff—1406

Neutron spectra from proton recoils in emulsions, F. Reines—1565(A)

Nuclear reactions involving polarized protons, Lincoln Wolfenstein—1224(A)

Polarization and direction of successive quanta, Donald R. Hamilton—782

Processes induced in Mg by alpha-particles, A. Szalay and Eva Csongor—1063

Production of Li^8 in boron-loaded photographic emulsions, E. Pickup—495(L)

Proton-neutron thresholds in Cl^{37} and K^{41}, H. T. Richards and R. V. Smith—1257(A)

Proton-neutron thresholds in V^{51} and Mn^{55}, R. V. Smith and H. T. Richards—1257(A)

Protons from light nuclei bombarded by α-particles, F. C. Champion and R. R. Roy—5

Range data, interpretations, R. F. Humphreys and H. T. Motz—1232(A)

Range data, $Na^{23}(\alpha p)Mg^{26}$ reaction, H. T. Motz and R. F. Humphreys—1232(A)

Range-energy curve, $N^{14}(n, p)$ reaction, W. Franzen, I. C. Cornog, and W. E. Stephens—1234(A)

Range of protons from $N^{14}(n, p)C^{14}$, I. C. Cornog, W. Franzen, and W. E. Stephens—1

Ratio of deuterium to Be photo-disintegration thresholds, Bernard Waldman and Walter C. Miller—1225(A)

Reaction constants for $Li^7(p, n)Be^7$, Richard Taschek and Arthur Hemmendinger—373

Resonances in $C^{14}(p, n)N^{14}$, W. E. Shoupp and B. Jennings—1233(A)

Resonances in disintegration of C by deuterons, T. W. Bonner, J. E. Evans, J. C. Harris, and G. C. Phillips —1227(A)

Resonances in $Li^7(p, n)Be^7$, G. Breit and I. Bloch—397

$S(dp)$ reaction, Perry W. Davison—1233(A)

Short-lived isomers of nuclei, S. DeBenedetti and F. K. McGowan—728

Short-range nuclear recoils, light elements, S. K. Allison, H. V. Argo, W. R. Arnold, L. del Rosario, H. A. Wilcox, and C. N. Yang—1233(A)

Spectroscopy of gamma-rays, Jesse W. M. DuMond, David Lind, and Bernard B. Watson—1561(A)

Theory of internal conversion, H. A. Meyer—979(L)

Theory of $Li^7(p, \alpha)\alpha$, D. R. Inglis—1227(A)

Yields of x-ray induced reactions, M. L. Perlman and G. Friedlander—442

Dissociation, energy of (see also **Molecular structure and constants**)

Of CO, sublimation of carbon, J. G. Valatin—350(L)

Dynamics

Generalized virial theorems, Harvey Einbinder—803

High velocity particles produced at impact, J. Howard McMillen and R. L. Kramer—1882(L)

Integral equations of motion, Elliot T. Benedikt—1213(A)

Elasticity

Brittle fracture of steel, Victor Scherrer and Joseph W. Straley—121(A)

Constants of beta-brass, David Lazarus—1726(L)

Curved tubes, behavior, H. A. Jarrell and T. E. Pardue —121(A)

Failure of metals, repeated plastic strains, J. P. Parker, T. E. Pardue, and J. L. Melchor—121(A)

Fracture of liquids, John C. Fisher—1256

Internal friction in Ta, T'ing-Sui Kê—9

Interpretation of interferometer data, Joseph L. Hunter —116(A)

Propagation of fractures in glass, V. E. Scherrer and Arthur Linz, Jr. —120(A)

Relaxing materials in force-transmitting linkages, Emily Jones and F. T. Rogers, Jr.—122(A)

Slow-bend fracturing of steels, Marguerite M. Rogers —121(A)

Slow-bend fracturing of steels, strain-aging, Marguerite M. Rogers—122(A)

Slow-bend test of mild steel, F. T. Rogers, Jr.—122(A)

Speed of brittle fracture in steel, Arthur Linz, Jr. and V. E. Scherrer—121(A)

Spiral marks on fractures, Arthur E. Ruark—120(A)

Strain interaction of solute atoms, C. Zener—639

Strength dispersion in nylon yarns, Waller George and Richard LaTorre—1256(A)

Strength of materials under cyclic loading, Edward Saibel—1220(A)

Stress relaxation by interstitial diffusion, T'ing-Sui Kê —16, 1219(A)

Stresses in steel during bending, W. J. Byatt and F. T. Rogers, Jr.—121(A)

Vibration in contoured quartz plates, Renate S. Bever, Virgil E. Bottom, and Louis R. Weber—1562(A)

Vibrations of two-dimensional crystals, Nicholas Chako 126(A)

Electrical circuits (see **Methods and instruments**)

Electrical conductivity and resistance

Breakdown in LiF, J. W. Davisson—1218(A)

Cathode spark velocities in $CuSO_4$ solutions, Hugh F. Henry—1232(A)

Change produced by cold work, J. S. Koehler—1219(A)

Conductivity pulses in liquid argon, Norman Davidson and A. E. Larsh, Jr.—220(L)

Electron bombardment conductivity in diamond, Kenneth G. McKay—1606

Electrical conductivity and resistance (continued)
Forward current in germanium point contacts, W. H. Brattain and J. Bardeen—231(L)
Impedance of tin at 24,000 mc/sec., E. Maxwell, P. M. Marcus, and J. C. Slater—1234(A)
Magnetic threshold curves of superconductors, J. G. Daunt—985(L)
Modulation of conductance of thin films by surface charges, W. Shockley and G. L. Pearson—232(L)
Molecular theory of superconductivity, F. London—562
Neutron-bombarded Ge semiconductors, R. E. Davis, W. E. Johnson, K. Lark-Horovitz, and S. Siegel—1255(A)
Non-rectifying Ge, W. C. Dunlap, Jr. and E. F. Hennelly—976(L)
Of Ge, electric field, Ralph Bray—1218(A)
Penetration depth in superconductors, temperature dependence, Jules de Launay and M. C. Steele—1235(A)
Penetration depth of field in superconductors, J. G. Daunt, A. R. Miller, A. B. Pippard, and D. Shoenberg—842(L); J. G. Daunt—985(L)
Photo-conductivity of Cd crystals, Rudolf Frerichs and A. J. F. Siegert—1875(L)
Rectification of insulating layer, H. Y. Fan—1505
Semiconductor triode, transistor, J. Bardeen and W. H. Brattain—230(L)
Semiconductors at high temperatures, P. H. Miller, Jr. and J. J. Markham—1218(A)
Theory of resistivity in Te, V. A. Johnson—1255(A)
Electrodynamic (see **Electromagnetic theory**)
Electromagnetic theory
Capture of electrons injected into betatron, D. W. Kerst—503(L)
Čerenkov radiation, John M. Harding and Joseph E. Henderson—1560(A)
Comparison between traveling wave tubes and linear accelerators, L. Brillouin—90
Diffraction by an aperture in infinite plane screen, Harold Levine and Julian Schwinger—958
Diffraction pattern in plane of apertures, C. L. Andrews—1231(A)
Dipole, quadrupole, and octupole field and search coils using loops and solenoids, W. M. Garrett—1231(A)
Electron motion in field of magnetic pole, Harish-Chandra—883
Electron's gyromagnetic ratio, Joseph W. Weinberg—1212(A)
Equations of motion of point charges, Peter Havas—456
First-order variational principle, F. J. Belinfante—779
Quantum-mechanical fluctuations of field, T. A. Welton—1157
Focusing in crossed fields of charged particles, Walter E. Millett—1058
Generalized electrodynamics, negative energies, Jerzy Rayski—629(L)
Impedance elements in wave guide equivalent circuits, Robert M. Whitmer—1231(A)
Invariant quantum electrodynamics, Julian Schwinger—1212(A)
Magnetic moment of the electron, J. M. Luttinger—893
Mass-energy relation, W. F. G. Swann—200
Motion of point electrons, U. Haber-Schaim—836(L)
Negative gradient of potential energy, F. W. Warburton—1562(A)
New magneto-electric effect, Elliot T. Benedikt—1563(A)
Phenomenological quantum-electrodynamics, J. M. Jauch and K. M. Watson—950
Photon self-energy problem, G. Wentzel—1070
Quantum electrodynamics, covariant formulation, Julian Schwinger—1439
Quantum theory of point electron, Mario Schönberg—738
Radiation from electrons accelerated in a synchrotron, F. R. Elder, R. V. Langmuir, and H. C. Pollock—52
Relativistic cut-off quantum electrodynamics, R. P. Feynman—939, 1212(A)
Single magnetic poles, P. A. M. Dirac—817
Space-charge wave amplification, Andrew V. Haeff—1532(L)
Theory of Čerenkov effect, Guido Beck—795
Electron diffraction
Electron microscopy of monolayers, H. T. Epstein—1256(A)
Electrons, positive (see **Positrons**)
Electrons, scattering of
Polarization of electrons, L. J. F. Broer—1887(L)
Electrons, secondary
By fast neutral molecules, H. W. Berry—848(L)
From insulators at low primary energies, Paul K. Weimer—1221(A)
From thoria on Pt and Ta, H. E. Mendenhall—1265(A)
Electro-optical effects (see also **Photoelectric effect and properties**)
Kerr effects at microwave frequencies, S. P. Cooke—701(L)
Electrostriction
Electrostrictive effect in barium titanate ceramics, W. P. Mason—1134
Elements
Alpha-decay systematics of heavy elements, I. Perlman, A. Ghiorso, and G. T. Seaborg—1730(L)
Formation of shielded isobars, J. S. Smart—1882(L)
Natural abundance of isotopes, J. R. White and A. E. Cameron—991
Neutron-capture theory of formation, R. A. Alpher—1577
Origin of elements, separation of galaxies, G. Gamow—505(L)
Relative abundance, Ralph A. Alpher and Robert Herman—1737
Energy states of atoms (see also **Spectra, atomic**)
Configurations of d^2sp, d^3p, and d^7p, F. Rohrlich—1372
Errata
Achromatization of Debye-Scherrer lines, H. Ekstein and S. Siegel—625(L)
Alkali halide scintillation counters, Robert Hofstadter—628(L)

Convergent expression for the magnetic moment of the neutron, D. Rivier and E. C. G. Stueckiberg—986(L)
Electromagnetic properties of nuclei in the meson theory, S. T. Ma and F. C. Yu—500(L)
On fine structure in the inversion spectrum of ammonia, R. S. Henderson—626(L)
Interferometric studies of faster-than-sound phenomena, R. Ladenburg, J. Winckler, and C. C. Van Voorhis —1884(L)
Magnetic threshold curves of superconductors, J. G. Daunt—985(L)
Mechanical properties of long chain molecule liquids at ultrasonic frequencies, W. P. Mason, W. O. Baker, H. J. McSkimin, and J. H. Heiss—1873(L)
On mechanism of electron emission at cathode spot of an arc, Jerome Rothstein—228(L)
On nuclear moments of I^{127}, Ga^{69}, Ga^{71}, and P^{31}, R. V. Pound—228(L)
Radial dependence of the tensor force in the deuteron, William G. Guindon—699(L)
Rapid method for the determination of the maximum energies of β-emitters with simple spectra, L. Yaffe and Katharine M. Justus—850(L)
Solid state interpretation of the structure near the limit of the continuous x-ray spectrum, Jesse W. M. DuMond—1883(L)
Theory of high frequency discharges, H. Margenau—706(L)
Thermal consequences of the capture of neutrinos by the earth, A. E. Benfield—1192(L)

Ferromagnetism (see **Magnetic properties**)
Fission of nucleus
Distribution of α's coincident with U^{235} fission, L. Marshall—1259(A)
Coincidences between fission neutrons, S. DeBenedetti, J. E. Francis, Jr., W. M. Preston, and T. W. Bonner —1645
Delayed neutrons from U^{235}, F. de Hoffmann, B. T. Feld, and P. R. Stein—1330
Excitation functions, J. Jungerman and S. C. Wright —150
Identification of Pu fission fragments, Seymour Katcoff, John A. Miskel, and Charles W. Stanley—631
Products of U, P. R. O'Conner and G. T. Seaborg—1189(L)
Ranges of plutonium fission fragments, S. Katcoff, J. A. Miskel, and C. W. Stanley—1225(A)
Stopping of fission fragments, W. M. Good, E. O. Wollan, and W. A. Strauser—1225(A)
Fluid dynamics (see **Hydrodynamics**)
Fluorescence
Of fluorobenzene, Arnold M. Bass and H. Sponer—1247(A)
Friction
Frictional electricity, E. W. B. Gill—842(L)
Internal friction and precipitation from solid solution, T'ing-Sui Kê—914

Gases (see also **Kinetic theory**)
Two-dimensional supersonic flow, D. Bershader and R. Ladenburg—1229(A)
Geophysics
Decay constants of K^{40} from accumulation of Ca^{40} in minerals, L. H. Ahrens and Robley D. Evans—279
Decay of K^{40}, L. B. Borst and J. J. Floyd—989(L)
Significance of K^{40}, T. Gráf—831(L)
Thermal consequences of capture of neutrinos by the earth, A. E. Benfield—621(L)

Hall effect
At microwave frequencies, S. P. Cooke—701(L)
Non-rectifying germanium, W. C. Dunlap, Jr. and E. F. Hennelly—976(L)
In semiconductors, I. Isenberg, B. R. Russell, and R. F. Greene—1255(A)
In Te, Virgil E. Bottom—1218(A)
Heat conduction (see **Thermal conductivity**)
Heat of vaporization
Of uranium hexafluoride, J. F. Masi—1220(A)
Hydrodynamics
Convention in sands, H. L. Morrison—119(A)
Hydrodynamic problem: flapping wave maker, E. H. Kennard—1229(A)
Rotational corner flows, R. C. Prim—1563(A)
Steady diabatic flows, B. L. Hicks—1230(A)
Turbulence by light diffraction, J. C. Hubbard, J. A. Fitzpatrick, W. J. Thaler, Laura Cheng, and R. J. Beeber—708(L)
Viscous fluid between parallel walls, C. L. Pekeris—191
Water entry of spherically tipped bodies, Harold Wayland and Saul Baker—1563(A)
Hyperfine structure (see also **Nuclear moments and spin**)
Intrinsic magnetic moment of electron, G. Breit—656
Spin-orbit effect, ammonia inversion spectrum, J. M. Jauch—1262(A)
Of Zn^{67}, O. H. Arroe—1263(A)

Ionization
By α-particles in A, William P. Jesse and Harold Forstat—1259(A)
Fluctuations of ionization, beta-spectra, D. H. W. Kirkwood, B. Pontecorvo, and G. C. Hanna—497(L)
Polarization effects in ionization loss, Frank L. Hereford —1224(A)
Specific primary ionization by electrons, Frank L. Hereford—574
Ionization potentials
Appearance potential of metastable ions, R. E. Fox, A. Langer, and J. A. Hipple—1222(A)
Ionization efficiency curves, S. N. Foner, A. Kossiakoff, and F. T. McClure—1222(A)
Molecular ionization potentials, Robert S. Mulliken—736
Ionosphere
Solar noise burst at 9500 Mc/sec., coincident solar flare, M. Schulkin, F. T. Haddock, K. M. Decker, C. H. Mayar, and J. P. Hagen—840(L)

Isotopes
A^{40} in potassium minerals, L. T. Aldrich and Alfred O. Nier—876
Composition of meteoritic and terrestrial Ga, Mark G. Inghram, David C. Hess, Jr., Harrison S. Brown, and Edward Goldberg—343(L)
Concentration of He^3, Alan Andrew and W. R. Smythe —496(L); B. B. McInteer, L. T. Aldrich, and Alfred O. Nier—946
Of Dy, David C. Hess, Jr. and Mark G. Inghram—1724(L)
Of Eu, Gd, and Tb, David C. Hess, Jr.—773
He^3 in natural sources, L. T. Aldrich and Alfred O. Nier—1590
Natural abundance of isotopes, J. R. White and A. E. Cameron—991
Neutron deficient isotopes of Ce and La, J. B. Chubbuck and I. Perlman—982(L)
Os^{186} and Os^{192}, Leonard I. Katzin and M. Pobereskin —264
Of Pr and Nd, Mark G. Inghram, David C. Hess, Jr., and Richard J. Hayden—98(L)
Resolved Sm isotopes, A. E. Shaw—980(L)
Of Sr, L. H. Ahrens—74
Variation of He^3/He^4 ratio, L. T. Aldrich and Alfred O. Nier—1225(A)
Zn isotopes, relative abundance, D. C. Hess, Jr., M. G. Inghram, and R. J. Hayden—1531(L)
Isomers, nuclear (see **Nuclear structure,** and **Radioactivity**)

Kerr effect (see **Electro-optical effects**)
Kinetic theory
Determination of velocity distribution of atoms, Irving L. Kofsky and Henry Levinstein—500(L)
Gas flow around various objects, R. Ladenburg, J. Winckler, and C. C. Van Voorhis—1884(L)
Generalized virial theorems, Harvey Einbinder—803
Relaxation and two-velocity field model of helium II, William Band and Lothar Meyer—386
Theory of reaction rates, C. F. Curtiss and J. O. Hirschfelder—1265(A)
Transport properties of non-polar gases, Joseph O. Hirschfelder, R. Byron Bird, and Ellen L. Spotz—1265(A)

Liquids (see also **Hydrodynamics**)
He II, approximate methods in momentum space, M. Dresden—1236(A)
He^3 at low temperatures, J. G. Daunt, R. E. Probst, and S. R. Smith—495(L)
Heat conductivity in He II, Lothar Meyer and William Band—1235(A)
Interpretation of small angle scattering from A, George H. Vineyard—1209(A)
Irreversible processes in He II, C. J. Gorter—1544(L)
Mechanical properties of long chain molecule liquids, W. P. Mason, W. O. Baker, H. J. McSkimin, and J. H. Heiss—1873(L)
Melting pressure of He II, J. E. Haggenmacher—1539(L)
Relaxation and two-velocity field model of helium II, William Band and Lothar Meyer—386, 1235(A)
Second sound in helium II, velocity, J. R. Pellam —841(L)
Supercooling of water, R. Howard and C. B. Crawley —125(A)
Low temperature phenomena
Concentration of He^3 by evaporation, B. V. Rollin and J. Hatton—508(L)
He^3 at low temperatures, J. G. Daunt, R. E. Probst, and S. R. Smith—495(L)
Liquid air as low temperature bath, Lester I. Bockstahler and Harmon Plumb—1235(A)
Magnetic properties of Zn, L. Onsager and J. E. Robinson—1235(A)
Noise and rectification in CbN bolometer, Donald H. Andrews—1234(A)
Second-order transformations, application to solutions of He^3 in He^4, J. W. Stout—605

Magnetic fields
Magnetic properties (see also **Nuclear moments and spin**)
Barkhausen noise in circuit elements, R. T. Beyer and J. A. Krumhansl—1206(A)
Bethe-Peierls method, ferromagnetism, P. R. Weiss —1493
Broadening of magnetic resonance lines in crystals, J. H. Van Vleck—1168
Complex permeability, surface treatment, G. T. Rado, M. Maloof, and H. Rosenblatt—1206(A)
Dispersion in carbonyl iron powder, microwaves, J. B. Birks—843(L)
Effect of cold working, James Reekie and T. S. Hutchison —610
Ferroelectric effect in barium titanate, W. P. Mason and B. T. Matthias—1622
Ferromagnetism of simple tetragonal arrays, Charles Kittel—1206(A)
Intrinsic magnetic moment of electron, G. Breit—656
Magnetic moment of neutron, F. Bloch, D. Nicodemus, and H. H. Staub—1025
Magnetism of celestial bodies, M. Forró—218(L)
Natural and induced ferromagnetic resonance, J. B. Birks—988(L)
Nuclear paramagnetism at low temperatures, B. V. Rollin and J. Hatton—346(L)
Paramagnetic resonance absorption of $MnSO_4$, David Halliday and John Wheatley—1724(L)
Penetration depth of field in superconductors, J. G. Daunt, A. R. Miller, A. B. Pippard, and D. Shoenberg—842(L)
Resonance absorption in chrome alum, David Halliday and John Wheatley—1712
Resonance absorption in chrome alums, C. A. Whitmer, R. T. Weidner, J. S. Hsiang, and P. R. Weiss—1478
Susceptibility of UF_4, Norman Elliott—498(L)
Theory of single poles, P. A. M. Dirac—817
Of Zn at low temperatures, L. Onsager and J. E. Robinson—1235(A)
Of ZnF_2: Mn, Peter D. Johnson and Ferd E. Williams —1241(A)

Magneto-optical effects
Faraday effect at microwave ferquencies, M. Carr Wilson and G. F. Hull, Jr.—711(L)
Magnetostriction (see **Magnetic properties**)
Mass spectroscopy
Analysis of solids, W. M. Hickam—1222(A)
Ionization efficiency curves, S. N. Foner, A. Kossiakoff, and F. T. McClure—1222(A)
Metastable transitions in hydrocarbons, Evelyn G. Bloom, Fred L. Mohler, J. H. Lengel, and C. E. Wise —1222(A)
Radio frequency mass spectrometer, Willard H. Bennett —1222(A)
Time-of-flight mass spectrometer, S. A. Goudsmit—622(L)
Velocity and two-directional focusing of charged particles, N. Svartholm—108(L)
Wide-range field control system, E. P. Tomlinson—1231(A)
Mechanics (see **Dynamics**)
Mechanics, quantum—atomic structure and spectra
Functions for H^- obtained by variation method, Esther Conwell—277
Hydrogen intensities, factorization method, T. E. Hull and L. Infield—905
Wave function for negative ion, Esther Conwell—268
Mechanics, quantum—general
Approximate methods in momentum space, M. Dresden —1236(A)
Composite particles, Nathan, Rosen—128(A)
Divergences in meson theory, Mario Schönberg—748
Electron's gyromagnetic ratio, Joseph W. Weinberg—1212(A)
Feenberg's perturbation formula, Herman Feshbach—1548(L)
Fluctuations of the electromagnetic field, T. A. Welton —1157
Functions for H^- obtained by variation method, Esther Conwell—277
Infinite field reactions, Sin-Itiro Tomonaga—224(L)
Interaction energy in field theory, Alex E. S. Green—1545(L)
Invariant quantum electrodynamics, Julian Schwinger —1212(A)
Irreversibility and quantum mechanics, L. Tisza—1213(A)
Magnetic moment of the electron, G. Breit—656; J. M. Luttinger—893
Meson field and equations of motion of point particles, R. C. Majumdar and A. S. Apte—538
Perturbation theory, Eugene Feenberg—206
Perturbing central field of force from elastic scattering phase shift, Egil A. Hylleraas—48
Phase space in classical and quantum theory, H. C. Corben—788
Phenomenological quantum electrodynamics, K. M. Watson and J. M. Jauch—950, 1262(A)
Photon self-energy problem, G. Wentzel—1070
Potentials for which Schroedinger equations are separable, L. P. Eisenhart—87
Properties of S matrices, R. J. Eden—982(L); T. S. Chang—1213(A)
Properties of ψ-functions, G. J. Yevick—1213(A)
Quantization of space and time, H. T. Flint—209
Quantization of unitary field theories, R. J. Finkelstein —1563(A)
Quantum electrodynamics, covariant formula, Julian Schwinger—1439
Refinement of W. K. B. method, Isao Imai—113(L)
Relativistic cut-off, classical electrodynamics, R. P. Feynman—939, 1430
Self-oscillations of charged particle, D. Bohm and M. Weinstein—1789
Spheroidal wave functions, W. F. Eberlein—190
Spinorial and tensorial fields, Satosi Watanabe—1864
Theory of point electron, Mario Schönberg—738
Trajectories of meson test particles, Banesh Hoffmann —1238(A)
Vector transforms, John W. Miles—1531(L)
Mechanics, quantum—molecular structure and spectra
Asymmetric rotator, Enos E. Witmer—1247(A), 1250(A)
Mechanics, quantum—nuclear
d-p and d-n cross sections, D. C. Peaslee—1223(A)
Deuteron and triton methods, William Rarita—1799, 1222(A)
Exchange currents in nuclei, R. G. Sachs—1223(A)
Interference effects in angular correlations, D. S. Ling and D. L. Falkoff—1224(A)
Resonance reactions, Heisenberg's theory of s-matrix, Ning Hu—131
Tensor force in deuteron, William G. Guindon, S. J. —145, 699(L)
Tensor forces and variation-iteration method, H. Feshbach, J. Eisenstein, and J. S. Schwinger—1223(A)
Theory of nuclear reactions, T. Teichmann—1223(A)
Mechanics, statistical
Generalized virial theorems, Harvey Einbinder—803
Quantum statistics and $\aleph$ theorem, Harvey Einbinder —805
Mesotrons (see also **Cosmic radiation**)
β-decay of mesons, J. J. Horowitz, O. Kofoed-Hansen, and J. Lindhard—713
Capture probability, Harold K. Ticho—1337
Charged particles from 2.2-μ sec. meson decay, E. P. Hincks and B. Pontecorvo—697(L)
Coincidences between fission neutrons, S. DeBenedetti, J. E. Francis, Jr., W. M. Preston, and T. W. bonner —1645
Decay in carbon, C. W. Kissinger and D. Cooper—1237(A)
Detection of light and heavy mesotrons, Wolfgang K. H. Panofsky—1558(A)
Disintegration in B^{10}, Norris G. Nereson—509(L)
Disintegration in cloud chamber, R. W. Thompson —490(L)
Disintegration of mesotrons, Kan-Chang Wang and Stanley B. Jones—1547(L)
Distribution of decay electrons from mesons, R. D. Sard and A. H. Benade—1237(A)
Divergences in meson theory, Mario Schonberg—748

Mesotrons (continued)
Electromagnetic properties of nuclei in the meson theory, erratum, S. T. Ma and F. C. Yu—500(L)
Emission of radiation, disintegration of mesons, Daniel B. Feer—1238(A)
Field deflections for determining mass, F. T. Rogers, Jr. —128(A)
Heavy mesons to lighter, R. M. Langer and Herman Yagoda—1238(A)
Lifetime of heavy meson, J. Reginald Richardson—1720
Light and heavy mesons, J. Leite Lopes—1722(L)
Mass estimation by grain counting, Walter H. Barkas, Eugene Gardner, and C. M. G. Lattes—1558(A)
Mass of mesons and other particles, E. C. Cullwick —707(L)
Mean life in C, C. W. Kissinger and D. Cooper—349(L)
Mean life in S, Harold K. Ticho—492(L)
Meson field and equations of motion of point particles, R. C. Majumdar and A. S. Apte—538
Mixed meson theory and divergence, Gentaro Araki— 985(L)
Momentum distribution of electrons from negative mesons, H. Primakoff—878
Particles from stopped mesons, W. Y. Chang—1236(A)
Photons from meson-capture, O. Piccioni—1754
Photons from sea-level mesons, R. D. Sard and E. J. Althaus—1364
Photons from stopped mesons, Oreste Piccioni—1236(A)
Positive component in cosmic radiation, C. Ballario, M. Benini, and G. Calamai—1729(L)
Positive meson excess, M. H. Shamos, M. G. Levy, and I. S. Lower—1237(A)
Positive mesons produced by cyclotron, A. S. Bishop, John Burfening, Eugene Gardner, and C. M. G. Lattes—1558(A)
Production by cyclotron, experimental arrangement, Eugene Gardner and C. M. G. Lattes—1236(A)
Production by cyclotron, mass determination, C. M. G. Lattes and Eugene Gardner—1236(A)
Pseudovector meson theory, Gentaro Araki—986(L)
Range of decay electrons, M. H. Shamos and A. Russek —1545(L)
Range of electrons in meson decay, J. Steinberger— 500(L)
Slow mesons in atmosphere, Matthew Sands—1237(A)
Trajectories of meson test particles, Banesh Hoffmann —1238(A)

Metals (see **Crystalline state**)

Meteorology
Atmospheric absorption of microwaves, H. R. L. Lamont —352(L)
Electrical activity related to thunderstorm growth, E. J. Workman and S. E. Reynolds—1231(A)
Generation of thunderstorm electricity, E. J. Workman and S. E. Reynolds—709(L)
Isotopes of C and O in atmosphere, Leo Goldberg, Orren C. Mohler, and Robert R. McMath—1881(L)
Meteor trials, diurnal variations, Charles A. Little, Jr. —1875(L)
Methane in the earth's atmosphere, Robert R. McMath, Orren C. Mohler, and Leo Goldberg—623(L)
N_2O in earth's atmosphere, J. H. Shaw, G. B. B. M. Sutherland, and T. W. Wormell—978(L)

Methods and instruments
Acoustic interferometer, Newton Underwood—124(A)
Alkali halide counters, Robert Hofstadter—100(L), 628(L)
All electronic, cloud-chamber control circuit, S. Bashkin and H. T. Richards—1260(A)
Amplifiers for use with magnetic generators, H. E. Wolf, H. Small, and J. H. Buehler—118(A)
Analysis of band of H_2S by punched-card methods, Gilbert W. King and R. M. Hainer—1247(A)
Analysis of organic materials, infra-red spectral reflectance, George Rappaport—115(A)
Analysis of solids by mass spectrometer, W. M. Hickam —1222(A)
Anthracene scintillation counters, Louis F. Wouters —489(L)
Auburn electronic Fourier synthesizer, R. Pepinsky and D. Sayre—126(A)
Auger electrons in coincidence experiments, S. K. Haynes and H. C. Thomas—128(A)
Axial magnetic suspension, J. F. Dillon and J. W. Beams —117(A)
Background eradication of nuclear emulsions, Herman Yagoda and Nathan Kaplan—1249(A)
Band width in electrostatic analyzer, Mary Jane Auld and F. T. Rogers, Jr. —128(A)
Barkhausen noise in circuit elements, R. T. Beyer and J. A. Krumhansl—1206(A)
Beam splitters, durable non-absorbing, R. W. Boydston —125(A)
"Brittleness" testing device, Charles D. Spencer— 115(A)
Capture of electrons injected into a betatron, D. W. Kerst—503(L)
Carbon-pile type of voltage-regulator, V. E. Scherrer and F. W. Rogers, Jr.—119(A); E. E. Caldwell and F. T. Rogers, Jr. —120(A)
Cathode-follower type of dual-coincidence circuit, Arthur Linz, Jr., F. T. Rogers, Jr., and G. W. Crawford—119(A)
Cavity impedance, W. W. Hansen and R. F. Post— 1560(A)
Characteristics of string galvanometer, G. W. Crawford and F. T. Rogers, Jr.—118(A)
Coil for producing longitudinal magnetic gradients, W. C. Wineland, T. M. Hahn, Jr., and L. R. Boyd— 118(A)
Compensation of circuits for temperature, G. L. Jenkins and F. T. Rogers, Jr.—120(A)
Concentrating of He^3, B. B. McInteer, L. T. Aldrich, and Alfred O. Nier—946
Counter for low energy particles, H. C. Thomas and N. Underwood—127(A)
Crystal "growth" in electron microscope, A. C. Menius, Jr. and T. J. Turner—125(A)

Curved quartz crystal for x-rays and gamma-rays, David Lind, Bernard B. Watson, and Jesse W. M. DuMond—1561(A)
Deadtime theory of counters, S. S. Friedland and A. D. Krumbein—1244(A)
Detection of beta-radiation by photographic film, Jock Cobb and A. K. Solomon—354(A)
Determination of velocity distribution of atoms, Irving L. Kofsky and Henry Levinstein—500(L)
Detonation temperatures in high explosives, R. L. Boyer —1221(A)
Development of thick emulsions, M. Blau and J. A. DeFelice—1198(L)
Dipole, quadrupole, and octupole field and search coils, W. M. Garrett—1231(A)
Direct current analog computer, H. Belock, E. Bromberg, S. Fifer, U. Manfredi, R. McCoy, and H. Zagor —1230(A)
Discharge spread in counters, S. H. Liebson—694(L)
Double-focusing magnetic spectrograph, C. W. Snyder, C. C. Lauritsen, W. A. Fowler, and S. Rubin—1564(A)
Electron multiplier tube, disintegration experiments, Leticia del Rosario—304
Electrostatic analyzer, Samuel K. Allison and Harold V. Argo—1561(A); Mary Jane Auld—129(A); W. A. Bowers—128(A)
Electrostatic generator for positive ion acceleration, C. P. Swann and E. L. Hudspeth—1243(A)
Electrostatic generator for University of São Paul, O. Sala and R. G. Herb—1260(A)
Energy dependence of film meters, L. J. Deal, J. H. Roberson, and F. H. Day—127(A)
Error in absorption experiments, M. E. Rose and M. M. Shapiro—1853
Ethylene self-quenching counters, K. H. Morganstern, C. L. Cowan, and A. L. Hughes—499(L)
Fading of latent image, W. A. Lamb and F. W. Brown, III—104(L)
Fading of latent images of proton tracks, J. S. Cheka —127(A)
Field control system for magnetic spectrograph, E. P. Tomlinson—1231(A)
Flapping wave maker, E. H. Kennard—1229(A)
Flow type pressure controller, W. A. Wildhack—1229(A)
Fluctuations of ionization, beta-spectra, D. H. W. Kirkwood, B. Pontecorvo, and G. C. Hanna—497(L)
Focusing curved crystal spectrometer, annihilation radiation, Bernard B. Watson, David A. Lind, and Jesse W. M. DuMond—1561(A)
Focusing in crossed fields, Walter E. Millett—1058
Front surfaced mirrors, thermal evaporation, R. W. Boydston—124(A)
Gamma-ray isodosimeter, L. D. Marinelli and G. J. Hine—1245(A)
Gas pressures in exhaust flames of rocket motors, F. P. Bundy, A. B. Gregg, and H. M. Strong—1221(A)
Gas scattering in electron synchrotron, J. Mayo Greenberg and T. H. Berlin—1243(A)
Gas temperatures in exhaust flames of rocket motors, H. M. Strong and F. P. Bundy—1221(A)
Geiger counters for pulsed x-ray photon counting, P. Jarmotz and R. Pepinsky—126(A)
Geiger discharge, D. H. Wilkinson—1417
Generating voltmeter and electrometer, S. E. Reynolds and E. J. Workman—1231(A)
Generators of influence signals, B. P. Ramsay, J. H. Buehler, and C. E. Molineux—118(A)
High frequency loading, Nicholas Begovich—1563(A)
High frequency proton source, R. N. Hall—1558(A)
High pressure ion chamber, H. W. Fulbright and R. J. Britten—1251(A)
Image converter tube as electronic stroboscope, George H. Markstein—1230(A)
Integrator for small currents, H. G. Flanary, F. B. Pauls, and L. A. Pardue—125(A)
Intensity as factor in measurements in ultrasonics, J. A. Fitzpatrick, Thomas Kankovsky, and William J. Thaler—1227(A)
Ionization chamber cosmic-ray bursts, H. S. Bridge, W. E. Hazen, B. Rossi, and R. W. Williams—1083
Knudsen type vacuum gauge, J. T. Meers and L. A. Pardue—119(A)
Life of self-quenching counters, S. S. Friedland—898
Linear accelerator, electron ballistics, C. L. Clark—1243(A)
Linear electron accelerator, R. L. McCarthy, J. A. Lockwood, P. J. Rice, and H. L. Schultz—1243(A)
Linear-resistance flowmeter, A. S. Iberall and W. A. Wildhack—1229(A)
Liquid air as low temperature bath, Lester I. Bockstahler and Harmon Plumb—1235(A)
Lock-in amplifier, Walter C. Michels and Esther D. Redding—1562(A)
Loss of protons in synchrotron, Nelson M. Blachman and Ernest D. Courant—140
Low ionizing particles in photographic emulsions, J. Spence, J. Castle, and J. H. Webb—704(L)
Low pressure cloud chamber, Arthur Waltner—127(A)
Luminous flame temperatures, photoelectric pyrometer, J. A. Sanderson, J. A. Curcio, and Dorothy V. Estes —1221(A)
Magnetic analysis of disintegration products, W. W. Buechner, R. J. Van de Graaff, E. N. Strait, C. G. Stergiopoulos, and A. Sperduto—1226(A)
Magnetic field stabilizer, H. S. Somers, Jr., P. R. Weiss, and W. Halpern—1210(A)
Mass spectrometer for negative ions, Willard H. Bennett —1222(A)
Maximum energies of β-emitters, erratum, L. Yaffe and Katharine M. Justus—850(L)
Measurement of velocity and temperature in high speed air flow, Douglas Marlow, C. R. Nisewanger, and W. M. Cady—1229(A)
Methane-filled counters, Earle C. Farmer and Sanborn C. Brown—902
Method of studying nuclear energy levels, H. W. Fulbright and R. R. Bush—1205(A)

Methods and instruments (continued)
Modulation of chain reactor, A. M. Weinberg and H. C. Schweinler—851
Multicellular counter, David A. Lind—1566(A)
Multiplier tube for Li ion counting, A. H. Morrish and J. S. Allen—1260(A)
Multivibrator quenching of counter tubes, B. J. Thamer and A. F. Voigt—1261(A)
Naphthalene scintillations, R. F. Taschek and H. T. Gittings—1553(L)
Neutron spectra from proton recoils in emulsions, F. Reines—1565(A)
Noise and rectification in CbN bolometer, Donald H. Andrews—1234(A)
Nuclear plates in a magnetic field, determination of sign of particles, Ian G. Barbour—507(L)
Nuclear reactions involving polarized protons, Lincoln Wolfenstein—1224(A)
Nuclear reactor at Brookhaven, L. B. Borst, M. Fox, D. H. Gurinsky, I. Kaplan, R. W. Powell, C. Williams, and W. E. Winsche—1883(L)
Nuclear resonance experiment, Edward R. Manring, John R. Zimmerman, and Dudley Williams—1263(A)
Oscillatory method for measuring neutron cross sections, Alexander Langsdorf, Jr.—1216(A)
Parallel *T* resistance-capacitance network, C. E. Bergman and G. H. Fett—1206(A)
Particle size by the Hopper-Laby Stokes' law method, Wulf Kunkel—1557(A)
Particle size distribution in smokes, J. E. Rhodes, Jr. —124(A)
Particle tracks in emulsions, W. Van der Grinten—1244(A)
Photoelectric two-dimensional Fourier analyzer, D. Sayre and R. Pepinsky—127(A)
Photographic plates for nuclear physics, J. H. Webb —511
Photographic cloud-chamber tracks at 100,000 ft., Walter Frick, Edward J. Lofgren, Frank Oppenheimer, and Edward P. Ney—1258(A)
Proportional counter for beta-rays, C. J. Borkowski and E. Fairstein—1243(A)
Proton stopping power of Be, C. B. Madsen and P. Venkateswarlu—648
Rapid expansion of cloud chamber, Arthur Waltner —129(A)
Reaction time of counters, J. W. Keuffel—1562(A)
Recording microwave refractometer, George Birnbaum —1211(A)
Redesign of Princeton cyclotron, M. G. White, H. W. Fulbright, P. Gugelot, and R. R. Bush—1242(A)
Removal of latent image, Joseph De Felice—1244(A)
Rocket borne cloud chamber, G. J. Perlow, E. Krause, and C. Schroeder—1215(A); S. E. Golian, C. Y. Johnson, and M. Kuder—1215(A)
Scattering of particle tracks, S. A. Goudsmit and W. T. Scott—1537(L)
Scintillation counter, A. V. Tollestrup—1561(A)
Scintillation counting with anthracene, P. R. Bell and R. C. Davis—1245(A)
Self-controlled cloud chamber, Martin J. Cohen—1244(A)
Semiconductor triode, transistor, J. Bardeen and W. H. Brattain—230(L)
Short half-life determination, Martin H. Studier and Earl K. Hyde—591
Short period activities, A. D. Schelberg, M. B. Sampson, and A. C. G. Mitchell—1239(A)
Short x-ray pulses by a resonant cavity, L. B. Snoddy and J. W. Beams—126(A)
Sintering process, H. Christensen and C. J. Calbick —1219(A)
Slide rule settings, Vernier principle, Rodger C. Wickenden—116(A)
Slow neutron velocity spectrometer, W. W. Havens, Jr., L. J. Rainwater, C. S. Wu, and J. R. Dunning—1216(A)
Solar and coronal spectra in ultraviolet, J. E. Mack —1208(A)
Source charging in beta-spectrometers, C. H. Braden, G. E. Owen, J. Townsend, C. S. Cook, and F. B. Shull—1539(L)
Space charge of self-quenching counter, C. V. Robinson —1261(A)
Space-charge wave amplification, Andrew V. Haeff—1532(L)
Specimens from an ultra-centrifuge by quick freezing, M. L. Randolph—118(A)
Spectral emissivity determination, W. B. Nottingham and W. E. Mutter—1261(A)
Spectrometer measurement of gamma-radiation, David E. Alburger—1240(A)
Spectroscopy of gamma-rays, Jesse W. M. DuMond, David Lind, and Bernard B. Watson—1561(A)
Speed of brittle fracture in steel, Arthur Linz, Jr. and V. E. Scherrer—121(A)
Stabilization of microwave oscillators, José L. García Quevedo and William V. Smith—123(A)
Stabilized high voltage supply, R. L. Henkel and B. Petree—1260(A)
Starting potential of counter, P. B. Weisz—1807
Statistical error in transmission measurements, M. E. Rose and M. M. Shapiro—1213(A)
Superconducting bolometers, infra-red sensitivity, Nelson Fuson—1234(A)
Supersonic flow patterns by means of shock tube, C. W. Mautz, F. W. Geiger, and H. T. Epstein—1872(L)
Supersonic wind tunnel for optical studies, R. Ladenburg, C. C. Van Voorhis, and J. Winckler—1229(A)
Table of interplanar spacings in terms of 2θ, Suzanne Van Dijke Beatty—625(L)
Temperature in panel heated house, Clyde B. Crawley —120(A)
Tensiometer for small wires, G. W. Crawford—119(A)
Thickness of transition layer between ferromagnetic domains, C. Kittel and R. R. Newton—1604
Time-of-flight mass spectrometer, S. A. Goudsmit—622(L)

Transducer for measuring mechanical properties, Robert S. Marvin, Edwin R. Fitzgerald, and John D. Ferry —1256(A)
Traveling wave tubes and linear accelerators, L. Brillouin—90
Turbulence by light diffraction, J. C. Hubbard, J. A. Fitzpatrick, W. J. Thaler, Laura Cheng, and R. J. Beeber—708(L)
Variational methods in collision problems, W. Kohn —1763
Vector transforms, John W. Miles—1531(L)
Velocity and two-directional focusing of charged particles, N. Svartholm—108(L)
Velocity of discharge in counters, A. J. Knowles, C. Balakrishnan, and J. D. Craggs—627(L)
Wave guide fast counter, R. F. Post—1560(A)
Wide-range frequency modulation, K. R. MacKenzie— 104(L)

Microwaves (see also **Electromagnetic theory,** and **Spectra, microwave**)
Breakdown between coaxial cylinders, Melvin A. Herlin and Sanborn C. Brown—910
Conductivity of a gas at microwave frequencies, Edgar Everhart and Sanborn C. Brown—1210(A)
Dielectric constant of gases at 9340 megacycles, C. M. Crain—691
Electron microscopy of monolayers, H. T. Epstein— 1256(A)
Pressure broading in NH_3, DeForest F. Smith—506(L)
Recording microwave refractometer, George Birnbaum —1211(A)
Spectra of linear XYZ molecules, C. H. Townes, A. N. Holden, and F. R. Merritt—1113

Molecular structure and constants (see also **Spectra, molecular, etc.,** and **Raman spectra**)
Ammonia molecule, inversion spectrum, Masataka Mizushima—705(L)
Of chlorosilane, microwave determination, A. Harry Sharbaugh—1870(L)
Coupling of electron spins, R. S. Henderson and J. H. Van Vleck—106(L)
Distances and nuclear quadrupole couplings in ClCN, BrCN, and ICN, A. G. Smith, Harold Ring, W. V. Smith, and Walter Gordy—370
Force constant calculations for X_4Y_6, Harold W. Woolley—1247(A)
High energy states of N_2+ and N_2, R. B. Setlow—153
Interaction of nuclear electric quadrupole moments with molecular rotation, J. K. Bragg—533
Isotopic effect on potential function, J. G. Valatin— 346(L)
Molecular ionization potentials, Robert S. Mulliken— 736
Nuclear quadrupole moments, rotation in asymmetric molecules, G. Knight and B. T. Feld—354(A)
Rotational energy levels of H_2O and D_2O, N. Ginsburg —1052
Structures and nuclear couplings of methyl halides, Walter Gordy, James W. Simmons, and A. G. Smith —243

Moments, of particles (see also **Nuclear moments and spin**)
Magnetic moment of neutron, D. Rivier and E. C. G. Stueckiberg—218(L), 986(L)
Moment of electron, J. Barnóthy—113(L); P. Kusch and H. M. Foley—250

Neutrino (see also **Radioactivity; Scattering of electrons, neutrons, and ions**)
Preliminary results of He^6 neutrino experiment, James S. Allen, H. R. Paneth, and A. H. Morrish—1224(A)
Thermal consequences of capture of neutrinos by the earth, A. E. Benfield—621(L), 1192(L)

Neutrons
Absorption cross sections with pile oscillator, J. I. Hoover, W. H. Jordan, C. D. Moak, L. Parude, H. Pomerance, J. D. Strong, and E. O. Wollan—864
Absorption in Sa, A. J. Dempster—505(L)
Associated with sea level mesons in Pb, R. D. Sard, W. B. Ittner, III, A. M. Conforto, and M. F. Crouch 97(L)
In cosmic-ray showers, G. Cocconi, V. Cocconi Tongiorgi, and K. Greisen—1867
Cross sections of compounds, crystalline structures, Lester Winsberg, David Meneghetti, and S. S. Sidhu—1216(A)
Delayed emission from N^{17}, N. Knable, E. O. Lawrence, C. E. Leith, B. J. Moyer, and R. L. Thornton— 1217(A)
Density in atmosphere, Luke C. L. Yuan—504(L); J. A. Simpson, Jr.—1212(A)
Depolarization during diffusion, S. Borowitz—1215(A); Sidney Borowitz and Morton Hamermesh—1285
Depolarization of neutrons, M. Burgy, D. J. Hughes, and J. Wallace—1207(A)
Diffusion in medium with isotropic scattering, M. A. Greenfield—1215(A)
Diffusion in shielding materials, P. C. Gugelot and M. G. White—1215(A)
From U^{235} after short irradiation, F. de Hoffmann, B. T. Feld, and P. R. Stein—1330
High energy neutrons and heavy nuclei, M. L. Goldberger—1269
Inelastic scattering, J. M. Cassels and R. Latham— 103(L); L. Szilard, S. Bernstein, B. Feld, and J. Ashkin—1216(A)
Magnetic moment, F. Bloch, D. Nicodemus, and H. H. Staub—1025
Oscillating absorber in chain reactor, A. M. Weinberg and H. C. Schweinler—851
Oscillatory method of measuring cross sections, Alexander Langsdorf, Jr.—1216(A)
Photo-neutrons from fission products in Be, S. Bernstein, F. L. Talbott, J. K. Leslie, and C. P. Stanford —1258(A)
Polarization, J. Steinberger and G. C. Wick—1207(A)
Polarization by magnetized iron, J. M. Cassels—111(L)
Radioactive decay of neutron, H. Snell and L. C. Miller —1217(A)
Resonance scattering in crystals, R. Sternheimer—335

Neutrons (continued)
Scattering resonances in Sc to As, S. P. Harris and A. S. Langsdorf, Jr.—1216(A)
Yields from (*D*, *n*) reactions, Lyle W. Smith and P. Gerald Kruger—1258(A)
Neutron diffraction
By superlattices in order-disorder alloys, Sidney Siegel and C. G. Shull—1255(A)
Nuclear moments and spin (see also **Hyperfine structure**)
Of B^{10}, David R. Inglis—1876(L)
Of B^{11}, John R. Zimmerman and Dudley Williams—1885(L)
Broadening of magnetic resonance lines in crystals, J. H. Van Vleck—1168
Of Cl, C. K. Jen—1246(A)
Of H^3 and He^3, R. Avrami and R. G. Sachs—1320
Of I^{127}, Ga^{69}, Ga^{71}, and P^{31}, erratum, R. V. Pound—228(L)
Interaction with molecular rotation, J. K. Bragg—533
Line shapes in nuclear paramagnetism, G. E. Pake and E. M. Purcell—1184
Magnetic moment of nucleons, Gentaro Araki—986(L)
Of neutron and proton, Kenneth M. Case—1884(L)
Of N^{14} and I^{127}, C. H. Townes—1245(A)
Nuclear magnetic moments and meson exchange, P. Morrison—1224(A)
Nuclear relaxation in ice at −180°C, G. E. Pake and H. S. Gutowsky—979(L)
Nuclear resonance experiment, Edward R. Manring, John R. Zimmerman, and Dudley Williams—1263(A)
Of nuclei of mass ten, M. Goldhaber—1194(L)
Quadrupole interaction in CsF, J. W. Trischka—718
Quadrupole moment of Al^{27}, Hin Lew—1550(L)
Quadrupole moments of B^{10} and B^{11}, Walter Gordy, Harold Ring, and Anton B. Burg—1191(L)
Quadrupole moments of Cl, Luther Davis, Jr. and Carroll W. Zabel—1211(A)
Of Na^{22}, Luther Davis, Jr.—1193(L)
Spin and quadrupole moment of S^{33}, C. H. Townes and S. Geschwind—626(L)
Spins of carbon isotopes, F. A. Jenkins—355
Nuclear structure (see also **Disintegration of nucleus** and **Radioactivity**)
Abundance of elements, Ralph, A. Alpher and Robert Herman—1737
Binding energy of deuteron, R. E. Bell and L. G. Elliott—1552(L)
Closed shells in nuclei, Maria G. Mayer—235; Cecil B. Ellis—1547(L)
Composite particles, Nathan Rosen—128(A)
Double isomer in Rh^{103}, H. F. Gunlock and M. L. Pool 1264(A)
Energy levels in Mg, R. R. Bush and H. W. Fulbright—1206(A)
Energy levels of Al 28 and Mg 25, E. Pollard, V. L. Sailor, and L. D. Wyly—1233(A)
Exchange currents in nuclei, R. G. Sachs—433
Excited level in Li^7 from Li^6 (*d*, *p*) Li^7 and Be^9 (*d*, *α*) Li^7, W. W. Buechner, E. N. Strait, C. G. Stergipoulos, and A. Sperduto—1569
Excited state of Be^9, Conrad Longmire—1773
Formation of shielded isobars, J. S. Smart—1882(L)
Of Au^{199}, C. E. Mandeville and M. V. Scherb—1565(A)
Ground state of deuteron, Francis Low—1885(L)
Of He^3 nucleus from D-D reaction, Harold V. Argo—1293
Isomers of In, G. J. Goldsmith—1249(A)
Of Li^7, W. F. Hornyak and T. Lauritsen—1565(A)
Mean life of Li^{7*}, L. G. Elliott and R. E. Bell—1869(L)
Metastable state of Sc^{46}, M. Goldhaber and C. O. Muehlhause—1877(L)
Models for Be^9, Eugene Guth and Charles J. Mullin 832(L)
Neutron-proton force, John M. Blatt—92
Rotation vibration levels of Fe^{57} and Ni^{59}, H. A. Wilson—351(L)
Rotation vibration levels of Si^{28} and Al^{28}, H. A. Wilson—352(L)
Short-range repulsion, nuclear saturation, G. Parzen and L. I. Schiff—1564(A)
Spin of B^{10}, and spin-orbit coupling in Li^7, David R. Inglis—1876(L)
Tensor interactions between nucleons, Roy Thomas—1564(A)
Thermonuclear reactions in expanding universe, R. A. Alpher, R. Herman, and G. A. Gamow—1198(L)

Optical constants and properties
Of curved glass, D. W. Dunipace—116(A)
Infra-red dispersion of N_2O and C_2H_4, C. F. Hammer, A. G. Pieper, and R. Rollefson—1262(A)
Photoelastic properties of diamond, Elias Burstein and Paul L. Smith—1880(L)
Refractive index of hydrocarbons in near ultraviolet, James L. Lauer—1232(A)
Optical instruments (see **Methods and instruments**)

Packing fraction (see also **Isotopes**)
Of heavy elements, A. J. Dempster—1225(A)
Pair production
Cloud-chamber data, J. A. Phillips and P. Gerald Kruger—1259(A)
Internal conversion in carbon, C. B. Dougherty, W. F. Hornyak, T. Lauritsen, and V. K. Rasmussen—712(L)
Peltier effect (see **Thermoelectric effect**)
Phosphorescence
Of calcium silicate-lead phosphors, optical properties, Frank J. Studer and Gorton R. Fonda—1241(A)
Electron retrapping in infra-red phosphors, R. C. Herman, C. F. Meyer, and H. S. Hopfield—1242(A)
Excitation time on electron bombardment, J. F. Mullaney, F. Reines, and H. G. Weiss—491(L)
Inorganic phosphors, extreme ultraviolet region, E. M. Pell and D. H. Tomboulian—1242(A)
Photo-conductivity of infra-red phosphors, W. L. Parker and J. J. Dropkin—1242(A)
Of ZnF_2: Mn, Peter D. Johnson and Ferd E. Williams—1241(A)

Zinc beryllium silicate phosphors, Shannon Jones —116(A)
Of zinc silicate, temperature dependence, Walter C. Michels and Louise Gaus—1214(A)
Photo-conductivity
Of Cd crystals, Rudolf Frerichs and A. J. F. Siegert—1875(L)
Of cadmium sulfide, J. C. M. Brentano and D. H. Davis —711(L)
Effects of Cl and S in AgCl, Floyd R. Banks, Jr.—1207(A)
Of infra-red phosphors, W. L. Parker and J. J. Dropkin —1242(A)
Of AgCl and TlBr, Wallace C. Caldwell and Lloyd P. Smith—1207(A)
Photodisintegration
Angular distribution of protons from disintegration of deuteron, W. M. Woodward and I. Halpern—1225(A)
Of Be^9, Eugene Guth and Charles J. Mullin—833(L)
Of deuterium by gamma-rays from Na^{24}, N. O. Lassen —1533(L)
(γ, n) reactions, relative yields, W. A. Bowers—1538(L)
Production of protons in nuclei, E. D. Courant—1226(A)
Ratio of deuterium to beryllium thresholds, Bernard Waldman and Walter C. Miller—1225(A)
Reactions at 20 Mev, Dana L. Mock, Raymond C. Waddel, Lawrence W. Fagg, and Ralph A. Tobin —1536(L)
Thresholds for reactions, J. McElhinney, A. O. Hanson, and R. B. Duffield—1257(A)
Photoelasticity
Of diamond, Elias Burstein and Paul L. Smith—1880(L)
Properties of cubic crystals, Elias Burstein and Paul L. Smith—229(L)
Photoelectric effect and properties; cells
In semiconductors, L. Apker, E. Taft, and J. Dickey —1462
Photography
Background eradication of nuclear emulsions, Herman Yagoda and Nathan Kaplan—1249(A)
Development of thick emulsions, M. Blau and J. A. De Felice—1198(L)
Fading of latent image, W. A. Lamb and F. W. Brown III—104(L)
Fading of latent images of proton tracks, J. S. Cheka —127(A)
Low ionizing particles in photographic emulsions, J. Spence, J. Castle, and J. H. Webb—704(L)
Particle tracks in emulsions, W. Van der Grinten—1244(A)
Plates for nuclear physics, J. H. Webb—511
Removal of latent image, Joseph De Felice—1244(A)
Photons
Theory of elliptically polarized photons, Gentaro Araki —472
Photovoltaic effect
Basic concepts, barrier layer, K. Lehovec—463
Polymerization, properties of polymers
Radioactive zinc dimethyl dithiocarbamate in vulcanization of rubber, I. G. Geib—117(A)
ZnS in activated rubber vulcanizates, W. L. Davidson —116(A)
Positrons
Angular distribution of pair-produced electrons, P. V. C. Hough—80
Specific charge, J. Barnóthy—844(L)
Proceedings of the American Physical Society
Ohio Section, Columbus, Ohio, Meeting March 13, 1948 —114
Metropolitan Section, Brookhaven National Laboratory, March 26, 1948—1735
Southeastern Section, Oak Ridge, Tennessee, Meeting April 9–10, 1948—117
Washington, D. C., Meeting April 29–May 1, 1948 —1201
Ohio Section, Toledo, Ohio, Meeting May 8, 1948—114
New England Section, Cambridge, Massachusetts, Meeting May 29, 1948—354
Madison, Wisconsin, Meeting June 21–23, 1948—1253
Pasadena, California, Meeting June 24–26, 1948—1555

Quantum mechanics (see **Mechanics, quantum**)

Radiation (see also **Thermal radiation**)
Angular distribution of pair-produced electrons and bremsstrahlung, P. V. C. Hough—80
Čerenkov radiation, K. Watson and J. M. Jauch—1262(A)
Emissivity of Fe and Co, H. B. Wahlin and Harry W. Knop, Jr.—687
Emissivity of Fe-W and Fe-Co alloys, Harry W. Knop, Jr.—1413
From electrons accelerated in a synchrotron, F. R. Elder, R. V. Langmuir, and H. C. Pollock—52
Theory of Čerenkov effect, Guido Beck—795
Radio (see also **Ionosphere**)
Propagation of 147-mc radio waves, Robert N. Whitehurst—124(A)
Solar noise burst at 9500 Mc/sec., coincident solar flare, M. Schulkin, F. T. Haddock, K. M. Decker, C. H. Mayar, and J. P. Hagen—840(L)
Radioactivity (see also **Disintegration of nucleus**)
α-decay systematics of heavy elements, I. Perlman, A. Ghiorso, and G. T. Seaborg—1730(L)
α-ray spectrum of Po, Walter G. Wadey—1846
Of Al^{25} and Al^{26}, Hugh Bradner and J. D. Gow—1559(A)
Angular correlation of successive quanta, Edward L. Brady and Martin Deutsch—1541(L)
Angular distribution in reactions, C. N. Yang—764
Of As, D. A. McCown, L. L. Woodward, and M. L. Pool —1315
Auger electrons following K-capture in Cu^{64}, C. Sharp Cook and Lawrence M. Langer—1241(A)
Be^7 gamma-ray, Daniel J. Zaffarano, Bernard D. Kern, and Allan C. G. Mitchell—105(L)

Radioactivity (continued)
Of Be^{10}, C. Eggler, D. J. Hughes, and C. Huddleston—1239(A)
β- and γ-radiation of W^{187} and Au^{198}, Roger G. Wilkinson and Charles L. Peacock—1250(A)
β- and γ-radiations of As^{76}, C. S. Wu, W. W. Havens, Jr., and L. J. Rainwater—1248(A)
β- and γ-rays of Rb^{86}, Daniel J. Zaffarano, Bernard D. Kern, and Allan C. G. Mitchell—682
β- and γ-spectra of Cs^{137}, J. Townsend, G. E. Owen, Marshall Cleland, and A. L. Hughes—99(L); J. Townsend, Marshall Cleland, and A. L. Hughes—499(L)
β- and γ-spectra of Ga^{70} and Ga^{72}, S. K. Haynes—423
β- and γ-spectrum of Sc^{46}, Charles L. Peacock and Roger G. Wilkinson—1240(A)
Beta-beta-coincidence for Ir^{192} and Ta^{182}, M. V. Scherb and C. E. Mandeville—508(L)
β-decay spectra of B^{12} and Li^{8}, W. F. Hornyak, C. B. Dougherty, and T. Lauritsen—1727(L)
β-decay theory at low energies, Eugene P. Cooper—1565(A)
β-ray spectra from Cu^{64}, W. E. Meyerhof and M. Goldhaber—348(L)
β-ray spectrum of P^{32}, E. J. Scott—1240(A)
β-spectra of C^{14} and S^{35}, C. Sharp Cook, Lawrence M. Langer, and H. Clay Price, Jr.—548; L. E. Glendenin and A. K. Solomon—700(L); Jane L. Berggren and Robert K. Osborne—1240(A)
β-spectra of Y^{90} and Sr^{90}, Walter E. Meyerhof—621(L)
β-spectrometers, source charging, C. H. Braden, G. E. Owen, J. Townsend, C. S. Cook, and F. B. Shull—1539(L)
β-spectrum of Be^{10}, D. J. Hughes and C. Eggler—1239(A)
β-spectrum of C^{14}, Lawrence M. Langer, C. Sharp Cook, and H. Clay Price, Jr.—1263(A)
β-spectrum of S^{35}, R. D. Albert and C. S. Wu—847(L)
Binding energies of α-particles, Truman P. Kohman—1259(A)
Of Br isotopes, L. L. Woodward, D. A. McCown, and M. L. Pool—870
Of Cd isomers, A. C. Helmholz and C. L. McGinnis—1559(A)
Of Ce and La, J. B. Chubbuck and I. Perlman—982(L)
Coincidences between beta-rays and conversion electrons in Eu, K. Y. Chu and M. L. Wiedenbeck—494(L)
Collateral chains to thorium and actinium families, A. Ghiroso, W. W. Meinke, and G. T. Seaborg—695(L)
Of Cb^{95}, C. E. Mandeville and M. V. Scherb—1266(A)
Of Cb^{95}, Re^{188}, Os^{191}, and Os^{193}, C. E. Mandeville, M. V. Scherb, and W. B. Keighton—888
Converted gamma-radiation from Ag, Cd, In, Pr, and Re, J. M. Cork, R. G. Schreffler, and C. M. Fowler—1657
Correlation between direction and polarization of quanta, Martin Deutsch and Franz Metzger—1542(L)
"Cross-over" transitions in gamma-ray spectra, V. Myers and A. Wattenberg—1264(A)
Decay constants of K^{40}, L. H. Ahrens and Robley D. Evans—279
Decay of neutron, H. Snell and L. C. Miller—1217(A)
Decay of tritium, W. J. Byatt, F. T. Rogers, Jr., and Arthur Waltner—699(L)
Decay times of scintillations, George B. Collins—1543(L)
Detection of beta-radiation by photographic film, Jock Cobb and A. K. Solomon—354(A)
From different crystal faces, J. H. J. Poole and J. W. Bremner—836(L)
From enriched Se^{74} and Se^{76}, L. L. Woodward, D. A. McCown, M. L. Pool, and H. L. Finston—1263(A)
Discoloration of glass, W. J. Arner and D. E. Sharp—116(A)
Of Eu, Gd, and Tb, N. L. Krisberg, M. L. Pool, and Carl T. Hibdon—44, 1249(A)
Of Eu and W, Franklin B. Shull—917
Of 47-hr. Sm^{153}, S. B. Burson and C. O. Muehlhause—1264(A)
Of Ga and Ge, D. A. McCown, L. L. Woodward, and M. L. Pool—1311
Of Ga^{67}, Ge^{69}, As^{73}, and As^{74}, D. A. McCown, L. L. Woodward, M. L. Pool, and H. L. Finston—1248(A)
γ-induced β-disintegration, experimental, R. L. Burling and F. N. D. Kurie—109(L)
γ-induced β-disintegration, theoretical, H. Primakoff—110(L)
Gamma-ray energies, positron emission, Franz N. D. Kurie and M. Ter-Pogossian—677
γ-ray transitions in Co^{60} and Se^{46}, R. G. Fluharty and Martin Deutsch—1241(A)
γ-rays from Cd, C. D. Moak and J. W. T. Dabbs—1249(A)
Gamma-rays from He^{6} and F^{18}, William J. Knox—1192(L)
γ-rays from Te and Sa, J. M. Cork, R. G. Shreffler, and C. M. Fowler—1249(A)
Half-life of C^{14}, L. Yaffe and Jean M. Grunlund—696(L); R. C. Hawkings, R. F. Hunter, W. B. Mann, and W. H. Stevens—696(L)
Half-life of K^{40}, T. Gráf—831(L)
Half-life of Rb^{87}, O. Haxel, F. G. Houtermans, and M. Kemmerich—1886(L)
Half-life of UX_1 (Th_{234}), G. B. Knight and R. L. Macklin—1540(L)
High energy deuteron bombardment of Cu, Dorothy Bockhop, A. C. Helmholz, and J. M. Peterson—1559(A)
High specific activity of carbon compounds, L. D. Norris and Arthur H. Snell—1240(A)
Induced in elements, J. M. Cork, R. G. Shreffler, and C. M. Fowler—240
Of I^{131}, Franz Metzger and Martin Deutsch—1641
Of Ir, C. E. Mandeville and M. V. Scherb—1250(A)
Isomers by slow neutron capture, M. Goldhaber and C. O. Muehlhause—1248(A)
Isotopes of Ge and As, D. A. McCown, L. L. Woodward, M. L. Pool, and H. L. Finston—1263(A)

Of isotopes of Y, Ru, Ce, 61, Sr, Ba, and La, Richard J. Hayden—650
Of Kr isotopes, L. L. Woodward, D. A. McCown, and M. L. Pool—761
Of La^{137} and Ce^{137}, M. G. Inghram and D. C. Hess, Jr. —627(L)
Of La, coincidence investigation, C. E. Mandeville and M. V. Scherb—1251(A)
Low energy portion RaE beta-spectrum, Arthur Waltner and F. T. Rogers, Jr.—699(L)
Of $Hg^{(203)}_{(205)}$, D. Saxon—849(L)
Metastable state of Sc^{46}, M. Goldhaber and C. O. Muehlhause—0000(L)
N^{17}, 4-second neutron emitter, Luis W. Alvarez—1217(A)
Of Os^{185} and Os^{193}, Leonard I. Katzin and M. Pobereskin —264
Of Pt^{193} and Au^{199}, C. E. Mandeville, M. V. Scherb, and W. B. Keighton—601
Of Pu fission fragments, Seymour Katcoff, John A. Miskel, and Charles W. Stanley—631
Polarization and direction of successive quanta, Donald R. Hamilton—782
Positive particles from P^{32}, J. S. Barlow and F. T. Rogers, Jr.—700(L)
Positron spectrum of Cu^{61}, C. Sharp Cook and Lawrence M. Langer—227(L)
Positron spectrum of N^{13}, C. S. Cook, L. M. Langer, H. C. Price, Jr., and M. B. Sampson—502(L)
Of K, L. T. Aldrich and Alfred O. Nier—876; L. B. Borst and J. J. Floyd—989; O. Hirzel and H. Wäffler —1553 (L); T. Gráf—1199(L); R. V. Langmuir—1559(A)
K^{40} β-spectrum, S. Franchetti and M. Giovanozzi—102(L)
Preparation and radiation of U^{237}, Lars Melander and Hilding Slätis—709(L)
Production of N^{17} by deuterons, W. W. Chupp and E. M. McMillan—1217(A)
Protactinium series, Martin H. Studier and Earl K. Hyde—591
Radiation of Hf^{181}, A. F. Voigt and B. J. Thamer—1264(A)
Radiations from Te^{121}, R. D. Hill and J. W. Mihelich 1874(L)
Of RaC, and RaC′, W. Y. Chang—1195(L)
Of RdTh, ThC, and ThC′, W. Y. Chang and T. Coor 1196(L)
Recoil in β-decay, O. Kofoed-Hansen—1785
Of Ru and Tc, D. T. Eggen and M. L. Pool—1248(A)
Of Ru and Tc isotopes, D. T. Eggen and M. L. Pool—57
Of Sm and Gd, K. K. Keller and K. B. Mather—624(L)
Of Sm^{153}, internal conversion electrons, R. D. Hill—78
Of Sc^{46}, Au^{198}, and $W^{185\ 187}$, Charles L. Peacock and Roger G. Wilkinson—297
Scintillations due to tritium β-rays, R. F. Taschek and H. T. Gittings—1537(L)
Short-lived isomers of nuclei, S. DeBenedetti and F. K. McGowan—728
Short period activities, A. D. Schelberg, M. B. Sampson, and A. C. G. Mitchell—1239(A)
Tc activities, E. E. Motta and G. E. Boyd—220(L)
Tc activities, deuteron bombardment of Mo, E. E. Motta and G. E. Boyd—344(L)
Of Tc^{95} and Tc^{96}, H. Medicus, A. Mukerji, P. Preiswerk, and G. de Saussure—839(L)
Of Te^{125}, metastable state, G. Friedlander, M. Goldhaber, and G. Scharff-Goldhaber—981(L)
Of Tb, Ho, Tm, Lu, Ta, W, and Re, Geoffrey Wilkinson and Harry G. Hicks—1733(L)
Of TiO_2, neutron bombardment, R. E. Hein and A. F. Voigt—1265(A)
Of W^{185} and Os^{193}, D. Saxon—1264(A)
Twenty-second activity in B, C^{10}, R. Sherr, H. R. Muether, and M. G. White—1239(A)
Of Zr^{95}, M. V. Scherb and C. E. Mandeville—1248(A)

Raman spectra
Polarizability theory of effect, Frank Matossi and Robert Mayer—449

Relativity
Boundary conditions as relativistic interaction, Marcos Moshinsky and E. P. Wigner—1212(A)
Coulumb scattering of relativistic electrons, William A. McKinley, Jr. and Herman Feshbach—1759
Field theories, T. S. Chang—1250(A)
Mass-energy relations, W. F. G. Swann—200
Quantization of space and time, H. T. Flint—209
Relativistic cut-off for quantum electrodynamics, R. P. Feynman—1430, 1212(A)

Scattering of electrons, neutrons, and ions (see also **Electrons, scattering of; Electron diffraction; Cross section**)
(α, n) cross sections of Be, Mg, and Al, I. Halpern —1234(A)
Analysis of proton-proton scattering, Charles L. Critchfield—1205(A)
Angular distribution, deuterons by deuterons, J. Morris Blair, George Freier, Eugene Lampi, William Sleator, Jr., and J. H. Williams—1594
Angular distribution, products of D−D reaction, J. Morris Blair, George Freier, Eugene Lampi, William Sleator, Jr., and J. H. Williams—1599
Boundary value condition for proton-proton scattering, G. Breit and W. G. Bouricius—1546(L)
Coulumb scattering of relativistic electrons, William A. McKinley, Jr., and Herman Feshbach—1759
Elastic scattering of nucleons by deuterons, calculation, Geoffrey F. Chew—809
Elastic scattering of protons by Al, R. S. Bender, F. C. Shoemaker, S. G. Kaufmann, and G. M. B. Bouricius —1205(A)
Energy loss for H^1, H^2, He^4, Li^6, Howard A. Wilcox —1743
Energy straggling of protons, C. B. Madsen and P. Venkateswarlu—1782
Inelastic scattering of fast neutrons, L. Szilard, S. Bernstein, B. Feld, and J. Ashkin—1216(A)

Scattering of electrons, neutrons, and ions (continued)
Inelastic scattering of neturons, J. M. Cassels and R. Latham—103(L)
Inelastic scattering of protons, H. W. Fulbright and R. R. Bush—1323
Multiple scattering with energy loss, Leonard Eyges—1534(L)
Neutron cross sections of compounds, crystalline structures, Lester Winsberg, David Meneghetti, and S. S. Sidhu—1216(A)
Neutron helium resonance scattering, L. Eisenbud—1206(A)
Neutron-proton force, John M. Blatt—1205(A)
Neutron-proton scattering models, L. Goldstein and D. W. Sweeney—1565(A)
Neutron scattering resonances in Sc to As, S. P. Harris and A. S. Langsdorf, Jr.—1216(A)
Of particles in synchrotron, Nelson M. Blachman and Ernest D. Courant—140
Phase of scattering of thermal neutrons by Ti, S. S. Sidhu, L. Winsberg, and D. Meneghetti—222(L)
Proton stopping power of Be, C. B. Madsen and P. Venkateswarlu—648
Protons by protons, 2.4- to 3.5-Mev, J. Morris Blair, George Freier, Eugene E. Lampi, William Sleator, Jr., and John H. Williams—553, 1205(A)
Of protons from Li^7, S. Rubin, C. W. Snyder, C. C. Lauritsen, and W. A. Fowler—1564(A)
Of slow neutrons by H, W. B. Jones, Jr.—364
Of slow neutrons in crystals, R. Sternheimer—335
Theory of scattering processes, Eugene Feenberg—664; Paul I. Richards—835(L)
Variational methods in collision problems, W. Kohn—1763
Scattering of radiation (see also **Raman spectra**)
In colloidal solutions, Peter G. Bergmann—1209(A)
Of Na^{24} gamma-radiation, Ernest Pollard and David E. Alburger—926
In supersonic streams, J. H. McQueen, J. W. Beams, and L. B. Snoddy—1551(L)
Secondary electrons (see **Electrons, secondary**)
Semiconductors (see **Electrical conductivity and resistance**)
Shock waves (see also **Explosion phenomena**)
Relativistic Rankine-Hugoniot equations, A. H. Taub—1230(A)
Supersonic flow patterns, C. W. Mautz, F. W. Geiger, and H. T. Epstein—1872(L)
Solid state (see **Crystalline state**)
Spectra, absorption
Of benzotrifluoride vapor in ultraviolet, H. Sponer and D. S. Lowe— 122(A)
Of ethyl and of *n*-propyl alcohol, E. K. Plyler and S. L. Kruegel—1247(A)
Of He atom, Su-Shu Huang—1262(A)
Isotopes of C and O in atmosphere, Leo Goldberg, Orren C. Mohler, and Robert R. McMath—1881(L)
Lines of methane in solar spectrum, Marcel V. Migeotte—112(L)
Microwave rotational in D_2O, M. W. P. Strandberg—1245(A)
N_2O in earth's atmosphere, J. H. Shaw, G. B. B. M. Sutherland, and T. W. Wormell—978
Pressure broadening in NH_3, DeForest F. Smith—506(L)
Reversal of secondary series, M. S. McCay—122(A)
Of tetraphenylisoporphine zinc salt, H. V. Knorr—115(A)
Of water vapor between 1.34μ and 1.97μ, R. C. Nelson and W. S. Benedict—703(L)
Of water vapor between 1.42μ and 2.50μ, Orren C. Mohler and W. S. Benedict—702(L)
Spectra, atomic
^2D terms of Li, K. W. Meissner, L. G. Mundie, and P. H. Stelson—932
^2D-terms of Li^7, K. W. Meissner, L. G. Mundie, and P. Stelson—1262(A)
Forbidden lines in O II, L. H. Aller, C. W. Ufford, and J. H. Van Vleck—1208(A)
g value of electron in hydrogen and deuterium, Edward B. Nelson and John E. Nafe—1210(A)
Intensity ratio of H_α and of D_α, Chao-Wang Hsueh—670
Isotope effects in Ne II, K. Murakawa and S. Suwa—1535(L)
Isotopic shift in He, Alan Andrew and W. W. Carter—838(L)
Low terms of Ti II, Henry Norris Russell—689
Nuclear dipole vibrations, M. Goldhaber and E. Teller—1046
Nuclear motion, fine structure of hydrogen, G. Breit and G. E. Brown—1278
Odd terms of Ti I, F. Rohrlich—1381
Rydberg denominators, J. G. Hirschberg, Jr.—1262(A)
Self-consistent field for Ca XIII, W. H. Davis, A. O. Williams, Jr., and R. T. Beyer—1208(A)
Shift of *S* levels in He II, J. E. Mack and N. Austern—1262(A)
S-level shift in ionized He, G. R. Fowles—219(L)
Spectra, general
Microwave spectroscopy, Myer Kessler and Walter Gordy—123(A)
Nuclear quadrupole interaction in CsF, J. W. Trischka—718
Nuclear radiofrequency spectra, quadrupole interactions, Norman F. Ramsay—286
Spectral emissivity of Fe and Co, H. B. Wahlin and Harry Knop—1207(A)
Stabilization of microwave oscillators, José L. García Quevedo and William V. Smith—123(A)
Theory of elliptically polarized photons, Gentaro Araki—472
Spectra, microwave
Absorption line frequencies of methyl alcohol, Donald K. Coles—1194(L)
Absorption line shapes for single crystals, John Wheatley, David Halliday, and J. H. Van Vleck—1211(A)
Atmospheric absorption, H. R. L. Lamont—352(L)
Of cyanogen halides, A. G. Smith, H. Ring, W. V. Smith, and W. Gordy—123(A)
In D_2O, M. W. P. Strandberg—1245(A)

Of ethylene oxide, R. G. Shulman, B. P. Dailey, and C. H. Townes—846(L)
Inversion spectrum of NH_3, James W. Simmons and Walter Gordy—123(A)
Of CH_3Cl, CH_3Br, and CH_3I, James W. Simmons, Walter Gordy, and A. G. Smith—1246(A)
Of linear XYZ molecules, C. H. Townes, A. N. Holden, and F. R. Merritt—1113
Of methyl-chloride, C. K. Jen—1246(A)
Quadrupole moments of B^{10} and B^{11}, Walter Gordy, Harold Ring, and Anton B. Burg—1191(L)
Resonance absorption in ferromagnetic semiconductors, William H. Hewitt, Jr.—1211(A)
Resonance absorption in potassium chrome alum, R. T. Weidner, P. R. Weiss, and C. A. Whitmer—1211(A)
Resonance absorption in single crystals, David Halliday and John Wheatley—2110(A)
Saturation effect, NH_3, Robert L. Carter and William V. Smith—123(A)
Saturation effects, Robert Karplus—223(L); William J. Pietenpol, John D. Rogers, and Dudley Williams —1246(A)
Structures and nuclear couplings of methyl halides, Walter Gordy, James W. Simmons, and A. G. Smith —243
Zeeman effect, C. K. Jen—1396

Spectra, molecular see also **Molecular structure and constants**)
Analysis of band of H_2S by punched-card methods, Gilbert W. King and R. M. Hainer—1247(A)
Aurora spectra, C. W. Gartlein—1208(A)
Band spectrum of HgTl, J. Gibson Winans and Willard J. Pearce—1262(A)
Of ethylene oxide, G. L. Cunningham, W. I. LeVan, and William D. Gwinn—1537(L)
Evidence for Sr isotopes, L. H. Ahrens—74
Infra-red of HCl in solution, Jack L. Parnell and Joseph W. Straley—123(A)
Infra-red of HF, Robert M. Talley and Alvin H. Nielsen —123(A)
Inversion spectrum of NH_3, fine structure, R. S. Henderson—107(L), 626(L)
Rotational of AsF^3, B. P. Dailey, K. Rusinow, R. G. Shulman, and C. H. Townes—1245(A)
Of water vapor, W. S. Benedict—1246(A)

Spectroscopy, technique
Spectrophotometry of fluorescent materials, W. R. Koch —115(A)

Stark effect
In diatomic molecules, W. A. Nierenberg and M. Slotnick —1246(A)
In methyl alcohol, Donald K. Coles—1194(L)

Statistical mechanics (see **Mechanics, statistical**)

Superconductivity (see **Electrical conductivity and resistance**)

Supersonics (see **Acoustics and Ultrasonics**)

Surface tension
Length of capillary, capillary rise of polar liquids, George Antonoff—1227(A)

Thermal conductivity
In liquid helium II, F. London and P. R. Zilsel—1148
Relaxation and heat conductivity in He II, Lothar Meyer and William Band—1235(A)
Relaxation theory, helium II, Lothar Meyer and William Band—394

Thermal radiation (see also **Radiation**)
Emissivity of Fe and Co, H. B. Wahlin and Harry W. Knop, Jr.—687
Emissivity of iron-tungsten and iron-cobalt alloys, Harry W. Knop, Jr.—1413
Temperature in panel heated house, Clyde B. Crawley —120(A)

Thermionic emission; Emitting surfaces
Anomalous values of emission constant, Henry F. Ivey —983(L); E. P. Wohlfarth—984(L)

Thermodynamics
Irreversibility and quantum mechanics, L. Tisza—1213(A)
Irreversible processes in He, C. J. Gorter—1544(L)
Quantum statistics and H theorem, Harvey Einbinder —805
Redefinition of thermodynamic scale, F. G. Brickwedde —1220(A)
Second-order transformations, application to solutions of He^3 in He^4, J. W. Stout—605

Thermoelectric effects
Thomson for metals at high temperatures and Peltier coefficients, solid-liquid interfaces, J. J. Lander—479

Ultrasonics (see also **Acoustics**)
Absorption in resonant liquid column, Joseph L. Hunter —1228(A)
Concentration of beams by curved reflectors, F. E. Fox and V. Griffing—1228(A)
Distortion of ultrasonic waves, J. C. Hubbard, J. A. Fitzpatrick, B. T. Kankovsky, and William J. Thaler —107(L)
Intensity as factor in measurements, J. A. Fitzpatrick, Thomas Kankovsky, and William J. Thaler—1227(A)
Relativistic Rankine-Hugoniot equations, A. H. Taub —328
Supersonic wind tunnel for optical studies, R. Ladenburg, C. C. Van Voorhis, and J. Winckler—1229(A)
Temperature coefficient of velocity, D. R. McMillan, Jr. and W. E. Woolf—124(A)
Two-dimensional supersonic flow, D. Bershader and R. Ladenburg—1229(A)
Velocity and temperature measurement, Douglas Marlow, C. R. Nisewanger, and W. M. Cady—1228(A)
Velocity in liquid fluoro-carbons, R. T. Lagemann, John Evans, and Newton Underwood—124(A)
Velocity in liquid halides, Alfred Weissler—1228(A)

Vapor pressure
Of He^3, Henry A. Fairbank, Charles A. Reynolds, C. T. Lane, B. B. McInteer, L. T. Aldrich, and Alfred O. Nier—345(L)
Of O_2 from triple point to critical point, Harold J. Hoge —1221(A)

Viscosity
Of D_2O and of H_2O from 5° to 125°C, R. C. Hardy and R. L. Cottington—1220(A)

Wave guide (see **Electromagnetic theory**)

X-rays, absorption, diffraction, scattering, reflection, refraction, and polarization
Achromatization of Debye-Scherrer lines, H. Ekstein and S. Siegel, erratum—625(L)
Bragg reflections at small angles, Paul Kaesberg, H. N. Ritland, and W. W. Beeman—71
Compton effect for protons, J. L. Powell—1258(A)
Diffraction by three-dimensional lattices, Otto Halpern and Edward Gerjuoy—1562(A)
Diffuse reflections, piezoelectrically oscillating quartz, David C. Miller—166
MnK absorption edges, H. P. Hanson and W. W. Beeman—1261(A)
Polarization in Compton scattering, A. Wightman —1813
Small angle Bragg reflections, Paul Kaesberg, H. N. Ritland, and W. W. Beeman—1255(A)
Small angle scattering from amorphous materials, George H. Vineyard—1076
Small angle scattering from argon, George H. Vineyard —1209(A)

X-rays, emission (see also **X-rays, spectra and spectroscopy, etc.**)
Bremsstrahlung produced by protons, R. G. Sachs and J. L. Powell—1258(A)
Continuous spectrum, S. T. Stephenson and F. D. Mason—1560(A)
Continuous x-ray spectrum, Jesse W. M. DuMond—1883(L)
Ratio of bremsstrahlung cross sections, L. H. Lanzl, J. S. Laughlin, and L. S. Skaggs—1261(A)
Thick-target production, 1250 to 2350 kilovolts, W. W. Buechner, R. J. Van de Graaff, E. A. Burrill, and A. Sperduto—1348
Transition within L shell of S, D. H. Tomboulian—1887(L)

X-rays, spectra and spectroscopy, wave-length measurements (see also **X-rays, emission**)
Curved quartz crystal for x-rays and gamma-rays, David Lind, Bernard B. Watson, and Jesse W. M. DuMond—1566(A)
Table of interplanar spacings in terms of 2θ, Suzanne Van Dijke Beatty—625

X-rays, tubes, apparatus
Electron diffraction and x-ray tube, John E. Edwards and Karl A. Davis—116(A)
Grid-controlled fine-focus x-ray tube, H. M. Long, Jr. and R. Pepinsky—126(A)
High speed motion pictures, C. M. Slack, L. F. Ehrke, C. Zavales, D. Dickson, and R. G. Young—1230(A)
Short x-ray pulses by a resonant cavity, L. B. Snoddy and J. W. Beams—126(A)

Zeeman effect
In Au, J. B. Green and Howard N. Maxwell—1208(A)
In microwave molecular spectra, C. K. Jen—1396